



www.vogtland.com

 [/VOGTLANDAutosport](https://www.facebook.com/VOGTLANDAutosport)


 [@VOGTLANDSprings](https://www.instagram.com/VOGTLANDSprings)



DESIGNED TO
PERFORM.



VOGTLAND®



DESIGNED TO
PERFORM.

www.vogtland.com

 **VOGTLAND®**



CONTACT

Contact our qualified personnel!

Sales

Phone: + 49 2334 801-34
Phone: + 49 2334 801-39
Fax: + 49 2334 801-24
E-Mail: sales@vogtland.com

Engineering/Technical Support

Phone: + 49 2334 801-35
Fax: + 49 2334 801-24
E-Mail: technik@vogtland.com

Download catalog / TÜV-certificates
www.vogtland.com



CONTENT

Quality and Expertise	04 - 05
Chrome Silicon Alloy	06
Products	07 - 11
The Company	12 - 17
Application Guide	
Height Adjustable Coil Over Kits	18 - 27
Force Adjustable Coil Over Kits	28 - 30
Club Lowering Suspension Kits	31 - 40
Sport Lowering Springs	41 - 63
Electronic Lowering Systems	64
General Terms	65
Product and Installation Information	66
Notes Application Guide	67





QUALITY AND EXPERTISE

The VOGTLAND philosophy has stood tried and true for over 100 years. Providing an attractive look and improving the performance of the driving enthusiast's vehicle. We make you love to drive.

The R&D and spring manufacturing process begins with intense research into the design of the stock suspension components. Ride heights, spring rates, spring lengths, and other attributes are all carefully measured to determine the optimal configuration for the new lowering springs. Beginning with the highest quality spring steel available, Vogtland carefully measures and tests our raw materials to make certain they meet strict guidelines. On top of the guidelines and highest standards we definitely do not forget about street drivability as well as the jaw dropping, head turning look you desire.

Do not be fooled by the cheap copycat imitations! Manpower combined with many years of experience and the most up to date, state of the art manufacturing machinery is what sets Vogtland apart. We make the best so forget about the rest.

GERMAN SPRINGS MANUFACTURED WITH OUR EXCLUSIVE **CHROME SILICON ALLOY**



CHROME SILICON ALLOY

VOGTLAND Sport Springs are produced with special oil tempered or induction heated steels of high tensile strength **chrome silicon (CrSi)** and **chrome silicon vanadium (CrSiV)** alloys using the cold coiling process.

This provides reduced spring weight with high material strength, effectively reducing the unsprung weight of the vehicle for improved handling and performance.



FORCE ADJUSTABLE / HEIGHT ADJUSTABLE COIL OVER KITS

High Performance damping and non-damping adjustable coil-overs allow you to adjust your setup to perform on the track as well as an excellent and comfortable ride.



CLUB LOWERING SUSPENSION KITS

The VOGTLAND sport suspension kit (shocks and springs) improves the look of your vehicle and improves stability to give you the confidence you need behind the wheel.



SPORT LOWERING SPRINGS

VOGTLAND Lowering Springs not only improve the look of your car by reducing wheel gap, but improve handling by lowering the center of gravity while the higher spring rates give you the performance you desire.



ELECTRONIC LOWERING SYSTEMS

VOGTLAND's Electronic Module utilizes the vehicles air suspension or ABC active suspension to allow for chassis tuning and up to an additional 40 mm of lowering.



HEIGHT ADJUSTABLE COIL OVER KITS

VOGTLAND's non-damping height adjustable coil-over kits are specially designed to fine tune your vehicle's ride height.

Through the utilization of full threaded bodies and a twin tube damper to control the custom higher spring rates, the sprung and unsprung mass of the vehicle is properly controlled to provide greater drivability and confidence when behind the wheel. Height adjustments on VOGTLAND coilovers vary from 20 mm to 80 mm.



FORCE ADJUSTABLE COIL OVER KITS

VOGTLAND's damping and height adjustable coil-over kits redefine high performance suspension.

By combining an externally rebound adjustable shock with a fully threaded body, VOGTLAND offers the driver the ability to fine tune the suspension for the track or street while maintaining drivability and comfort! All coilover kits are equipped with specifically designed, VOGTLAND manufactured „VVS“ alloy high quality springs. Height adjustments on VOGTLAND coilovers vary from 20 mm to 80 mm.



ELECTRONIC LOWERING SYSTEMS “ELS”

Lowering module for air suspension.
The suspension specialist VOGTLAND expands its product portfolio with the Electronic Lowering System.

With the module VOGTLAND provides electronic chassis tuning for vehicles that are factory-equipped with air suspension or with ABC active suspension system. With the VOGTLAND lowering module, you achieve a lowering by up to 40 mm. This will provide a sporty performance and driving dynamics as well as an optimization of driving safety.

The standard adjustment option via switch or menu remains fully functional. The module is quickly and easily installed and can therefore be uninstalled and put back to OEM settings easily as well.

CLUB LOWERING SUSPENSION KITS

The VOGTLAND sport suspension kit is a complete solution for your car's suspension requirements.

The sport suspension kit uses our trusted sport springs and the best shock absorbers to provide an answer for all your vehicle's suspension shortcomings. By increasing driver feedback, reducing brake dive and body roll, and decreasing vehicle ride height.

The VOGTLAND sport suspension kit improves the look of your vehicle and adds stability to increase your confidence when behind the wheel. The damper characteristic and spring rates were optimized to function as a package. The shocks are either high or low pressure gas and are selected for each individual application, typically providing a 10 - 15 % increase in force.



SPORT LOWERING SPRINGS

VOGTLAND sport springs are manufactured in Germany and provide multifaceted improvements for your vehicle's suspension.

The comprehensive design generates a better overall appearance while making a significant improvement in performance. The compound spring rate allows for comfortable ride quality under normal driving conditions while providing maximum performance when being pushed to the limit.

Derived from racing, the VOGTLAND compound spring consists of two different spring rates. The initial rate provides the proper preload necessary for proper suspension function during all road conditions and the final rate is designed to provide the appropriate vehicle balance for neutral steering characteristics. Each spring is calibrated for every specific car model and provides a balance between performance and comfort. You can visually and physically experience your car in a whole new way.



VOGTLAND North America, Temecula, USA



Plant 2, Hagen, Germany



Plant 3, Hagen, Germany


THE COMPANY

Today VOGTLAND is an international spring manufacturer comprised of three operating units: VDF VOGTLAND Federntechnik, VOGTLAND Autosport, and VOGTLAND North America.

The core competence of the VDF FEDERN-Group are industrial springs and springs for automotive applications. These high quality products are produced at our plants in Germany.

We have integrated over 100 years of our long standing tradition of spring making with the most current spring manufacturing technologies. Our diverse manufacturing capabilities, production lines, and efficiencies, allow us to produce both low and high volume products for our customers.

The unique manufacturing cells permit VOGTLAND to quickly respond to our customers' needs and meet their stringent deadlines. This expertise permits us to be a supplier to some of the top NASCAR and Indy Car teams in North America and many internationally recognized Tuners.



CORE COMPETENCE

Our customers benefit from our enthusiasm and expertise, VOGTLAND's Suspension Technology group is dedicated to providing the driving enthusiast with a suspension upgrade that is suited for most driving conditions.

Our engineers and technicians are car enthusiasts just like you; we are as passionate about what we do as you are about your car. We test and develop each and every application with the driving enthusiast in mind. This is why we offer spring and suspension kits that provide the "look" and performance you would expect.

Sport Springs and Sport Suspension Kits with available lowering from 25 mm to 50 mm give your car a powerful new look and provide you with driving fun beyond anything you have ever experienced before. We offer a comprehensive line for all makes of cars - from Acura to Volvo. With over 1,100 applications in our model line-up, you will be able to find what you are looking for.



TECHNICAL CENTER

Our technicians are reviewing the OE spring and suspension components, we are able to create specific suspension components for each application by enhancing and refining the factory components.

We tailor the ride height to ensure that the vehicle provides a lowered and aggressive appearance, yet still maintains the appropriate ride height for the suspension to function properly. Finally, our engineers perform and document all quality checks and prepare the TÜV homologation for its approval.

Our springs are developed to work with the stock shock absorbers. However, they can also be combined with any quality brandname sport shock absorbers presently available on the market. Our complete suspension kits come with preselected shock absorbers specifically paired to work with our lowering springs to provide the most balanced suspension possible for your vehicle. VOGTLAND applies its years of experience in spring engineering to achieve spring designs that yield the look that you want, without sacrificing the dynamics or proper suspension geometry of the vehicle.



PRODUCTION

VOGTLAND sport springs are produced using special oil tempered spring steels of high tensile strength chrome silicon (CrSi) and chrome silicon vanadium (CrSiV) alloys using the cold coiling process. This provides reduced spring weight with high material strength, effectively reducing the unsprung weight of the vehicle and optimizing handling characteristics.

After the cold coiling process, all suspension springs are tempered, shotpeened, and preset to ensure consistent vehicle ride height and suspension function.

Low grade products will lose height due to high impact; however, VOGTLAND springs are guaranteed to maintain their factory settings because of our sophisticated presetting program. Finally the springs are phosphated and powder coated to ensure a superior corrosion barrier for years of service.



Bernhard Vogtland

COMPANY HISTORY

1908

June 3rd - 40 year old locksmith Bernhard Vogtland starts the company in a garage in Hohenlimburg, Germany. He begins by manufacturing springs for the toys as well as equestrian applications such as driveline harnesses.

1923

15 years later through the addition of partners the company becomes "United Wire- and Springs Factory Vogtland & Riepelmeier". They open a new building "Im Weinhof". The engineering and machinery industry became an important customer group.

1934

11 years after the first significant expansion, the company changes its location once again to the Elsey district. The sole owner Paul Vogtland senior boosts the export quota up to 35%. At this time, most of the business consists of supporting the agricultural equipment and mining industry.

1958

The company's 50th anniversary is marked with the addition of a new and modern administration building and the expansion of the spring production plants. With a current staff of 130 personnel, Vogtland hits the capacity of one million springs per day. Springs with special alloy and chrome-vanadium wire begin early development.

1961-1968

23 year old Paul Vogtland Jr. joins the company and assumes the role of company general management in 1966. Paul Vogtland Jr. expands the factory and moves to its first new location in 33 years. Construction begins in Alemannenweg which becomes the company's headquarters. The new building is completed and the company moves to its new location on Vogtland's 60th anniversary.

1974-1986

The manufacturing plant is expanded along with the warehouse, and a second manufacturing plant goes into construction in Gotenweg.

1989-1991

December 1989- The company name is officially changed to VDF VOGTLAND GmbH, removing the name Riepelmeier 55 years after his retirement. February 1st - At 21 years old, Christoph Vogtland joins the company and founds the brand VOGTLAND for the production of aftermarket suspension components. At this time an additional high rack warehouse is built in Alemannenweg.

1992-1993

October 1st, 1992 - Paul-Bernd Vogtland joins the company and becomes general manager at 27 years old. On May 6th Christoph Vogtland, the esteemed suspension division manager, passes away.

A short time later on June 13th Paul Vogtland jr. also passes.



1994-1995

With the foundation of the subsidiary company VOGTLAND Agropruziny spol. S.r.o. the complete production of tine springs for the agriculture aftermarket to Czechia. November of 1994 marks the takeover of the Engelbrecht & Roos small spring factory in Wuppertal.

Martin Vogtland joins the company at 25 years old on January 1st, 1995; he becomes general manager two years later.

2001

VOGTLAND North America, Inc. is founded as Vogtland opens a sales and distribution office to serve the North American markets. VOGTLAND enters the racing market and becomes a key supplier to the top NASCAR teams.

2005

VOGTLAND acquires the spring factory RENZING GmbH with 50 employees. The group of companies continues its growth with four modern locations.

2006


VOGTLAND opens a new warehouse and distribution centre in Hagen, Germany.

2008

100 years of tradition, innovation, passion and driving excitement all made in Germany. The spring technology group is now positioned under the new logo VDF Federn. Presently the current production range includes compression springs, axle springs, tension springs, leg springs, formed and stamped parts assemblies and components. The suspension product lines encompass lowering springs, adjustable suspension kits and racing springs.

Present

VOGTLAND is a leading supplier to the racing Industry with our leading edge "VVS" spring technology. Additionally we support small OE programs as well as Tuners. At VOGTLAND, we have focused on providing premium quality aftermarket high performance suspension, OE automotive and industrial springs. The current product range includes sport lowering springs, club lowering springs, height and force adjustable coil over kits and electronic lowering systems.




HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
ALFA ROMEO							
Giulietta							
Alfa Romeo Giulietta, Typ 940	6.10 >	1100 kg / 850 kg	35 - 55	30 - 50	24, 32	TÜV	968702
147							
Alfa Romeo 147, Typ 937, incl. GTA	1.01 >	1040 kg / 990 kg	35 - 60	35 - 60	24, 32	TÜV	968376
MiTo							
Alfa Romeo MiTo, Typ 955, VA bis / up to 900kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	900 kg / 850 kg	20 - 50	30 - 55	24, 62	TÜV	968057
Alfa Romeo MiTo, Typ 955, VA über / more than 900 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	1000 kg / 850 kg	20 - 50	30 - 55	24, 62	TÜV	968058
156							
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon	10.97 >	1060 kg / 980 kg	35 - 60	35 - 65	24	TÜV	968377
GT							
Alfa Romeo GT, Typ 937	3.04 >	1040 kg / 990 kg	20 - 50	35 - 65	24, 32	TÜV	968300
AUDI							
A1							
Audi A1, Typ 8X	8.10 >	900 kg / 820 kg	15 - 40	15 - 40	24	TÜV	968142
Audi A1, Typ 8X	8.10 >	960 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968144
A3							
Audi A3, Typ 8L, 2WD	9.96 > 5.03	1020 kg / 1025 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968200
Audi A3, Typ 8L, Quattro	12.96 > 5.03	1040 kg / 1050 kg	25 - 50	25 - 50	24, 59	TÜV	968301
Audi A3, Typ 8L, incl. S3	6.99 >	1040 kg / 1050 kg	25 - 50	25 - 50	24, 59	TÜV	968302
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA bis / up to 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 42, 47, 62	TÜV	968230
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA bis / up to 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 62	TÜV	968231
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA über / more than 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1170 kg / 1150 kg	40 - 60	40 - 60	15, 25, 42, 47, 62	TÜV	968232
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1170 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 62	TÜV	968233
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA bis / up to 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 42, 47, 75	TÜV	968297
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA bis / up to 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 75	TÜV	968298
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.03 >	1170 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 75	TÜV	968293
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA bis / up to 1105 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.03 >	1105 kg / 1160 kg	35 - 65	35 - 65	24, 59, 62	TÜV	968303
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA über / more than 1105 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.03 >	1170 kg / 1160 kg	35 - 65	35 - 65	24, 59, 62	TÜV	968304
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA bis / up to 1105 kg, mit / with elektronischer Dämpferregelung / electronic dampers	9.03 >	1105 kg / 1160 kg	35 - 65	35 - 65	24, 59, 75	TÜV	968600
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA über / more than 1105 kg, mit / with elektronischer Dämpferregelung / electronic dampers	9.03 >	1170 kg / 1160 kg	35 - 65	35 - 65	24, 59, 75	TÜV	968601
Audi A3, Typ 8P, incl. S3, ohne / without elektronische Dämpferregelung / electronic dampers	1.07 >	1170 kg / 1160 kg	10 - 40	10 - 40	24, 43, 62	TÜV	968305
Audi A3, Typ 8P, incl. S3, mit / with elektronischer Dämpferregelung / electronic dampers	1.07 >	1170 kg / 1160 kg	10 - 40	10 - 40	24, 43, 75	TÜV	968294
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	980 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 62, 71	TÜV	968700
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	1055 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 62, 71	TÜV	968701
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	980 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 71, 75	TÜV	968160
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	1055 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 71, 75	TÜV	968161
A4							
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, bis Fgst.-Nr. / up to chassis no. 8D*X 199999	9.94 > 1.99	1080 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968379
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, bis Fgst.-Nr. / up to chassis no. 8D*X 199999, VA ab / more than 1081 kg	9.94 > 1.99	1150 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968380
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, ab Fgst.-Nr. / from chassis no. 8D*X 200000	2.99 > 10.00	1080 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968306
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, ab Fgst.-Nr. / from chassis no. 8D*X 200000, VA ab / more than 1070 kg	2.99 > 10.00	1150 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968307

HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
AUDI							
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, Quattro, VA bis / up to 1080 kg	2.95 >	1080 kg / 1130 kg	40 - 65	40 - 65	24, 59	TÜV	968381
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, Quattro incl. S4, VA über / from 1081 kg	2.95 >	1150 kg / 1130 kg	40 - 65	40 - 65	24, 59	TÜV	968382
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Lim. / Sedan, 2WD, VA bis / up to 1080 kg	11.00 >	1080 kg / 1150 kg	35 - 65	35 - 60	7, 15, 24	TÜV	968383
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Lim. / Sedan, 2WD, VA über / more than 1080 kg	11.00 >	1220 kg / 1150 kg	35 - 60	35 - 60	7, 15, 24	TÜV	968384
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, VA bis / up to 1080 kg	11.00 >	1080 kg / 1165 kg	35 - 60	35 - 60	7, 24	TÜV	968308
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, incl. S4, VA über / from 1080 kg	11.00 >	1250 kg / 1165 kg	35 - 60	35 - 60	7, 24	TÜV	968309
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Avant, Cabrio, 2WD, VA bis / up to 1080 kg	11.00 >	1080 kg / 1165 kg	35 - 60	35 - 60	7, 15, 24	TÜV	968385
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Avant, Cabrio, 2WD, VA über / more than 1080 kg	11.00 >	1250 kg / 1165 kg	35 - 60	35 - 60	7, 15, 24	TÜV	968386
Audi A4, Typ 8E (B6/7), Avant, Cabrio, Quattro, VA bis / up to 1080 kg	11.00 >	1080 kg / 1165 kg	35 - 65	35 - 60	7, 24	TÜV	968310
Audi A4, Typ 8E (B6/7), Avant, Cabrio, Quattro, incl. S4, VA über / from 1080 kg	11.00 >	1250 kg / 1165 kg	35 - 65	35 - 60	7, 24	TÜV	968311
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, VA bis / up to 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	11.07 >	1080 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968113
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	11.07 >	1225 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968114
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, VA bis / up to 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	4.08 >	1080 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968115
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	4.08 >	1180 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968116
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, VA bis / up to 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	11.07 >	1080 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968163
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	11.07 >	1225 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968164
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, VA bis / up to 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	4.08 >	1080 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968165
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	4.08 >	1180 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968166
A5							
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, VA bis / up to 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.07 >	1080 kg / 1240 kg	25 - 55	25 - 50	24, 62	TÜV	968113
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, incl. S5, RS5, VA über / more than 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.07 >	1245 kg / 1240 kg	25 - 55	25 - 50	24, 62	TÜV	968114
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, VA bis / up to 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.07 >	1080 kg / 1240 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968168
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, incl. S5, RS5, VA über / more than 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.07 >	1245 kg / 1240 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968169
A6							
Audi A6, Typ 4B (C5), Lim. / Sedan, Avant, 2WD	2.97 >	1100 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968387
Audi A6, Typ 4B (C5), Lim. / Sedan, Avant, 2WD, VA über / more than 1100 kg	2.97 >	1250 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968388
Audi A6, Typ 4B (C5) Lim. / Sedan, Avant, Quattro	2.97 >	1100 kg / 1300 kg	40 - 75	40 - 75	7, 24, 59	TÜV	968370
Audi A6, Typ 4B (C5) Lim. / Sedan, Avant, Quattro, incl. S6	2.97 >	1350 kg / 1300 kg	40 - 75	40 - 75	7, 24, 59	TÜV	968059
Audi A6, Typ 4F, Lim. / Sedan, 2WD, Quattro	5.04 >	1240 kg / 1205 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968060
Audi A6, Typ 4F, Lim. / Sedan, 2WD, Quattro	5.04 >	1305 kg / 1205 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968061
Audi A6, Typ 4F, Avant, 2WD, Quattro	2.05 >	1240 kg / 1300 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968062
Audi A6, Typ 4F, Avant, 2WD, Quattro	2.05 >	1305 kg / 1300 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968063
A7							
Audi A7, Typ 4G, 4G1, Sportback, 2WD, Quattro, VA bis / up to 1215 kg	10.10 >	1215 kg / 1255 kg	35 - 60	35 - 60	24	TÜV	968189
TT							
Audi TT, Typ 8N, 2WD	11.98 >	1030 kg / 845 kg	30 - 50	30 - 50	15, 24, 27	TÜV	968389
Audi TT, Typ 8N, Quattro	6.99 >	1110 kg / 920 kg	30 - 50	30 - 50	24, 59	TÜV	968312
Audi TT, Typ 8J, Coupé, 2WD, 4 cyl., ohne / without elektronische Dämpferregelung / electronic dampers	9.06 >	965 kg / 885 kg	20 - 50	20 - 50	15, 24, 43, 62	TÜV	968314
Audi TT, Typ 8J, Coupé, Quattro, ohne / without elektronische Dämpferregelung / electronic dampers	9.06 >	1040 kg / 885 kg	20 - 40	20 - 40	43, 59, 62	TÜV	968188
Audi TT, Typ 8J, Roadster, 2WD, 4 cyl., ohne / without elektronische Dämpferregelung / electronic dampers	4.07 >	965 kg / 1150 kg	20 - 50	20 - 50	15, 24, 43, 62	TÜV	968315
Audi TT, Typ 8J, Coupé, 2WD, 4 cyl., mit / with elektronischer Dämpferregelung / electronic dampers	9.06 >	965 kg / 885 kg	20 - 50	20 - 50	15, 24, 43, 75	TÜV	968295
Audi TT, Typ 8J, Coupé, Quattro, mit / with elektronischer Dämpferregelung / electronic dampers	9.06 >	1040 kg / 885 kg	20 - 40	20 - 40	43, 59, 75	TÜV	968296




HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
AUDI							
Audi TT, Typ 8J, Roadster, 2WD, 4 cyl., mit / with elektronischer Dämpferregelung / electronic dampers	4.07 >	965 kg / 1150 kg	20 - 50	20 - 50	15, 24, 43, 75	TÜV	968192
BMW							
1er, E82							
BMW 1 E82, Typ 182, 1C, Coupé	10.07 >	945 kg / 1070 kg	35 - 65	35 - 65	15, 24, 27	TÜV	968174
1er, E87							
BMW 1 E87, Typ 187, 1K2, 1K4	9.04 >	945 kg / 1070 kg	35 - 65	35 - 65	15, 24, 27	TÜV	968395
1er, E88							
BMW 1 E88, Typ 182, 1C, Cabrio	3.08 >	960 kg / 1120 kg	30 - 55	25 - 50	15, 24, 27	TÜV	968175
1er, F20 / F21							
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 114i, 114d, 116i, 116d, 118i, 118d, 120d, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	920 kg / 1160 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968710
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 125i, 125d, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1160 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968711
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 114i, 114d, 116i, 116d, 118i, 118d, 120d, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	920 kg / 1160 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968193
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 125i, 125d, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1160 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968194
2er, F22 Coupé							
BMW 2 F22, Typ 1C, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	920 kg / 1230 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968195
BMW 2 F22, Typ 1C, incl. M235i, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968196
BMW 2 F22, Typ 1C, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	920 kg / 1230 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968197
BMW 2 F22, Typ 1C, incl. M235i, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968198
3er, E36							
BMW 3 E36, Typ 3B, 3/B, 3C, 3/C, 3/CG, Lim. / Sedan, Touring, Coupé, Cabrio	9.90 > 6.92	900 kg / 1150 kg	40 - 80	20 - 50	15, 24, 27, 63	TÜV	968390
BMW 3 E36, Typ 3C, 3/C, 3/CG, Compact	4.94 >	850 kg / 1040 kg	40 - 80	20 - 50	24, 27	TÜV	968391
BMW 3 E36 M3, Typ M3B, M3/B	10.92 > 4.99	920 kg / 1130 kg	30 - 60	20 - 45	24, 27	TÜV	968392
BMW 3 E36, Typ 3B, 3/B, 3C, 3/C, 3/CG, 4 + 6 cyl. incl. Touring, incl. M-Technik	6.92 > 2.98	900 kg / 1150 kg	40 - 80	30 - 60	47	TÜV	968201
3er, E46							
BMW 3 E46, Typ 346L, 346C, 346R, Lim. / Sedan, Touring, Coupé, Cabrio, ohne / without M3	5.98 >	910 kg / 1215 kg	30 - 70	30 - 50	15, 24, 27	TÜV	968393
BMW 3 E46, Typ 346L, 346C, 346R, Lim. / Sedan, Touring, Coupé, Cabrio, ohne / without M3	5.98 >	1030 kg / 1215 kg	30 - 70	30 - 50	15, 24, 27	TÜV	968394
BMW 3 E46, Typ 346K, Compact	1.01 >	935 kg / 1050 kg	30 - 60	30 - 50	24, 27	TÜV	968681
BMW 3 E46 M3, Typ M346, Coupé, Cabrio	6.00 >	990 kg / 1170 kg	20 - 40	20 - 40	24	TÜV	968318
3er, E90							
BMW 3 E90, Typ 390L, Lim. / Sedan	4.05 >	1090 kg / 1135 kg	30 - 60	30 - 60	15, 24, 27	TÜV	968396
BMW 3 E91, Typ 390L, 3K, Touring	9.05 >	1090 kg / 1200 kg	30 - 60	20 - 50	15, 24, 27	TÜV	968397
BMW 3 E92, Typ 392C, Coupé	9.06 >	1090 kg / 1135 kg	20 - 50	20 - 50	15, 24, 27	TÜV	968398
BMW 3 E93, Typ 392C, 3C, Cabrio	3.07 >	1090 kg / 1200 kg	30 - 60	20 - 50	15, 24, 27	TÜV	968397
3er, F30							
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 316d, 316i, 318d, 318i, 320d, 320i, 325d, 328i, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968712
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 330d, 335i, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968713
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 316d, 316i, 318d, 318i, 320d, 320i, 325d, 328i, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968244
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 330d, 335i, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968246
3er, F31							
BMW 3, F31, Typ 3K, Touring, 2WD, 316d, 316i, 318d, 320i, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	913 kg / 1225 kg	40 - 65	30 - 55	15, 24, 62	TÜV	968714
BMW 3, F31, Typ 3K, Touring, 2WD, 320d, 325d, 328i, 330d, 335i, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	1020 kg / 1225 kg	40 - 65	30 - 55	15, 24, 62	TÜV	968715
BMW 3, F31, Typ 3K, Touring, 2WD, 316d, 316i, 318d, 320i, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	913 kg / 1225 kg	40 - 65	30 - 55	15, 24, 78	TÜV	968247
BMW 3, F31, Typ 3K, Touring, 2WD, 320d, 325d, 328i, 330d, 335i, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	1020 kg / 1225 kg	40 - 65	30 - 55	15, 24, 78	TÜV	968248
3er GT, F34							
BMW 3 GT, Typ 3-V, Lim. / Sedan, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	950 kg / 1265 kg	30 - 55	15 - 40	15, 62	TÜV	968249
BMW 3 GT, Typ 3-V, Lim. / Sedan, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1000 kg / 1265 kg	30 - 55	15 - 40	15, 62	TÜV	968250

HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
BMW							
4er, F32 / F33							
BMW 4 F32, Typ 3C, Coupé, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968251
BMW 4 F32, Typ 3C, Coupé, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968252
BMW 4 F32, Typ 3C, Coupé, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968253
BMW 4 F32, Typ 3C, Coupé, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968254
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	960 kg / 1265 kg	40 - 65	40 - 65	15, 62	TÜV	968255
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	1025 kg / 1265 kg	40 - 65	40 - 65	15, 62	TÜV	968256
5er, E39 / M5							
BMW 5 E39, Typ 5/D, Lim. / Sedan	12.95 >	1090 kg / 1200 kg	35 - 65	30 - 60	7, 15, 24, 60	TÜV	968703
BMW 5 E39, Typ 5/D, Touring, HA mit Luftfederung / with air suspension (Niveau)	1.97 >	1095 kg / ---	35 - 65	30 - 60	15, 60, 61	TÜV	968317
BMW 5 E39 M5, Typ M539, Lim. / Sedan	1.99 >	1105 kg / 1225 kg	35 - 65	20 - 50	24	TÜV	968003
BMW 5 E39, Typ 5/D, Touring HA mit Schraubenfeder / Rear with coil spring, ohne Niveauregulierung / without self-leveling	1.97 >	1095 kg / 1410 kg	35 - 65	30 - 60	7, 24, 60	TÜV	968065
5er, E60 / E61							
BMW 5 E60, Typ 560L, Lim. / Sedan	7.03 >	1070 kg / 1235 kg	25 - 55	25 - 55	7, 24, 27	TÜV	968066
BMW 5 E61, Typ 560L, Touring	6.04 >	1070 kg / 1300 kg	25 - 45	25 - 45	24, 27	TÜV	968067
5er, F10							
BMW 5 F10, Typ 5L, Lim. / Sedan, ohne / without elektrische Dämpferregelung / electronic dampers, ohne / without 550i	3.10 >	1195 kg / 1310 kg	25 - 55	20 - 50			968652
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD	3.10 >	1195 kg / 1310 kg	25 - 55	20 - 50	15, 78	TÜV	968750
7er, E38							
BMW 7, E38, Typ 7/G	10.94 > 11.01	1135 kg / 1355 kg	20 - 45	20 - 45	7, 24, 27, 62	TÜV	968146
BMW 7, E38, Typ 7/G	10.94 > 11.01	1255 kg / 1355 kg	20 - 45	20 - 45	7, 24, 27, 62	TÜV	968147
Z3							
BMW Z3, Typ R/C, Coupé, Roadster	10.95 >	830 kg / 870 kg	35 - 60	30 - 60	24, 27	TÜV	968399
Z4							
BMW Z4, Typ Z85	2.03 >	790 kg / 890 kg	20 - 50	15 - 40	24, 27	TÜV	968068
BMW Z4, Typ Z89, Coupé, Roadster	4.09 >	870 kg / 1000 kg	15 - 40	10 - 35	64	TÜV	968257
CITROEN							
C1							
Citroen C1, Typ P	6.05 >	695 kg / 695 kg	25 - 55	30 - 60	24	TÜV	968148
CHRYSLER							
300C							
Chrysler 300C, Typ LX, 2WD, 6 cyl.	9.04 >		20 - 50	25 - 55			968022
Chrysler 300C, Typ LX, 2WD, 8 cyl.	9.04 >		20 - 50	25 - 55			968027
DODGE							
Challenger							
Dodge Challenger, 2WD, 6 + 8 cyl.	9.04 > 10		20 - 50	25 - 55			968023
Charger							
Dodge Charger, 2WD, 6 cyl.	9.04 > 10		20 - 50	25 - 55			968023
Dodge Charger, 2WD, 8 cyl.	9.04 > 10		20 - 50	25 - 55			968027
FIAT							
500							
Fiat 500, Typ 312, incl. Abarth	8.07 >	830 kg / 735 kg	30 - 60	10 - 40	24	TÜV	968009
Fiat 500, Typ 312, USA-Modell, (Chrysler Group LLC)	11 >		30 - 60	10 - 40	24		968149
Bravo / Brava							
Fiat Bravo / Brava, Typ 182	9.95 > 10.01	1000 kg / 1000 kg	35 - 75	50	26	TÜV	968719
Fiat Bravo / Brava, Typ 182, HGT	9.95 > 10.01	1000 kg / 1000 kg	35 - 75	50	26	TÜV	968720
Fiat Bravo, Typ 198, mit / with M12 Befestigung / mounting	3.07 >	1060 kg / 860 kg	35 - 65	25 - 50	24	TÜV	968007
Fiat Bravo, Typ 198, mit / with M10 Befestigung / mounting	3.07 >	1060 kg / 860 kg	35 - 65	25 - 50	24	TÜV	968008
Punto							
Fiat Punto, Typ 176, 176C, incl. Cabrio	9.93 >	850 kg / 700 kg	30 - 60	40	26	TÜV	968320
Fiat Punto, Typ 188, incl. Facelift	6.99 >	900 kg / 750 kg	30 - 60	40	26	TÜV	968503
Fiat Grande Punto, Typ 199	10.05 >	900 kg / 860 kg	35 - 65	35 - 60	24	TÜV	968504
Fiat Grande Punto, Typ 199, incl. Abarth	10.05 >	1000 kg / 860 kg	35 - 65	35 - 60	24	TÜV	968505
Stilo							
Fiat Stilo, Typ 192, Lim. / Sedan, incl. Diesel außer / excl. 1.9 JDT 103 kW	10.01 >	1030 kg / 960 kg	35 - 60	20 - 50	24	TÜV	968506
Fiat Stilo, Typ 192, Lim. / Sedan, 1.9 JDT mit / with 103 kW	10.01 >	1030 kg / 960 kg	35 - 60	20 - 50	24	TÜV	968507
Fiat Stilo, Typ 192, Abarth	10.01 >	1030 kg / 960 kg	15 - 40	15 - 45	24, 27	TÜV	968684
FORD							
C-Max							
Ford C-Max, Typ DM2	10.03 >	1115 kg / 1070 kg	35 - 65	35 - 65	24	TÜV	968717




HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
FORD							
Fiesta							
Ford Fiesta, Typ JAS, JBS	8.95 > 98	860 kg / 750 kg	35 - 75	35 - 75	24, 56	TÜV	968324
Ford Fiesta, Typ JAS, JBS	99 >	860 kg / 750 kg	35 - 75	35 - 75	24, 55	TÜV	968325
Ford Fiesta, Typ JH1, JD3, incl. ST150	11.01 >	900 kg / 810 kg	40 - 70	35 - 65	24	TÜV	968508
Ford Fiesta, Typ JA8, ohne / without ST	10.08 >	850 kg / 785 kg	30 - 55	30 - 60	24	TÜV	968326
Ford Fiesta, Typ JA8, nur / only ST	10.08 >	850 kg / 785 kg	05 - 30	10 - 35	24		968190
Focus							
Ford Focus, Typ DAW, DBW, DFW, DAX, DBX, DA1, DB1, Lim. / Sedan	10.98 >	965 kg / 930 kg	35 - 55	35 - 50	15, 24	TÜV	968509
Ford Focus, Typ DNW, DNX, DN1, Turnier	2.99 >	960 kg / 1010 kg	35 - 55	35 - 50	15, 24	TÜV	968327
Ford Focus, Typ DA3, DB3, Lim. / Sedan, ohne / without ST	12.04 >	1070 kg / 1015 kg	30 - 60	35 - 65	24	TÜV	968511
Ford Focus, Typ DA3, DB3, nur / only ST	12.05 >	1050 kg / 990 kg	10 - 40	15 - 45	27	TÜV	968718
Ford Focus, Typ DA3, DB3, Turnier	1.05 >	1070 kg / 1090 kg	30 - 60	40 - 70	24	TÜV	968006
Ford Focus, Typ DYB, ohne / without ST	4.11 >	1000 kg / 1025 kg	30 - 50	40 - 55	24	TÜV	968176
Ford Focus, Typ DYB, ohne / without ST	4.11 >	1100 kg / 1025 kg	30 - 50	40 - 55	24	TÜV	968177
Ford Focus, Typ DYB, nur / only ST	6.12 >	1070 kg / 1025 kg	25 - 40	20 - 35	24	TÜV	968748
Mondeo							
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan	11.00 >	1175 kg / 1015 kg	35 - 65	35 - 65	24	TÜV	968005
Ford Mondeo, Typ BWY, Turnier	11.00 >	1200 kg / 1150 kg	35 - 65	40	26	TÜV	968004
Ford Mondeo, Typ BWY, Turnier, ST220	11.00 >	1200 kg / 1150 kg	20 - 45	25	7, 26	TÜV	968070
Mustang							
Ford Mustang S197, V6, V8, ohne / without Shelby GT500	05 > 14	1134 kg / 1100 kg	30 - 60	35 - 55	21, 25, 47	TÜV	968619
Puma							
Ford Puma, Typ ECT, HA mit Gabelbefestigung / with fork mounting	3.97 > 98	770 kg / 670 kg	35 - 75	35 - 75	24, 56	TÜV	968334
Ford Puma, Typ ECT, HA mit Augenbefestigung / with eye mounting	99 >	770 kg / 670 kg	35 - 75	35 - 75	24, 55	TÜV	968335
HONDA							
Civic							
Honda Civic, CRX, Coupé, Typ EC8, 9, ED2-4, 6, 7, 9, EE8, 9	89 > 6.92	850 kg / 770 kg	30 - 70	30 - 70	24, 56	TÜV	968336
Honda Civic, CRX, Coupé, Typ EG2-6, 8, 9, EH6, 9, EJ1, 2	4.92 > 9.95	840 kg / 750 kg	40 - 75	40 - 75	24, 56	TÜV	968337
Honda Civic, CRX, Coupé, Typ EJ6, 8, 9, EK1, 3, 4	10.95 >	860 kg / 820 kg	40 - 75	40 - 75	24	TÜV	968512
Honda Civic, Typ FK1, FK2, FK3, FN1, FN3, FN4	2.06 > 1.12	940 kg / 835 kg	20 - 50	20 - 50	15, 24	TÜV	968723
Honda Civic, Typ FK1, FK2, FK3, FN1, FN3, FN4	2.06 > 1.12	1085 kg / 835 kg	20 - 50	20 - 50		TÜV	968725
Honda Civic, Typ FN2, Type-R	3.07 >	980 kg / 740 kg	0 - 30	0 - 30		TÜV	968724
Integra							
Honda Integra, Typ DC2	11.97 >	835 kg / 680 kg	30 - 70	30 - 50	15, 24, 55	TÜV	968338
MERCEDES							
W204							
MB C-Klasse, Typ W204, Lim. / Sedan, ohne / without elektronische Dämpferregelung / electronic dampers	1.07 >	1090 kg / 1165 kg	30 - 55	20 - 50	62	TÜV	968752
MB C-Klasse, Typ W204C, Coupé, ohne / without elektronische Dämpferregelung / electronic dampers	6.11 >	1075 kg / 1105 kg	10 - 40	10 - 50	62	TÜV	968752
MB C-Klasse, Typ W204K, T-Modell, ohne / without elektronische Dämpferregelung / electronic dampers	8.07 >	1095 kg / 1170 kg	30 - 55	20 - 55	7, 62	TÜV	968753
MAZDA							
2							
Mazda 2, Typ DY	2.03 > 07	900 kg / 810 kg	25 - 70	25 - 70	24	TÜV	968716
Mazda 2, Typ DE, DE1	10.07 >	850 kg / 765 kg	25 - 50	30 - 45	24	TÜV	968326
3							
Mazda 3, Typ BK, VA bis / up to 970 kg	10.03 >	970 kg / 910 kg	30 - 60	30 - 60	24	TÜV	968011
Mazda 3, Typ BK, VA über / more than 970 kg	10.03 >	1110 kg / 910 kg	30 - 60	30 - 60	24	TÜV	968012
Mazda 3, Typ BL, ohne / without MPS	4.09 >	1000 kg / 915 kg	30 - 60	30 - 55	24	TÜV	968180
Mazda 3, Typ BL, ohne / without MPS	4.09 >	1135 kg / 915 kg	30 - 60	30 - 55	24	TÜV	968181
MX-5 (Miata)							
Mazda MX-5, Typ NB	5.98 >		30 - 60	30 - 60	24, 47	TÜV	968471
MINI							
Mini							
Mini, Typ R50, Mini, Mini-N, incl. Cooper S, Cabrio	4.02 > 11.06	890 kg / 800 kg	20 - 50	20 - 50	24	TÜV	968501
Mini, Typ R56, Mini-N, Cooper, One	12.06 >	910 kg / 855 kg	30 - 55	30 - 55	24	TÜV	968502
Mini, Typ R56, Mini-N, UKL-L, Cooper S, Cooper D, JCW	12.06 >	910 kg / 855 kg	30 - 50	20 - 50	24, 27	TÜV	968241
Mini Clubman, Typ N, Mini-N, UKL-K, UKL-C, R55/R57, One Clubman, Cooper Clubman / Cabrio	10.07 >	935 kg / 855 kg	30 - 55	30 - 55	24, 27	TÜV	968182
Mini Clubman, Typ N, UKL-K, UKL-C, R55/R57, Cooper S Clubman / Cabrio, Cooper D Clubman / Cabrio, JCW	10.07 >	935 kg / 855 kg	30 - 55	30 - 55	24, 27	TÜV	968183
Mini Coupé, Typ UKL-C, R58, Cooper	9.11 >	860 kg / 630 kg	30 - 55	30 - 60	24, 27	TÜV	968706
Mini Coupé, Typ UKL-C, R58, Cooper S, Cooper SD, Cooper JCW	9.11 >	905 kg / 630 kg	30 - 55	30 - 60	24, 27	TÜV	968707
Mini Roadster, Typ UKL-C, R59, Cooper	3.12 >	860 kg / 630 kg	25 - 50	30 - 60	24, 27	TÜV	968708
Mini Roadster, Typ UKL-C, R59, Cooper S, Cooper SD, Cooper JCW	3.12 >	905 kg / 630 kg	25 - 50	30 - 60	24, 27	TÜV	968709

HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
OPEL							
Astra							
Opel Astra G, Typ T98, / V / C, T98/NB, Lim. / Sedan, Coupé	3.98 > 5.05	1040 kg / 900 kg	30 - 65	20 - 50	12, 29	TÜV	968513
Opel Astra G, Typ T98C, Cabrio	4.00 > 10.05	1040 kg / 1000 kg	30 - 65	20 - 50	25	TÜV	968514
Opel Astra G, Typ T98, T98V, Caravan	5.98 > 7.04	1040 kg / 1000 kg	30 - 65	20 - 50	26	TÜV	968206
Opel Astra H, Typ A-H, Lim. / Sedan, A-H/C, Twin-Top	3.04 > 10.08	1070 kg / 1000 kg	30 - 65	20 - 50	12, 24, 27, 62	TÜV	968515
Opel Astra H, Typ A-H/SW, Caravan	8.04 > 10.08	1070 kg / 1000 kg	30 - 60	20 - 40	7, 24, 62	TÜV	968339
Opel Astra H GTC, Typ A-H/C, Coupé	3.05 >	1060 kg / 840 kg	25 - 50	15 - 40	24, 27, 62	TÜV	968340
Opel Astra J, Typ P-J, Lim. / Sedan, excl. OPC, excl. FlexRide	11.08 >	1060 kg / 840 kg	35 - 65	35 - 65	12, 24, 27	TÜV	968726
Opel Astra J, Typ P-J, Sports Tourer, excl. FlexRide	10.10 >	1190 kg / 1100 kg	40 - 70	45 - 75	62	TÜV	968754
Corsa							
Opel Corsa A, Typ A-CC	8.83 > 2.93	680 kg / 665 kg	30 - 60	30 - 50	24	TÜV	968516
Opel Corsa B, Typ S93	3.93 > 9.00	840 kg / 720 kg	30 - 60	30 - 50	24	TÜV	968517
Opel Corsa C, Typ C, nur M14 HA Schraube / screw M14 rear	7.00 >	900 kg / 780 kg	30 - 60	20 - 40	24, 35	TÜV	968519
Opel Corsa D, Typ S-D, 3 + 4 cyl. Benzin / petrol	10.06 >	855 kg / 800 kg	25 - 55	25 - 55	24	TÜV	968520
Opel Corsa D, Typ S-D, Diesel	10.06 >	990 kg / 800 kg	25 - 55	25 - 55	24	TÜV	968521
Signum							
Opel Signum, Typ Z-C/S	5.03 >	1230 kg / 1140 kg	30 - 60	30 - 60	24	TÜV	968072
Tigra							
Opel Tigra, Typ S93, Coupé	9.94 > 12.00	805 kg / 700 kg	30 - 60	30 - 50	7, 24	TÜV	968522
Opel Tigra Twin Top							
Opel Tigra Twin-Top, X-C/Roadster, nur M14 HA Schraube / screw M14 rear	6.04 >	685 kg / 680 kg	10 - 40	20 - 45	24, 35	TÜV	968519
Vectra							
Opel Vectra B, Typ J96, J96, Lim. / Sedan, Caravan	10.95 > 7.03	950 kg / 1025 kg	35 - 60	35 - 75	7, 24	TÜV	968341
Opel Vectra B, Typ J96, J96, Lim. / Sedan, Caravan	10.95 > 7.03	1055 kg / 1025 kg	35 - 60	35 - 75	7, 24	TÜV	968342
Opel Vectra C, Typ Vectra C / Lim. / Sedan	4.02 >	1190 kg / 985 kg	40 - 70	25 - 55	12, 24	TÜV	968071
Opel Vectra C, Typ Vectra/SW, Z-C/SW, Caravan	10.03 >	1230 kg / 1140 kg	30 - 60	30 - 60	24	TÜV	968073
PEUGEOT							
107							
Peugeot 107, Typ P	6.05 >	695 kg / 695 kg	25 - 55	30 - 60	24	TÜV	968125
205							
Peugeot 205, Typ 741A, B, C, 20A, C, D, 20	5.83 > 09.98	750 kg / ---	30 - 60	0 - 40	29	TÜV	968343
206							
Peugeot 206, Typ 2*, Schrägheck / Hatchback, Kombi, Cabrio	8.98 >	890 kg / 780 kg	35 - 70	0 - 40	29, 47	TÜV	968207
207							
Peugeot 207, Typ W*..., Schrägheck / Hatchback, SW, Federbein / strut 51 mm	12.05 > 3.12	1000 kg / 900 kg	35 - 65	35 - 65	24	TÜV	968727
Peugeot 207, Typ W*..., CC Cabrio	2.07 >	1050 kg / 900 kg	35 - 60	35 - 60	24	TÜV	968728
306							
Peugeot 306, Typ 7*..., Lim. / Sedan, Cabrio	5.93 >	950 kg / 860 kg	30 - 60	0 - 40	29	TÜV	968344
PORSCHE							
Boxster							
Porsche Boxster, Typ 986, incl. S	1.98 >	775 kg / 940 kg	30 - 50	30 - 50	24, 47	TÜV	968472
RENAULT							
Clio							
Renault Clio II, Typ B, Abstandsmaß Befestigungslaschen / dimension bracket 27 mm	9.98 >	860 kg / 820 kg	35 - 65	30 - 50	24, 40	TÜV	968345
Renault Clio II, Typ B, Abstandsmaß Befestigungslaschen / dimension bracket 23 mm	9.98 >	860 kg / 820 kg	35 - 65	30 - 50	24, 58	TÜV	968346
Renault Clio II, Typ B, 2.0i 16V (Sport)	2.00 >	860 kg / 785 kg	30 - 60	15 - 30	24, 57	TÜV	968347
Renault Clio III, Clio Grantour, Typ R, außer / without RS	10.05 > 06.10	950 kg / 890 kg	40 - 70	40 - 70	24	TÜV	968348
Renault Clio III, Clio Grantour, Typ R, außer / without RS	8.10 > 06.12	1000 kg / 890 kg	40 - 70	40 - 70	24	TÜV	968028
Twingo							
Renault Twingo, Typ N, ohne / without RS	3.07 >	850 kg / 710 kg	25 - 55	30 - 55	24	TÜV	968184
Renault Twingo RS, Typ N	5.08 >	850 kg / 710 kg	15 - 45	15 - 35	24	TÜV	968185
SEAT							
Altea							
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1060 kg	5.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968234
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1060 kg	5.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968235
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA über / more than 1060 kg	5.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968236
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA über / more than 1060 kg	5.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968237
Arosa							
Seat Arosa, Typ 6H, 6HS	5.97 >	800 kg / 690 kg	30 - 70	30 - 70	24	TÜV	968351
Exeo							
Seat Exeo, Typ 3R, Lim. / Sedan	3.09 >	1135 kg / 1135 kg	20 - 55	30 - 50	24	TÜV	968126
Seat Exeo ST, Typ 3R, Kombi	10.09 >	1135 kg / 1135 kg	20 - 55	30 - 50	24	TÜV	968127
Ibiza / Cordoba / Cupra							
Seat Cordoba, Typ 6K/C	8.93 > 9.99	870 kg / 760 kg	20 - 70	50 - 70	24	TÜV	968528
Seat Cordoba, Typ 6K/C, ab / from model 2000 (Facelift)	10.99 >	900 kg / 810 kg	35 - 65	35 - 65	24	TÜV	968352
Seat Ibiza, Typ 6K	4.93 > 8.99	870 kg / 760 kg	20 - 70	50 - 70	24, 47	TÜV	968208
Seat Ibiza, Typ 6K, ab / from model 2000 (Facelift)	10.99 > 3.02	900 kg / 810 kg	35 - 65	35 - 65	24, 47	TÜV	968209
Seat Cordoba, Typ 6L	10.02 >	955 kg / 840 kg	35 - 60	35 - 60	24	TÜV	968353




HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
SEAT							
Seat Ibiza, Typ 6L	4.02 >	955 kg / 840 kg	35 - 65	35 - 65	24	TÜV	968529
Seat Ibiza, Typ 6J	6.08 >	860 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968076
Seat Ibiza, Typ 6J	6.08 >	960 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968077
Seat Ibiza ST, Typ 6J, Kombi	5.10 >	860 kg / 820 kg	15 - 50	30 - 55	24	TÜV	968134
Seat Ibiza ST, Typ 6J, Kombi	5.10 >	960 kg / 820 kg	15 - 50	30 - 55	24	TÜV	968136
Leon							
Seat Leon, Typ 1M, 4WD	11.99 >	1030 kg / 1020 kg	30 - 55	30 - 55	24, 27, 59	TÜV	968530
Seat Leon, Typ 1M, 2WD	11.99 >	1020 kg / 1020 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968210
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA bis / up to 1060 kg	9.05 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968546
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA bis / up to 1060 kg	9.05 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968549
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA über / more than 1060 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968547
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA über / more than 1060 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968548
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	968734
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	968736
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968741
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968744
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	43, 62, 71	TÜV	968738
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 71, 77	TÜV	968258
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 71, 77	TÜV	968259
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968260
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968261
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	43, 71, 77	TÜV	968262
Seat Leon, Typ 5F, ST, VA bis / up to 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	11.13 >	965 kg / 1050 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968755
Seat Leon, Typ 5F, ST, VA über / more than 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	11.13 >	1090 kg / 1050 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968756
Seat Leon, Typ 5F, Cupra 265, Cupra 280, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	1080 kg / 980 kg	15 - 45	10 - 35	43, 62, 71	TÜV	968263
Seat Leon, Typ 5F, Cupra 265, Cupra 280, mit / with elektronischer Dämpferregelung / electronic dampers	3.14 >	1080 kg / 980 kg	15 - 45	10 - 35	43, 71, 77	TÜV	968264
Mii							
Seat Mii, Typ AA	12.11 >	680 kg / 640 kg	30 - 60	30 - 60	24	TÜV	968731
Toledo							
Seat Toledo, Typ 1L	2.91 >	865 kg / 790 kg	20 - 70	30 - 70	24	TÜV	968682
Seat Toledo, Typ 1M	6.99 >	1020 kg / 1080 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968537
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1060 kg	10.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968234
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1060 kg	10.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968235
Seat Toledo, Typ 5P FR, 1.9 TDI DSG, 2.0 TDI DSG, Federbein / strut 50 mm	10.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968236
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA über / more than 1060 kg	10.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968237
SKODA							
Citigo							
Skoda Citigo, Typ AA	12.11 >	680 kg / 640 kg	30 - 60	30 - 60	24	TÜV	968732
Fabia							
Skoda Fabia, Typ 6Y, Lim. / Sedan, Kombi	3.00 >	960 kg / 840 kg	35 - 65	35 - 65	24	TÜV	968531
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	4.07 > 12.08	890 kg / 840 kg	25 - 55	25 - 50	24	TÜV	968080
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	4.07 > 12.08	960 kg / 840 kg	25 - 55	25 - 50	24	TÜV	968081
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	1.09 >	925 kg / 840 kg	25 - 55	30 - 55	24	TÜV	968128
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	1.09 >	960 kg / 840 kg	25 - 55	30 - 55	24	TÜV	968130

HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
SKODA							
Skoda Fabia RS, Typ 5J	8.10 >	960 kg / 840 kg	15 - 45	15 - 40	24	TÜV	968132
Octavia							
Skoda Octavia, Typ 1U, 4x4, Lim. / Sedan, Kombi	11.99 >	1030 kg / 1070 kg	30 - 55	30 - 55	24, 59	TÜV	968532
Skoda Octavia, Typ 1U, 2WD, Lim. / Sedan, Kombi	2.97 >	1000 kg / 1070 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968223
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 25, 42, 47	TÜV	968265
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA bis / up to 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 25, 43, 47	TÜV	968266
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis 1105 kg	5.04 >	1105 kg / 1150 kg	25 - 50	25 - 50	15, 25, 42, 47	TÜV	968267
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, incl. RS, Federbein / strut 55 mm, VA bis / up to 1105 kg	5.04 >	1105 kg / 1150 kg	25 - 50	25 - 50	15, 25, 43, 47	TÜV	968268
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis / up to 1170 kg	5.04 >	1170 kg / 1150 kg	25 - 50	25 - 50	15, 25, 42, 47	TÜV	968269
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, incl. RS, Federbein / strut 55 mm, VA bis / up to 1170 kg	5.04 >	1170 kg / 1150 kg	25 - 50	25 - 50	15, 25, 43, 47	TÜV	968270
Skoda Octavia, Typ 5E, 2WD, Lim. / Sedan, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	2.13 >	925 kg / 980 kg	35 - 65	30 - 60	42	TÜV	968742
Skoda Octavia, Typ 5E, 2WD, Lim. / Sedan, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	2.13 >	1060 kg / 980 kg	35 - 65	30 - 60	42	TÜV	968745
Superb							
Skoda Superb, Typ 3U, Lim. / Sedan	2.02 >	1100 kg / 1080 kg	35 - 60	35 - 60	7, 24	TÜV	968354
Skoda Superb, Typ 3U, Lim. / Sedan	2.02 >	1210 kg / 1080 kg	35 - 60	35 - 60	7, 24	TÜV	968355
Skoda Superb, Typ 3T, Lim. / Sedan, Kombi, Federbein / strut 50 mm	8.08 >	1200 kg / 1250 kg	15 - 40	15 - 40	24, 42	TÜV	968747
Skoda Superb, Typ 3T, Lim. / Sedan, Kombi, Federbein / strut 55 mm	8.08 >	1200 kg / 1250 kg	15 - 40	15 - 40	24, 43	TÜV	968560
SUBARU							
Impreza							
Subaru Impreza, Typ GC, GF, GFC	8.91 > 12.00	900 kg / 900 kg	40 - 70	40 - 60	24, 27	TÜV	968533
SUZUKI							
Swift							
Suzuki Swift, Typ EZ, MZ, 2WD	5.05 >	830 kg / 800 kg	35 - 65	35 - 65	24	TÜV	968186
Suzuki Swift, Typ NZ, 2WD	9.10 >	850 kg / 850 kg	30 - 60	35 - 65	24	TÜV	968729
TOYOTA							
Aygo							
Toyota Aygo, Typ AB1	7.05 >	695 kg / 695 kg	25 - 55	30 - 60	24	TÜV	968138
VOLVO							
C30							
Volvo C30, Typ M	12.06 >	1080 kg / 900 kg	20 - 50	30 - 60	24	TÜV	968084
S40 / V50							
Volvo S40 / V50, Typ M, 2WD	4.04 >	1100 kg / 1030 kg	25 - 55	25 - 55	24	TÜV	968085
VW							
Beetle							
VW New Beetle, Typ 9C, 1Y, incl. Cabrio	1.98 >	1035 kg / 850 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968536
Bora							
VW Bora, Typ 1J, 2WD, Lim. / Sedan, Kombi	11.98 >	1020 kg / 1080 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968691
VW Bora, Typ 1J, 4WD, Lim. / Sedan, Kombi, 4 cyl.	2.99 >	1050 kg / 1080 kg	30 - 55	30 - 55	24, 59	TÜV	968357
VW Bora, Typ 1J, 4WD, Lim. / Sedan, Kombi, 6 cyl.	5.99 >	1110 kg / 1080 kg	30 - 50	30 - 50	24, 59	TÜV	968358
Corrado							
VW Corrado 53i 16V, G60, VR6	9.88 >	950 kg / 710 kg	40 - 70	40 - 70	24	TÜV	968538
Eos							
VW Eos, Typ 1F, 2WD	5.06 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968359
VW Eos, Typ 1F, 2WD	5.06 >	1150 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968360
Fox							
VW Fox, Typ 5Z	4.05 >	870 kg / 800 kg	30 - 60	30 - 60	24	TÜV	968361
Golf I / Jetta I							
VW Golf I / Jetta I, Typ 17, 155, incl. Cabrio	4.74 > 8.93	785 kg / 640 kg	40 - 70	40 - 70	24	TÜV	968362
Golf II / Jetta II							
VW Golf II / Jetta II, Typ 19E, 2WD incl. G60	8.83 > 11.91	840 kg / 740 kg	40 - 70	40 - 70	15, 24	TÜV	968539
VW Golf II, 19E-299, Syncro incl. Rally Golf	8.83 > 11.91	980 kg / 990 kg	35 - 50	35 - 50	24, 59	TÜV	968540
Golf III / Vento							
VW Golf III / Vento, Typ 1HX0, 1H, 1E, 2WD, Lim. / Sedan, Cabrio	11.91 >	980 kg / 880 kg	40 - 70	40 - 70	15, 24, 27, 47	TÜV	968213
VW Golf III, Typ 1HX0, 1H, 1E, 2WD, Variant	7.93 > 6.02	980 kg / 890 kg	40 - 70	40 - 70	15, 24	TÜV	968683
VW Golf III, 1HX1, 1H, Syncro, Lim. / Sedan, Variant	1.93 >	980 kg / 990 kg	35 - 50	35 - 50	24, 27, 59	TÜV	968363
Golf IV							
VW Golf IV R32, Typ 1J	9.02 >	1110 kg / 1080 kg	10 - 40	10 - 30	24, 27	TÜV	968364
VW Golf IV, Typ 1J, 2WD, Lim. / Sedan	10.97 >	1020 kg / 1020 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968541




HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
VW							
VW Golf IV, Typ 1J, 2WD, Variant	4.99 >	1020 kg / 1080 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968215
VW Golf IV, Typ 1J, 4WD, Lim. / Sedan, Variant, 4 + 5 cyl.	4.99 >	1050 kg / 1080 kg	30 - 55	30 - 55	24, 59	TÜV	968365
VW Golf IV, Typ 1J, 4WD, Lim. / Sedan, Variant, 6 cyl.	5.99 >	1110 kg / 1080 kg	30 - 50	30 - 50	24, 59	TÜV	968366
Golf V / Golf V Plus							
VW Golf V, Typ 1K, 4motion	9.03 >	1105 kg / 1150 kg	35 - 65	35 - 65	24, 43, 59	TÜV	968542
VW Golf V, Typ 1K, 4motion	9.03 >	1170 kg / 1150 kg	35 - 65	35 - 65	24, 43, 59	TÜV	968543
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 50 mm, VA bis / up to 1060 kg	10.03 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 25, 42, 47	TÜV	968230
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 55 mm, VA bis / up to 1060 kg	10.03 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 25, 43, 47, 62	TÜV	968231
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 50 mm, VA über / more than 1060 kg	10.03 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 25, 42, 47	TÜV	968232
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 55 mm, VA über / more than 1060 kg	10.03 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 25, 43, 47	TÜV	968233
VW Golf V GTI, Typ 1K, 2.0 Turbo	12.04 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968544
VW Golf V GTI, Typ 1K, 2.0 Turbo mit DSG	12.04 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968545
VW Golf V R32	10.05 >	1110 kg / 1150 kg	20 - 40	20 - 40	24, 43	TÜV	968367
Golf VI / Golf VI Plus							
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA bis / up to 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42, 62	TÜV	968687
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA bis / up to 1060 kg incl. GTI, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	1, 15, 24, 43, 62	TÜV	968689
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA über / more than 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42, 62	TÜV	968688
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA über / more than 1060 kg incl. GTI, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	1, 15, 24, 43, 62	TÜV	968690
VW Golf VI, Typ 1K, 1KM, 4motion inkl. R, ohne / without elektronische Dämpferregelung / electronic dampers	10.09 >	1110 kg / 1150 kg	20 - 40	20 - 40	24, 43, 62	TÜV	968187
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA bis / up to 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	968271
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA bis / up to 1060 kg incl. GTI, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	1, 15, 43, 74	TÜV	968272
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA über / more than 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	968273
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA über / more than 1060 kg incl. GTI, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	1, 15, 43, 74	TÜV	968274
VW Golf VI, Typ 1K, 1KM, 4motion inkl. R, mit / with elektronische Dämpferregelung / electronic dampers	10.09 >	1110 kg / 1150 kg	20 - 40	20 - 40	24, 43, 74	TÜV	968278
VW Golf VI Cabrio, Typ 1K, Federbein / strut 50 mm	5.09 >	1090 kg / 1150 kg	35 - 65	35 - 65	42	TÜV	968275
VW Golf VI Cabrio, Typ 1K, Federbein / strut 55 mm	5.09 >	1090 kg / 1150 kg	35 - 65	35 - 65	43	TÜV	968276
Golf VII							
VW Golf VII, Typ AU, 2WD, 1.4 TSI 90 kW, 103 kW, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 71	TÜV	968735
VW Golf VII, Typ AU, 2WD, 2.0 TDI, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 71	TÜV	968737
VW Golf VII, Typ AU, 2WD, 1.2 TSI 63 kW, 1.2 TSI 77 kW, 1.4 TGI, 1.6 TDI BlueMotion 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 72	TÜV	968743
VW Golf VII, Typ AU, 2WD, 1.6 TDI 77 kW, 1.6 BlueTDI 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 72	TÜV	968746
VW Golf VII, Typ AU, 2WD, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 43, 62, 71	TÜV	968739
VW Golf VII, Typ AU, 2WD, 1.4 TSI 90 kW, 103 kW, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 71, 77	TÜV	968279
VW Golf VII, Typ AU, 2WD, 2.0 TDI, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 71, 77	TÜV	968280
VW Golf VII, Typ AU, 2WD, 1.2 TSI 63 kW, 1.2 TSI 77 kW, 1.4 TGI, 1.6 TDI BlueMotion 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 72, 77	TÜV	968281
VW Golf VII, Typ AU, 2WD, 1.6 TDI 77 kW, 1.6 BlueTDI 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 72, 77	TÜV	968282

HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
VW							
VW Golf VII, Typ AU, 2WD, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 43, 71, 77	TÜV	968283
VW Golf VII, Typ AUV, Variant, 2WD, VA bis / up to 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	7.13 >	965 kg / 1050 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968757
VW Golf VII, Typ AUV, Variant, 2WD, VA über / more than 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	7.13 >	1090 kg / 1050 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968758
Golf VII GTI / GTD / R							
VW Golf VII GTI, GTD, Typ AU, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1080 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 62	TÜV	968740
VW Golf VII R, Typ AU, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1060 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 62	TÜV	968740
VW Golf VII GTI, GTD, Typ AU, mit / with elektronischer Dämpferregelung / electronic dampers	5.13 >	1080 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 77	TÜV	968284
VW Golf VII R, Typ AU, mit / with elektronische Dämpferregelung / electronic dampers	5.13 >	1080 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 77	TÜV	968284
Jetta							
VW Jetta V, Typ 1KM, Federbein / strut 50 mm, VA bis / up to 1060 kg	8.05 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 24, 42	TÜV	968551
VW Jetta V, Typ 1KM, Federbein / strut 55 mm, VA bis / up to 1060 kg	8.05 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 24, 43	TÜV	968552
VW Jetta V, Typ 1KM, Federbein / strut 50 mm, VA bis / up to 1170 kg	8.05 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 24, 42	TÜV	968553
VW Jetta V, Typ 1KM, Federbein / strut 55 mm, VA bis / up to 1170 kg	8.05 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 24, 43	TÜV	968554
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA bis / up to 1035 kg	1.11 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968289
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA bis / up to 1035 kg	1.11 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968290
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA bis / up to 1160 kg	1.11 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968291
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA bis / up to 1160 kg	1.11 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968292
Lupo							
VW Lupo, Typ 6X, 6E	10.98 > 4.05	820 kg / 700 kg	30 - 60	30 - 60	24	TÜV	968555
VW Lupo GTI, Typ 6ES	9.00 > 4.05	820 kg / 700 kg	20 - 50	30 - 60	24	TÜV	968087
Passat							
VW Passat, Typ 35i, 2WD, Lim. / Sedan, Variant	4.88 > 9.96	1020kg / 1020kg	40 - 70	30 - 70	15, 24	TÜV	968368
VW Passat, Typ 3B, 3BG, 2WD, Lim. / Sedan, Variant	10.96 > 3.05	1100 kg / ---	40 - 70	30 - 70	15, 24	TÜV	968556
VW Passat, Typ 3B, 3BG, 2WD, Lim. / Sedan, Variant	10.96 > 3.05	1200 kg / ---	40 - 70	30 - 70	15, 24	TÜV	968557
VW Passat, Typ 3B, 3BG, 4WD, Lim. / Sedan, Variant	10.97 > 8.05	1100 kg / 1160 kg	40 - 70	30 - 70	7, 24, 59	TÜV	968369
VW Passat, Typ 3B, 3BG, 4WD, Lim. / Sedan, Variant	10.97 > 8.05	1200 kg / 1160 kg	40 - 70	30 - 70	7, 24, 59	TÜV	968370
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA bis / up to 1105 kg	3.05 >	1105 kg / 1150 kg	35 - 70	35 - 70	24	TÜV	968559
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA über / more than 1105 kg	3.05 >	1180 kg / 1150 kg	35 - 70	35 - 70	24	TÜV	968560
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA bis / up to 1105 kg	8.05 >	1105 kg / 1230 kg	35 - 65	35 - 65	24	TÜV	968685
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA über / more than 1105 kg	8.05 >	1180 kg / 1230 kg	35 - 65	35 - 65	24	TÜV	968686
VW Passat CC, Typ 3CC, 2WD, 4WD, VA bis / up to 1110 kg, ohne / without elektronische Dämpferregelung / electronic dampers	6.08 >	1110 kg / 1020 kg	10 - 50	15 - 45	24, 62	TÜV	968026
VW Passat CC, Typ 3CC, 2WD, 4WD, VA über / more than 1110 kg, ohne / without elektronische Dämpferregelung / electronic dampers	6.08 >	1160 kg / 1020 kg	10 - 50	15 - 45	24, 62	TÜV	968019
VW Passat CC, Typ 3CC, 2WD, 4WD, VA bis / up to 1110 kg, mit / with elektronischer Dämpferregelung / electronic dampers	6.08 >	1110 kg / 1020 kg	10 - 50	15 - 45	24, 74	TÜV	968285
VW Passat CC, Typ 3CC, 2WD, 4WD, VA über / more than 1110 kg, mit / with elektronischer Dämpferregelung / electronic dampers	6.08 >	1160 kg / 1020 kg	10 - 50	15 - 45	24, 74	TÜV	968286
Polo							
VW Polo + Classic, Typ 6N, 6K/V	8.94 > 9.99	910 kg / 810 kg	40 - 70	40 - 70	24, 47	TÜV	968218
VW Polo + Classic, Typ 6N, 6K/V	10.99 >	900 kg / 810 kg	40 - 70	40 - 70	24, 47	TÜV	968219
VW Polo, Typ 9N, incl. Facelift, Classic	9.01 >	960 kg / 840 kg	35 - 65	35 - 65	24	TÜV	968558
VW Polo GTI, Typ 9N	9.05 >	960 kg / 840 kg	20 - 40	20 - 40	24	TÜV	968730
VW Polo, Typ 6R	5.09 >	860 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968089
VW Polo, Typ 6R	5.09 >	960 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968090
Scirocco							
VW Scirocco I, II, Typ 53, 53B	9.79 >	785 kg / 640 kg	40 - 70	40 - 70	24	TÜV	968371
VW Scirocco III, Typ 13, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	1000 kg / 770 kg	20 - 55	20 - 55	43, 62	TÜV	968372
VW Scirocco III, Typ 13, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	1080 kg / 770 kg	20 - 55	20 - 55	43, 62	TÜV	968373
VW Scirocco III, Typ 13, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.08 >	1000 kg / 770 kg	20 - 55	20 - 55	43, 74	TÜV	968287
VW Scirocco III, Typ 13, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.08 >	1080 kg / 770 kg	20 - 55	20 - 55	43, 74	TÜV	968288
Touran							
VW Touran, Typ 1T, VA bis / up to 1060 kg	2.03 >	1060 kg / 1160 kg	35 - 70	35 - 70	24, 43	TÜV	968992
VW Touran, Typ 1T, VA über / more than 1060 kg	2.03 >	1200 kg / 1160 kg	35 - 70	35 - 70	24, 43	TÜV	968993
Up!							
VW Up!, Typ AA	12.11 >	680 kg / 640 kg	30 - 60	30 - 60	24	TÜV	968733



FORCE ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
AUDI							
A3 / S3							
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA bis / up to 1035 kg	5.03 >	1035 kg / 1005 kg	35 - 65	35 - 65	15, 43, 75	TÜV	967004
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA bis / up to 1035 kg	5.03 >	1035 kg / 1005 kg	35 - 65	35 - 65	15, 42, 75	TÜV	967006
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.03 >	1105 kg / 1005 kg	35 - 65	35 - 65	15, 43, 75	TÜV	967002
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.03 >	1105 kg / 1005 kg	35 - 65	35 - 65	15, 42, 75	TÜV	967005
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1106 kg	5.03 >	1170 kg / 1005 kg	35 - 65	35 - 65	15, 43, 75	TÜV	967003
Audi A3, Typ 8P, Cabrio, VA bis / up to 1105 kg	4.08 >	1105 kg / 1160 kg	25 - 55	25 - 55	43, 74	TÜV	967009
Audi A3, Typ 8P, Cabrio, VA über / more than 1105 kg	4.08 >	1170 kg / 1160 kg	25 - 55	25 - 55	43, 74	TÜV	967010
Audi A3, Typ 8P, Quattro, incl. Sportback, VA bis / up to 1105 kg	9.03 >	1105 kg / 1160 kg	30 - 50	30 - 50	43, 62	TÜV	967009
Audi A3, Typ 8P, Quattro, incl. Sportback, VA über / more than 1105 kg	9.03 >	1170 kg / 1160 kg	30 - 50	30 - 50	43, 62	TÜV	967010
Audi S3, Typ 8P	1.07 >	1130 kg / 1085 kg	10 - 40	10 - 40	43, 75	TÜV	967032
BMW							
1er, F20 / F21							
BMW 1 F20, F21, Typ 1K2, 1K4, 2WD, VA bis / up to 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	920 kg / 1230 kg	25 - 50	30 - 55	62	TÜV	967027
BMW 1 F20, F21, Typ 1K2, 1K4, 2WD, VA über / more than 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	25 - 50	30 - 55	62	TÜV	967028
BMW 1 F20, F21, Typ 1K2, 1K4, M135i, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	25 - 50	30 - 55	27, 62	TÜV	967028
2er, F22 Coupé							
BMW 2 F22, Typ 1C, 2WD, VA bis / up to 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.14 >	920 kg / 1230 kg	25 - 50	25 - 50	62	TÜV	967027
BMW 2 F22, Typ 1C, 2WD, VA über / more than 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.14 >	1090 kg / 1230 kg	25 - 50	25 - 50	62	TÜV	967028
BMW 2 F22, Typ 1C, M235i, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	2.14 >	1090 kg / 1230 kg	10 - 35	5 - 35	27, 62	TÜV	967028
3er, F30							
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, VA bis / up to 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	950 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967034
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, VA über / more than 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967035
3er, F31 Touring							
BMW 3 F31, Typ 3K, Touring, 2WD, VA bis / up to 913 kg, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	913 kg / 1265 kg	40 - 65	30 - 55	62	TÜV	967029
BMW 3 F31, Typ 3K, Touring, 2WD, VA über / more than 913 kg, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	1020 kg / 1265 kg	40 - 65	30 - 55	62	TÜV	967030
3er, F34 GT							
BMW 3 F34 GT, Typ 3-V, Lim. / Sedan, 2WD, VA bis / up to 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	950 kg / 1265 kg	30 - 55	15 - 40	62	TÜV	967029
BMW 3 F34 GT, Typ 3-V, Lim. / Sedan, 2WD, VA über / more than 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1015 kg / 1265 kg	30 - 55	15 - 40	62	TÜV	967030
4er, F32 Coupé							
BMW 4 F32, Typ 3C, Coupé, 2WD, VA bis / up to 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.13 >	950 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967034
BMW 4 F32, Typ 3C, Coupé, 2WD, VA über / more than 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.13 >	1090 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967035
4er, F33							
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, VA bis / up to 960 kg, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	960 kg / 1265 kg	40 - 65	40 - 65	62	TÜV	967029
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, VA über / more than 960 kg, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	1025 kg / 1265 kg	40 - 65	40 - 65	62	TÜV	967030
OPEL							
Astra							
Opel Astra J, Typ P-J, Lim. / Sedan, excl. OPC, excl. FlexRide	11.08 >	1155 kg / 1000 kg	35 - 65	35 - 65	62	TÜV	967007
Opel Astra J, Typ P-J, Sports Tourer / station wagon, excl. FlexRide	10.10 >	1190 kg / 1100 kg	40 - 70	45 - 75	62	TÜV	967008
SEAT							
Altea							
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1035 kg	5.04 >	1035 kg / 1085 kg	20 - 45	30 - 60	43	TÜV	967011
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1035 kg	5.04 >	1035 kg / 1085 kg	20 - 45	30 - 60	42	TÜV	967018
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.04 >	1105 kg / 1085 kg	20 - 45	30 - 60	43	TÜV	967012
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.04 >	1105 kg / 1085 kg	20 - 45	30 - 60	42	TÜV	967019
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA über / more than 1105 kg	5.04 >	1170 kg / 1085 kg	20 - 45	30 - 60	43	TÜV	967013
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA über / more than 1105 kg	5.04 >	1170 kg / 1085 kg	20 - 45	30 - 60	42	TÜV	967020

FORCE ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
SEAT							
Leon							
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA bis / up to 1035 kg	9.05 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 43	TÜV	967024
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA bis / up to 1035 kg	9.05 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 42	TÜV	967021
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	9.05 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 43	TÜV	967025
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	9.05 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 42	TÜV	967022
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA über / more than 1105 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 43	TÜV	967026
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA über / more than 1105 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 42	TÜV	967023
Seat Leon Cupra, Cupra R, Typ 1P	2.07 >	1105 kg / 1000 kg	15 - 40	20 - 40	15, 43	TÜV	967031
Toledo							
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1035 kg	10.04 >	1035 kg / 985 kg	25 - 55	30 - 60	43	TÜV	967011
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1035 kg	10.04 >	1035 kg / 985 kg	25 - 55	30 - 60	42	TÜV	967018
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	10.04 >	1105 kg / 985 kg	25 - 55	30 - 60	43	TÜV	967012
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	10.04 >	1105 kg / 985 kg	25 - 55	30 - 60	42	TÜV	967019
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA über / more than 1105 kg	10.04 >	1170 kg / 985 kg	25 - 55	30 - 60	43	TÜV	967013
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA über / more than 1105 kg	10.04 >	1170 kg / 985 kg	25 - 55	30 - 60	42	TÜV	967020
SKODA							
Octavia							
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA bis / up to 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967011
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis / up to 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967018
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA bis / up to 1105 kg	9.03 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967012
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis / up to 1105 kg	9.03 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967019
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA über / more than 1105 kg	9.03 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967013
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA über / more than 1105 kg	9.03 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967020
Skoda Octavia RS, Typ 1Z, Lim. / Sedan, Kombi, VA bis / up to 1035 kg	12.05 >	1035 kg / 1150 kg	20 - 50	30 - 60	15, 43	TÜV	967011
Skoda Octavia RS, Typ 1Z, Lim. / Sedan, Kombi, VA bis / up to 1105 kg	12.05 >	1105 kg / 1151 kg	20 - 50	30 - 60	15, 43	TÜV	967012
VW							
Golf VI / Golf VI Plus							
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA bis / up to 1035 kg	10.08 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 43, 74	TÜV	967024
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA bis / up to 1035 kg	10.08 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	967021
VW Golf VI, Typ 1K, Federbein / strut 55 mm, VA bis / up to 1105 kg	10.08 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 43, 74	TÜV	967025
VW Golf VI, Typ 1K, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	10.08 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	967022
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA über / more than 1105 kg	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 43, 74	TÜV	967026
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA über / more than 1105 kg	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	967023
VW Golf VI GTI, Typ 1K	10.08 >	1105 kg / 1000 kg	10 - 40	15 - 40	15, 43, 74	TÜV	967031
VW Golf VI R, Typ 1K	10.09 >	1110 kg / 1150 kg	5 - 35	5 - 35	43, 74	TÜV	967033
VW Golf VI Variant, Typ 1KM, Federbein / strut 55 mm, VA bis / up to 1005 kg	5.09 >	1005 kg / 1150 kg	25 - 55	25 - 55	15, 43	TÜV	967004
VW Golf VI Variant, Typ 1KM, Federbein / strut 50 mm, VA bis / up to 1005 kg	5.09 >	1005 kg / 1150 kg	25 - 55	25 - 55	15, 42	TÜV	967006
VW Golf VI Variant, Typ 1KM, Federbein / strut 55 mm, VA über / more than 1005 kg	5.09 >	1100 kg / 1150 kg	25 - 55	25 - 55	15, 43	TÜV	967002
VW Golf VI Variant, Typ 1KM, Federbein / strut 50 mm, VA über / more than 1005 kg	5.09 >	1100 kg / 1150 kg	25 - 55	25 - 55	15, 42	TÜV	967005
VW Golf VI Cabrio, Typ 1K, Federbein / strut 55 mm, VA bis / up to 1015 kg	6.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	43, 74	TÜV	967011
VW Golf VI Cabrio, Typ 1K, Federbein / strut 50 mm, VA bis / up to 1015 kg	6.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	42, 74	TÜV	967018
VW Golf VI Cabrio, Typ 1K, Federbein / strut 55 mm, VA über / more than 1015 kg	6.11 >	1090 kg / 1150 kg	35 - 65	35 - 65	43, 74	TÜV	967012
VW Golf VI Cabrio, Typ 1K, Federbein / strut 50 mm, VA über / more than 1015 kg	6.11 >	1090 kg / 1150 kg	35 - 65	35 - 65	42, 74	TÜV	967019
VW Golf VI, Typ 1K, 1KM, 4Motion, VA bis / up to 1105 kg	10.08 >	1105 kg / 1150 kg	35 - 65	30 - 60	43	TÜV	967002
VW Golf VI, Typ 1K, 1KM, 4Motion, VA über / more than 1105 kg	10.08 >	1120 kg / 1150 kg	35 - 65	30 - 60	43	TÜV	967003
Golf VII							
VW Golf VII, Typ AU, 2WD, 1.4 TSI 90 kW, 103 kW, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967036
VW Golf VII, Typ AU, 2WD, 2.0 TDI, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967037
VW Golf VII, Typ AU, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55 mm, VA über / more than 965 kg	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	43, 62, 71	TÜV	967038
VW Golf VII, Typ AU, 4Motion, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50mm, VA bis / up to 965 kg	11.12 >	965 kg / 980 kg	35 - 65	40 - 65	42, 62, 71	TÜV	967036



FORCE ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
VW							
VW Golf VII, Typ AU, 4Motion, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50mm, VA über / more than 965 kg	11.12 >	1080 kg / 980 kg	35 - 65	40 - 65	42, 62, 71	TÜV	967037
VW Golf VII, Typ AU, 4Motion, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55mm	11.12 >	1080 kg / 980 kg	35 - 65	40 - 65	43, 62, 71	TÜV	967038
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm, VA bis / up to 965 kg	7.13 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967043
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm, VA über / more than 965 kg	7.13 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967044
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55 mm, VA bis / up to 965 kg	7.13 >	965 kg / 1050 kg	35 - 65	35 - 65	43, 62, 71	TÜV	967041
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55 mm, VA über / more than 965 kg	7.13 >	1090 kg / 1050 kg	35 - 65	35 - 65	43, 62, 71	TÜV	967042
Golf VII GTI / GTD / R							
VW Golf VII GTI, GTD, Typ AU	5.13 >	965 kg / 1050 kg	25 - 55	20 - 45	43, 62	TÜV	967039
VW Golf VII R, Typ AU	11.13 >	1090 kg / 1050 kg	10 - 40	20 - 45	43, 62	TÜV	967039
Jetta							
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA bis / up to 1015 kg	1.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967011
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA bis / up to 1015 kg	1.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967018
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA über / more than 1015 kg	1.11 >	1060 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967012
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA über / more than 1015 kg	1.11 >	1060 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967019
Passat							
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA bis / up to 1105 kg	3.05 >	1105 kg / 1230 kg	35 - 65	35 - 65	43, 62	TÜV	967014
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA über / more than 1105 kg	3.05 >	1180 kg / 1230 kg	35 - 65	35 - 65	43, 62	TÜV	967015
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA bis / up to 1105 kg	8.05 >	1105 kg / 1220 kg	35 - 65	35 - 65	43, 62	TÜV	967016
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA über / more than 1105 kg	8.05 >	1180 kg / 1220 kg	35 - 65	35 - 65	43, 62	TÜV	967017
VW Passat CC, Typ 3CC, 2WD, 4WD, VA bis / up to 1110 kg	6.08 >	1110 kg / 1030 kg	10 - 50	15 - 45	43, 62	TÜV	967014
VW Passat CC, Typ 3CC, 2WD, 4WD, VA über / more than 1110 kg	6.08 >	1170 kg / 1030 kg	10 - 50	15 - 45	43, 62	TÜV	967015
VW Passat R36 4Motion, Typ 3C, Lim. / Sedan	4.07 >	1180 kg / 1230 kg	15 - 45	15 - 45	62	TÜV	967015
VW Passat R36 4Motion, Typ 3C, Variant	4.07 >	1180 kg / 1230 kg	15 - 45	15 - 45	62	TÜV	967017
Touran							
VW Touran, Typ 1T, VA bis / up to 1060 kg	2.03 >	1060 kg / 1170 kg	35 - 65	35 - 70	43, 62	TÜV	967009
VW Touran, Typ 1T, VA über / more than 1060 kg	2.03 >	1200 kg / 1170 kg	35 - 65	35 - 70	43, 62	TÜV	967010
VW Cross Touran, Typ 1T, VA bis / up to 1060 kg	11.06 >	1060 kg / 1160 kg	35 - 65	35 - 70	43, 62	TÜV	967016
VW Cross Touran, Typ 1T, VA über / more than 1060 kg	11.06 >	1200 kg / 1160 kg	35 - 65	35 - 70	43, 62	TÜV	967017

CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
ALFA ROMEO						
147						
Alfa Romeo 147, Typ 937, ohne / without Diesel	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	960257
Alfa Romeo 147, Typ 937, 1.9 JTD	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	960275
156						
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 4 cyl., 1.6 - 2.0, 1.9 JTD	10.97 >		40	1, 7, 15, 21	TÜV	960258
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 5 cyl. + 6 cyl., 2.5 V6, 2.4 JTD, 3.2 GTA	10.97 >		40	1, 7, 15, 21	TÜV	960259
Giulietta						
Alfa Romeo Giulietta, Typ 940	7.10 >	1100 kg / 890 kg	30	1, 21		960369
MiTo						
Alfa Romeo MiTo, Typ 955, 1.4, 1.4 TB, VA bis / up to 850 kg	8.08 >	850 kg / 850 kg	25	1, 21	TÜV	960390
Alfa Romeo MiTo, Typ 955, Diesel, VA über / more than 850 kg	8.08 >	1000 kg / 850 kg	25	1, 21	TÜV	960391
AUDI						
80 / 90						
Audi 80, 90, Typ 89 (B3), Lim. / Sedan, Coupé, 4 cyl., 50 - 83 kW, ohne / without Diesel	9.86 > 8.91	880 kg / 830 kg	40	1, 15, 18, 21	TÜV	960002
Audi 80, 90, Typ 89 (B3), Lim. / Sedan, Coupé, 5 cyl. + 6 cyl., 37 - 128 kW, Diesel	9.86 > 8.91	1050 kg / 870 kg	40	1, 15, 18, 21	TÜV	960003
Audi 80, Typ 8C (B4), Lim. / Sedan, 4 cyl., ohne / without Diesel	9.91 > 10.94	1000 kg / 900 kg	35	1, 15, 18, 21	TÜV	960303
Audi 80, Typ 8C (B4), Lim. / Sedan, 5 cyl. + 6 cyl., Diesel	9.91 > 10.94	1050 kg / 990 kg	35	1, 15, 18, 21	TÜV	960304
Audi 80, Typ 8C (B4), Avant, 4 cyl. + 5 cyl., ohne / without Diesel	10.92 > 12.95	1000 kg / 1030 kg	35	1, 15, 18, 21	TÜV	960305
Audi 80, Typ 8C (B4), Avant, 6 cyl., Diesel	10.92 > 12.95	1080 kg / 1030 kg	35	1, 15, 18, 21	TÜV	960306
A3						
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	915 kg / ---	35	1, 15, 21, 23	TÜV	960005
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	910 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960245
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / ---	35	1, 15, 21, 23	TÜV	960111
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960248
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.03 >	1020 kg / 1125 kg	35	1, 15, 21, 42	TÜV	960276
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.03 >	1020 kg / 1125 kg	35	1, 15, 21, 43	TÜV	960277
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.03 >	1155 kg / 1125 kg	35	1, 15, 21, 42	TÜV	960278
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.03 >	1155 kg / 1125 kg	35	1, 15, 21, 43	TÜV	960279
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.03 >	1020 kg / 1020 kg	50/30	1, 15, 21, 42	TÜV	960280
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.03 >	1020 kg / 1020 kg	50/30	1, 15, 21, 43	TÜV	960281
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.03 >	1130 kg / 1020 kg	50/30	1, 15, 21, 42	TÜV	960282
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.03 >	1130 kg / 1020 kg	50/30	1, 15, 21, 43	TÜV	960283
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.03 >	1020 kg / 1020 kg	50	1, 15, 21, 42	TÜV	960284
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.03 >	1020 kg / 1020 kg	50	1, 15, 21, 43	TÜV	960285
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.03 >	1130 kg / 1020 kg	50	1, 15, 21, 42	TÜV	960286
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.03 >	1130 kg / 1020 kg	50	1, 15, 21, 43	TÜV	960287
A4						
Audi A4, Typ 8D (B5), Lim. / Sedan, 4 cyl., ohne / without Diesel, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1020 kg / 1000 kg	35	1, 15, 21, 45	TÜV	960110
Audi A4, Typ 8D (B5), Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 1120 kg, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1120 kg / 1020 kg	40	1, 15, 21, 45	TÜV	960004
Audi A4, Typ 8D (B5), Avant, 4 cyl., ohne / without Diesel, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1020 kg / 1000 kg	35	1, 7, 15, 21, 45	TÜV	960006
Audi A4, Typ 8D (B5), Avant, 6 cyl., Diesel, VA bis / up to 1120 kg, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1120 kg / 1020 kg	40	1, 7, 15, 21, 45	TÜV	960007
Audi A4, Typ 8E (B6/7) Lim. / Sedan, 1.8 T, 2.0, VA bis / up to 1065 kg	11.00 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960008
Audi A4, Typ 8E (B6/7) Lim. / Sedan, 3.0, 1.9 TDI, VA über / more than 1065 kg	11.00 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Audi A4, Typ 8E (B6/7) Avant, 1.8 T, 2.0, VA bis / up to 1065 kg	10.01 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960000
Audi A4, Typ 8E (B6/7) Avant, 3.0, 1.9 TDI, VA über / more than 1065 kg	10.01 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Audi A4, Typ 8E (B6/7) Lim. / Sedan, Quattro, 1.8 T, 1.9 TDI	11.00 >	1145 kg / 1150 kg	35	1, 7, 21	TÜV	960011
Audi A4, Typ 8E (B6/7) Lim. / Sedan, Quattro, 3.0, 2.5 TDI	11.00 >	1230 kg / 1150 kg	35	1, 7, 21	TÜV	960010
Audi A4, Typ 8E (B6/7) Avant, Quattro, 1.8 T, 1.9 TDI	10.01 >	1145 kg / 1150 kg	35	1, 7, 21, 22	TÜV	960011
Audi A4, Typ 8E (B6/7) Avant, Quattro, 3.0, 2.5 TDI	10.01 >	1230 kg / 1150 kg	35	1, 7, 21, 22	TÜV	960010
Audi A4, Typ 8H, Cabrio, 2.4, 3.0	4.02 > 2.09	1230 kg / 1100 kg	25	1, 21	TÜV	960307
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD	10.07 >	1180 kg / 1160 kg	35	1, 15, 18, 21	TÜV	960370
Audi A4, Typ 8K (B8) Avant, 2WD	4.08 >	1180 kg / 1235 kg	35	1, 15, 18, 21	TÜV	960371
A5						
Audi A5, Typ 8K (B8), Lim. / Sedan, 2WD	6.07 >	1180 kg / 1160 kg	30/20	1, 15, 18, 21	TÜV	960372
Audi A5, Typ 8K (B8), Lim. / Sedan, Quattro	6.07 >	1180 kg / 1235 kg	30/20	1, 21	TÜV	960373
A6						
Audi A6, Typ 4B (C5), Lim. / Sedan, VA bis / up to 1115 kg	4.97 > 4.00	1115 kg / 1190 kg	40	1, 12, 15, 18, 21, 48	TÜV	960319
Audi A6, Typ 4B (C5), Lim. / Sedan, VA über / more than 1115 kg	4.97 > 4.00	1245 kg / 1190 kg	40	1, 12, 15, 18, 21, 48	TÜV	960321
Audi A6, Typ 4B (C5), Avant, VA bis / up to 1115 kg	3.98 > 4.00	1115 kg / 1100 kg	40	1, 15, 18, 21, 48	TÜV	960324
Audi A6, Typ 4B (C5), Avant, VA über / more than 1115 kg	3.98 > 4.00	1230 kg / 1100 kg	40	1, 15, 18, 21, 48	TÜV	960327
Audi A6, Typ 4B (C5), Lim. / Sedan, VA bis / up to 1115 kg	5.00 > 5.04	1115 kg / 1190 kg	40	1, 15, 21, 28, 49	TÜV	960124
Audi A6, Typ 4B (C5), Lim. / Sedan, VA über / more than 1115 kg	5.00 > 5.04	1245 kg / 1190 kg	40	1, 15, 21, 28, 49	TÜV	960125
Audi A6, Typ 4B (C5), Avant, VA bis / up to 1115 kg	5.00 > 5.04	1115 kg / 1100 kg	40	1, 15, 18, 21, 49	TÜV	960126
Audi A6, Typ 4B (C5), Avant, VA über / more than 1115 kg	5.00 > 5.04	1230 kg / 1100 kg	40	1, 15, 18, 21, 49	TÜV	960127



CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
AUDI						
TT						
Audi TT, Typ 8N, FWD, 1.8 T, bis / up to 132 kW	10.98 > 5.06	1005 kg / 755 kg	35	1, 15, 21	TÜV	960433
Audi TT, Typ 8N, FWD, Roadster 1.8 T, bis / up to 132 kW	10.98 > 5.06	1005 kg / 755 kg	30	1, 15, 21	TÜV	960433
Audi TT, Typ 8J, Coupé, 2WD, VA bis / up to 1060 kg	4.06 >	1060 kg / 885 kg	30	1, 15, 21	TÜV	960374
Audi TT, Typ 8J, Roadster, TTS, Quattro, VA bis / up to 1060 kg	1.07 >	1060 kg / 885 kg	30	1, 21	TÜV	960375
BMW						
1er, E82						
BMW 1 E82, Typ 182, 1C, Coupé	9.04 > 6.12	960 kg / 1120 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960545
1er, E87						
BMW 1 E87, Typ 187, 116i, 118i, 120i, 125i, 130i, 135i, 116d, 118d, 120d, 123d	9.04 > 6.12	960 kg / 1120 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960545
3er, E36 Lim.						
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS, 318TDS	6.92 > 4.98	870 kg / 1045 kg	40/20	1, 2, 6, 15, 21	TÜV	960038
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS	6.92 > 4.98	825 kg / 1045 kg	50/30	1, 2, 15, 17, 21	TÜV	960078
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	40/25	1, 2, 6, 15, 21	TÜV	960039
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	50/30	1, 2, 15, 17, 21	TÜV	960079
BMW 3 E36, Typ 3B/C, 6 cyl., 323i, 325i, 328i	6.92 > 98		40	1, 21		960041
3er, E36 Touring						
BMW 3 E36, Typ 3/C, Touring, 4 cyl., ohne / without Diesel	5.95 > 8.99	850 kg / 1150 kg	35	1, 21	TÜV	960046
BMW 3 E36, Typ 3/C, Touring, 6 cyl., Diesel	5.95 > 8.99	970 kg / 1150 kg	35	1, 21	TÜV	960047
3er, E36 Compact						
BMW 3 E36, Typ 3C, Compact, 316i, 318i, 318ti, ohne / without Diesel	4.94 > 6.01	850 kg / 1040 kg	35	1, 6, 18, 21	TÜV	960042
BMW 3 E36, Typ 3C, 3/C, 3CG, Compact, 318 TDS, 323ti	5.95 > 6.01	870kg / 1040 kg	35	1, 18, 21	TÜV	960048
3er, E46 Lim.						
BMW 3 E46, Lim. / Sedan, 4 cyl., ohne / without Diesel	4.98 >	970 kg / 1215 kg	35	1, 15, 21	TÜV	960040
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 965 kg	4.98 >	970 kg / 1215 kg	40	1, 15, 21	TÜV	960045
BMW 3 E46, Lim. / Sedan, 4 cyl., ohne / without Diesel	4.98 >	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	960080
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 965 kg	4.98 >	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	960081
3er, E46 Coupé						
BMW 3 E46, nur / only Coupé, 4 cyl., ohne / without Diesel	5.99 >	970 kg / 1215 kg	25	1, 15, 21	TÜV	960040
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 965 kg	5.99 >	970 kg / 1215 kg	25	1, 15, 21	TÜV	960045
BMW 3 E46, nur / only Coupé, 4 cyl., ohne / without Diesel	5.99 >	970 kg / 1215 kg	40	1, 15, 21	TÜV	960080
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 965 kg	5.99 >	970 kg / 1215 kg	40	1, 15, 21	TÜV	960081
3er, E46 Cabrio						
BMW 3 E46, Cabrio, 4 cyl., 318ci, VA bis / up to 860 kg	1.01 >	860 kg / 1190 kg	35	1, 21	TÜV	960036
BMW 3 E46, Cabrio, 6 cyl., 320ci, 323ci, 325ci, 330ci	4.01 >	1000 kg / 1190 kg	40	1, 21	TÜV	960037
3er, E46 Touring						
BMW 3 E46, Touring, 4 cyl., ohne / without Diesel, VA bis / up to 860 kg	9.99 >	860 kg / 1190 kg	40	1, 21	TÜV	960043
BMW 3 E46, Touring, 6 cyl., Diesel	9.99 >	1000 kg / 1190 kg	40	1, 21	TÜV	960044
3er, E46 Compact						
BMW 3 E46, Compact, 4 cyl., 316ti, 318ti	6.01 >	865 kg / 1040 kg	40/25	1, 2, 18, 21	TÜV	960034
BMW 3 E46, Compact, 6 cyl., 320d, 325ti	6.01 >	935 kg / 1040 kg	40	1, 18, 21	TÜV	960035
3er, E90 Lim.						
BMW 3 E90, Typ 390L, Lim. / Sedan, 318i - 330i, 316d - 335d	4.05 > 1.12	1020 kg / 1200 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960522
3er, E92 Coupé						
BMW 3 E92, Typ 392C, Coupé	9.06 > 5.10	1020 kg / 1200 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960523
3er, E91 Touring						
BMW 3 E91, Typ 392L, Touring	9.05 > 4.12	1020 kg / 1315 kg	40/25	1, 7, 15, 18, 21	TÜV	960546
3er, E93 Cabrio						
BMW 3 E93, Typ 392C, Cabrio	3.07 >	1020 kg / 1315 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960546
5er, E39						
BMW 5 E39, Lim. / Sedan, 6 cyl., ohne / without 530d, ohne / without EDC	12.95 > 6.03		30	1, 7, 21	TÜV	960260
5er, E60 / E61						
BMW 5 E60, Typ 560L, Lim. / Sedan, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	6.03 > 5.10	1000 kg / 1400 kg	40/25	1, 15, 21	TÜV	960352
BMW 5 E60, Typ 560L, Lim. / Sedan, 545i, 530d, 535d, VA über / more than 1000 kg	6.03 > 5.10	1070 kg / 1400 kg	40/25	1, 15, 21	TÜV	960353
BMW 5 E61, Typ 560L, Touring, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	8.04 > 5.10	1000 kg / 1400 kg	40/25	1, 7, 15, 21	TÜV	960354
BMW 5 E61, Typ 560L, Touring, 545i, 530d, 535d, VA über / more than 1000 kg	8.04 > 5.10	1070 kg / 1400 kg	40/25	1, 7, 15, 21	TÜV	960355
5er, F10						
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD, 4WD	1.10 >	1195 kg / 1310 kg	30	1, 15, 21	TÜV	960379
X5						
BMW X5 E53, VA bis / up to 1250 kg, HA bis / up to 1630 kg	5.00 > 12.06		35	1, 7, 21		960380
Z4						
BMW Z4, Typ Z85, Roadster	12.02 > 3.09	790 kg / 890 kg	30	1, 21	TÜV	960358
CHEVROLET						
Cruze						
Chevrolet Cruze, Typ KL1J	5.09 >	1220 kg / 1000 kg	30	1, 21	TÜV	960381
CITROEN						
C2						
Citroen C2, Typ J*HFX, J*KFV, J*NFU, J*8HX, J*NFS, J*8HZ, J*KFU	9.03 >	820 kg / 710 kg	35	1, 21	TÜV	960382

CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
CITROËN						
C3 / Pluriel						
Citroen C3, Typ F*8HY, F*8HX, F*NFU, F*KFV, F*HFX	4.02 >		30	1, 21	TÜV	960383
Citroen C3 Pluriel, Typ H	4.03 >		30	1, 21	TÜV	960383
C4						
Citroen C4, Typ L, Lim. / Sedan	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	960599
Citroen C4, Typ L, Coupé	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	960261
Citroen C4, Typ N	11.10 >	1050 kg / 900 kg	30	1, 18, 21		960597
DS3						
Citroen DS3, Typ S****, Federbein / strut 47 mm	3.10 >	920 kg / 790 kg	30	1, 21, 79	TÜV	960385
Citroen DS3, Typ S****, Federbein / strut 51 mm	3.10 >	920 kg / 790 kg	30	1, 21, 80	TÜV	960589
Saxo						
Citroen Saxo, Typ S, 1.0, 1.1	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	960108
Citroen Saxo, Typ S, 1.4, ohne / without 16V	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	960028
Citroen Saxo, Typ S, 1.4 Automatik, 1.5 Diesel, 1.6 16V	4.96 >	785 kg / 730 kg	35	1, 19, 21	TÜV	960029
Xsara						
Citroen Xsara, incl. Coupé	8.97 >		35	1, 19, 21		960030
ZX						
Citroen ZX, 1.0, 1.4, 1.6, ohne / without Diesel	9.91 > 6.97		30	1, 19, 21		960026
DACIA						
Logan						
Dacia Logan, Typ SD, 1.4, 1.6, incl. Diesel	5.05 >	850 kg / 880 kg	35	1, 21	TÜV	960184
Dacia Logan Kombi, Typ SD, 1.4, 1.6, incl. Diesel	1.06 >	930 kg / 1080 kg	35	1, 21	TÜV	960185
FIAT						
500						
Fiat 500, Typ 312, 1.2	10.07 >	770 kg / ---	25/35	1, 21	TÜV	960386
Fiat 500, Typ 312, 1.4, incl. Diesel	10.07 >	830 kg / 640 kg	25/35	1, 21	TÜV	960387
Croma						
Fiat Croma, Typ 194, 1.6, 2.0, 2.4 JTD, 2.5D	6.05 > 12.10	1045 kg / 1030 kg	35	1, 21	TÜV	960388
Fiat Croma, Typ 194, 2.5TD, 2.5 V6, 2.2	6.05 > 12.10	1150 kg / 1030 kg	35	1, 21	TÜV	960389
Cinquecento						
Fiat Cinquecento, Typ 170, ohne / without Sporting	10.92 > 3.98	610 kg / 630 kg	35	1, 18, 21	TÜV	960262
Punto						
Fiat Punto, Typ 176, 176C, incl. Cabrio	9.93 > 99	850 kg / 700 kg	35	1, 6, 21	TÜV	960088
Fiat Punto, Typ 188, 1.2 16V, 1.2 8V	8.99 >	900 kg / 750 kg	35	1, 21	TÜV	960091
Fiat Punto, Typ 188, 1.8, HGT	8.99 >	900 kg / 750 kg	35	1, 21	TÜV	960089
Fiat Punto, Typ 188, Diesel	8.99 >	900 kg / 750 kg	35	1, 21	TÜV	960090
Fiat Grande Punto, Typ 199, Evo, 1.2, 1.4, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	35	1, 21	TÜV	960392
Fiat Grande Punto, Typ 199, Evo, 1.3 Diesel, 1.6 Diesel, 1.9 Diesel, Abarth, VA über / more than 850 kg	10.05 >	1000 kg / 950 kg	35	1, 21	TÜV	960393
Seicento						
Fiat Seicento, Typ 187, ohne / without Sporting	3.98 >	610 kg / 630 kg	35	1, 18, 21	TÜV	960263
Stilo						
Fiat Stilo, Typ 192, VA bis / up to 1030 kg, Befestigungslochabstand / mounting hole distance 58 mm	10.01 >	1030 kg / 940 kg	35	1, 12, 21	TÜV	960140
Fiat Stilo, Typ 192, VA bis / up to 1030 kg, Befestigungslochabstand / mounting hole distance 72 mm	10.01 >	1030 kg / 940 kg	35	1, 12, 21	TÜV	960096
FORD						
Fiesta						
Ford Fiesta, Typ JH1, JD3, VA bis / up to 790 kg	12.01 > 9.08	790 kg / 800 kg	30	1, 21	TÜV	963005
Ford Fiesta, Typ JH1, JD3, VA über / more than 790 kg	12.01 > 9.08	850 kg / 800 kg	30	1, 21	TÜV	963006
Focus						
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.4, 1.6	10.98 > 10.04	840 kg / 880 kg	40	1, 21	TÜV	960086
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.8, 2.0, Diesel	10.98 > 10.04	965 kg / 880 kg	40	1, 21	TÜV	960087
Ford Focus, Typ DNW, Turnier, 1.4, 1.6	1.99 > 12.04	840 kg / 1010 kg	40	1, 21	TÜV	963003
Ford Focus, Typ DNW, Turnier, 1.8, 2.0, Diesel	1.99 > 12.04	960 kg / 1010 kg	40	1, 21	TÜV	963004
Ford Focus, Typ DA3, DB3, Lim. / Sedan, VA bis / up to 985 kg	11.04 >	985 kg / 1090 kg	35	1, 21	TÜV	960308
Ford Focus, Typ DA3, DB3, Lim. / Sedan, VA über / more than 985 kg	11.04 >	1090 kg / 1090 kg	35	1, 21	TÜV	960309
Ford Focus, Typ DA3, DB3, Turnier, VA bis / up to 985 kg	1.05 >	985 kg / 1090 kg	35	1, 21	TÜV	960540
Ford Focus, Typ DA3, DB3, Turnier, VA über / more than 985 kg	1.05 >	1090 kg / 1090 kg	35	1, 21	TÜV	960542
Galaxy						
Ford Galaxy, Typ WGR	9.95 > 2.06	1280 kg / 1330 kg	35	1, 15, 21	TÜV	960501
Ford Galaxy, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 7, 15, 21	TÜV	960396
Mondeo						
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1005 kg / 1055 kg	35	1, 7, 18, 21	TÜV	960359
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1100 kg / 1055 kg	40	1, 7, 18, 21	TÜV	960360



CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
FORD						
Ford Mondeo, Typ BWY, Turnier, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1005 kg / 1150 kg	35/25	1, 7, 18, 21	TÜV	960361
Ford Mondeo, Typ BWY, Turnier, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1130 kg / 1150 kg	40/30	1, 7, 18, 21	TÜV	960362
Ford Mondeo, Typ BA7, Lim. / Sedan	4.07 >	1060 kg / ---	30	1, 7, 21, 62	TÜV	960397
Ford Mondeo, Typ BA7, Lim. / Sedan, 2.0, 2.2, 2.5, incl. Diesel	4.07 >	1190 kg / 1100 kg	30	1, 7, 21, 62	TÜV	960398
Ford Mondeo, Typ BA7, Turnier	4.07 >	1060 kg / ---	30	1, 7, 21, 62	TÜV	960399
Ford Mondeo, Typ BA7, Turnier, 2.0, 2.2, 2.5, incl. Diesel	4.07 >	1190 kg / 1185 kg	30	1, 7, 21, 62	TÜV	960400
Mustang						
Ford Mustang, S197, V6, bis einschl. Modelljahr 2009 / kit incl. shock absorbers up to model year 2009	05 >	1000 kg / 1100 kg	30	1, 21, 73	TÜV	960548
Ford Mustang, S197, GT V8, bis einschl. Modelljahr 2009 / kit incl. shock absorbers up to model year 2009	05 >	1134 kg / 1100 kg	30	1, 21, 73	TÜV	960549
S-Max						
Ford S-Max, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 15, 21	TÜV	960396
HONDA						
Civic						
Honda Civic, Typ, EG3 - 6, 8, 9, EH9, CRX/ V-Tec, Coupé ab / from 1.94, EJ1, 2, 6, 9, HA Stift-Auge-Befestigung / rear stem-eyering mounting, (nicht / not EU)	11.91 > 10.95		30	1, 21	TÜV	960251
Honda Civic, Typ EJ6, 8, 9, EK 1, 3, 4, bis / up to 118 kW	11.95 > 6.01		35	1, 21, 38	TÜV	960446
Jazz / Fit						
Honda Jazz / Fit, Typ GD1, GD5, GE2, GE3	3.02 > 3.05	800 kg / 730 kg	40	1, 21	TÜV	960588
Honda Jazz / Fit, Typ GD1, GD5, GE2, GE3	4.05 > 7.08	800 kg / 730 kg	40	1, 21	TÜV	960550
HYUNDAI						
Coupé						
Hyundai Coupé, Typ RD	9.96 > 3.02	895 kg / 770 kg	35	1, 21	TÜV	960551
Hyundai Coupé, Typ GK	3.02 >	1015 kg / 880 kg	35	1, 21	TÜV	960552
Getz						
Hyundai Getz, Typ TB	5.03 >	900 kg / 830 kg	30	1, 21		960581
i20						
Hyundai i20, Typ PBT	1.09 > 6.12	920 kg / 840 kg	30	1, 21		960598
KIA						
Cee'd						
Kia Cee'd, Typ ED, Pro Cee'd	1.07 > 09	1090 kg / 940 kg	35	1, 21	TÜV	960553
MAZDA						
6						
Mazda 6, Typ GG/GY, GG1, Lim. / Sedan, Schrägheck / Hatchback	6.02 > 8.07	1095 kg / 1065 kg	40/25	1, 2, 15, 21	TÜV	960554
Mazda 6, Typ GG/GY, GG1, Break	9.02 > 8.07		40/25	1, 15, 21	TÜV	960555
MX-5 (Miata)						
Mazda MX-5, Typ NB, bis / up to 107 kW	4.98 >	645 kg / 665 kg	35	1, 21	TÜV	966800
MCC / SMART						
Smart						
Smart Typ 452, Coupé, Roadster	4.03 >	465 kg / 610 kg	35/45	1, 21	TÜV	960186
MERCEDES BENZ						
W168/169						
MB A-Klasse, Typ 168, A140, A160, A160CDI, A170CDI	9.97 > 9.04	805 kg / 850 kg	25	1, 21	TÜV	960532
MB A-Klasse, Typ 169, A150, A160CDI, A170, A180CDI, A200, A200CDI, A200Turbo	9.04 > 8.12	980 kg / 900 kg	35	1, 21	TÜV	960533
R170						
MB SLK, Typ R170, 200 + 230 Kompressor, VA bis / up to 845 kg	9.96 > 3.04	950 kg / 850 kg	35	1, 4, 21	TÜV	960141
W202						
MB C-Klasse, Typ W202, Lim. / Sedan, 4 cyl., ohne / without Sportline, ohne / without Diesel	6.93 > 12.95	900 kg / 1110 kg	40/25	1, 2, 4, 7, 21	TÜV	960083
MB C-Klasse, Typ W202, Lim. / Sedan, 5 cyl. + 6 cyl., Diesel, ohne / without Sportline	6.93 > 12.95	970 kg / 1110 kg	40	1, 4, 7, 21	TÜV	960082
MB C-Klasse, Typ W202, Lim. / Sedan, T-Modell, 4 cyl., Kompressor, VA bis / up to 920 kg	1.96 > 6.00	920 kg / 1150 kg	40/25	1, 2, 4, 7, 21	TÜV	960084
MB C-Klasse, Typ W202, Lim. / Sedan, T-Modell, 5 cyl. + 6 cyl., VA bis / up to 970 kg	1.96 > 6.00	970 kg / 1150 kg	35	1, 4, 7, 21	TÜV	960085
W203						
MB C-Klasse, Typ W203, Lim. / Sedan, 4 cyl., ohne / without Diesel	6.00 >	1065 kg / 1090 kg	30	1, 4, 7, 15, 18, 21	TÜV	960142
MB C-Klasse, Typ W203, Lim. / Sedan, 6 cyl., Diesel	6.00 > 2.11	1065 kg / 1090 kg	30	1, 4, 7, 15, 18, 21	TÜV	960143
MB C-Klasse, Typ W203, T-Modell, 4 cyl., ohne / without Diesel	3.01 >	1065 kg / 1190 kg	35	1, 4, 7, 15, 18, 21	TÜV	960144
MB C-Klasse, Typ W203, T-Modell, 6 cyl., Diesel	3.01 >	1065 kg / 1190 kg	35	1, 4, 7, 15, 18, 21	TÜV	960145
W204						
MB C-Klasse, Typ W204, Lim. / Sedan, C180K, C200K, C230, C280, C200CDI, VA bis / up to 1000 kg	3.07 >	1000 kg / 1185 kg	25	1, 15, 18, 21	TÜV	960526
MB C-Klasse, Typ W204, Lim. / Sedan, C220CDI, C350, C320CDI, VA über / more than 1000 kg	3.07 >	1090 kg / 1185 kg	25	1, 15, 18, 21	TÜV	960527
W207						
MB E-Klasse, Typ W207, Coupé, 2WD, VA bis / up to 1000 kg	5.09 >	1000 kg / 1185 kg	20	1, 15, 18, 21	TÜV	960556
MB E-Klasse, Typ W207, Coupé 2WD, E 220/250/350 CDI, E 200/300/350, E 250/350 CGI, VA über / more than 1000 kg	5.09 >	1090 kg / 1185 kg	20	1, 15, 18, 21	TÜV	960557
W208						
MB CLK, Typ W208, 4 cyl., VA bis / up to 960 kg	6.97 > 3.02	960 kg / 1070 kg	35	1, 4, 21	TÜV	969452

CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
MERCEDES BENZ						
MB CLK, Typ W208, 6 cyl., VA bis / up to 1010 kg	6.97 > 3.02	1010 kg / 1070 kg	35	1, 4, 21	TÜV	969453
W209						
MB CLK, W209, 4 cyl., ohne / without Diesel	3.02 >	1065 kg / 1090 kg	35	1, 4, 18, 21	TÜV	960558
MB CLK, W209, 6 cyl., incl. Diesel	3.02 >	1065 kg / 1090 kg	35	1, 4, 18, 21	TÜV	960559
MB CLK, W209, 8 cyl., VA bis / up to 1090 kg	3.02 >	1090 kg / 1195 kg	35	1, 4, 18, 21	TÜV	960560
W210						
MB E-Klasse, Typ W210, Lim. / Sedan, 4 cyl., bis / up to 110 kW, Diesel 70 - 83 kW	6.95 > 5.02	980 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	969447
MB E-Klasse, Typ W210, Lim. / Sedan, 5 cyl., 6 cyl., 8 cyl., bis / up to 162 kW, Diesel 84 - 100 kW	6.95 > 5.02	1025 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	969446
W212						
MB E-Klasse, Typ W212, Lim. / Sedan, VA bis / up to 1000 kg	3.09 >	1000 kg / 1240 kg	40	1, 7, 15, 18, 21	TÜV	960561
MB E-Klasse, Typ W212, Lim. / Sedan, VA über / more than 1000 kg	3.09 >	1195 kg / 1240 kg	40	1, 7, 15, 18, 21	TÜV	960562
MINI						
Mini						
Mini, Typ R50, incl. Cabrio, incl. S	3.02 > 12.06	890 kg / 800 kg	30	1, 21	TÜV	960134
Mini, Typ N, Cooper, Cooper S	11.06 >	905 kg / 810 kg	30	1, 21	TÜV	960528
NISSAN						
Micra						
Nissan Micra, Typ K12	2.03 > 12.10	860 kg / 780 kg	30	1, 21	TÜV	960563
OPEL						
Astra						
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	35	1, 6, 12, 21	TÜV	960098
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	50/30	1, 2, 12, 17, 21	TÜV	960206
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	880 kg / 800 kg	60	1, 12, 17, 21	TÜV	960213
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 885 kg	30	1, 12, 21	TÜV	960210
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	1035 kg / 885 kg	30	1, 12, 21	TÜV	960211
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	960214
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	ab 885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	960215
Opel Astra G Coupé, 1.8 16V, 2.0 16V T, 2.2 16V	3.00 >	ab 885 kg / 845 kg	30	1, 21	TÜV	960097
Opel Astra G Cabrio, 1.8 16V, 2.2 16V	3.01 >	ab 885 kg / 845 kg	40/25	1, 2, 21	TÜV	960097
Opel Astra G, Caravan 1.2, 1.6, 1.6 16V, ohne Niveaugreg. / without self-leveling	3.98 >	885 kg / 960 kg	35	1, 21	TÜV	960314
Opel Astra G, Caravan 1.8, 2.0, 1.7 DTI, 2.0 DTI, ohne Niveaugreg. / without self-leveling	3.98 >	1035 kg / 960 kg	35	1, 21	TÜV	960315
Opel Astra H, 1.4, 1.6, 1.8	4.04 > 12.09	960 kg / 925 kg	35	1, 12, 21	TÜV	960363
Opel Astra H, 1.7 CDTi, 1.9 CDTi, 2.0 T	4.04 > 12.09	1045 kg / 925 kg	35	1, 12, 21	TÜV	960364
Opel Astra H, Caravan, 1.4, 1.6, 1.8	10.04 > 10.10	960 kg / 960 kg	35	1, 21	TÜV	960365
Opel Astra H, Caravan, 1.7 CDTi, 1.9 CDTi, 2.0 T	10.04 > 10.10	1045 kg / 960 kg	35	1, 21	TÜV	960366
Opel Astra H, GTC, VA bis / up to 960 kg	2.05 > 12.10	960 kg / 925 kg	35	1, 21	TÜV	960367
Opel Astra H, GTC, VA über / more than 960 kg	2.05 > 12.10	1045 kg / 925 kg	35	1, 21	TÜV	960368
Opel Astra J, Typ P-J	11.09 >	1155 kg / 1020 kg	40	1, 21, 62	TÜV	960564
Corsa						
Opel Corsa A	8.83 > 2.93	680 kg / 670 kg	35	1, 21	TÜV	960094
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	35	1, 6, 21	TÜV	960205
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	40/25	1, 2, 6, 21	TÜV	960204
Opel Corsa C, VA bis / up to 790 kg, HA-Dämpfer mit M14 Befestigung / rear shock with M14 bolt	9.00 >	790 kg / ---	30	1, 21, 35	TÜV	960207
Opel Corsa C, VA über / more than 790 kg bis / up to 900 kg, HA-Dämpfer mit M14 Befestigung / rear shock with M14 bolt	9.00 >	900 kg / ---	35	1, 21, 35	TÜV	960208
Opel Corsa C, VA bis / up to 790 kg, HA-Dämpfer mit M10 Befestigung / rear shock with M10 bolt	9.00 >	790 kg / ---	30	1, 21, 34	TÜV	960288
Opel Corsa C, VA über / more than 790 kg bis / up to 900 kg, HA-Dämpfer mit M10 Befestigung / rear shock with M10 bolt	9.00 >	900 kg / ---	35	1, 21, 34	TÜV	960289
Opel Corsa D, Typ S-D, VA bis / up to 850 kg	6.06 >	850 kg / 950 kg	30	1, 21	TÜV	960394
Opel Corsa D, Typ S-D, VA über / more than 850 kg	6.06 >	1000 kg / 950 kg	30	1, 21	TÜV	960395
Meriva						
Opel Meriva A, VA bis / up to 885 kg	9.02 > 5.10	885 kg / 975 kg	30	1, 21	TÜV	960565
Opel Meriva A, VA bis / up to 1045 kg, ohne / without OPC	9.02 > 5.10	1045 kg / 975 kg	30	1, 21	TÜV	960566
Signum						
Opel Signum, Typ Z-C/S, Z-C/SW, VA bis / up to 1100 kg	3.03 > 8.08	1100 kg / 1080 kg	40	1, 18, 21	TÜV	960567
Opel Signum, Typ Z-C/S, Z-C/SW, VA über / more than 1100 kg	3.03 > 8.08	1230 kg / 1080 kg	40	1, 18, 21	TÜV	960568
Vectra						
Opel Vectra A, ACC, GL, GLS, CD, GT, ohne / without V6, ohne / without 16V	9.88 > 10.95	945 kg / 840 kg	30	1, 15, 21, 37	TÜV	960099
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 4 cyl., ohne / without Diesel	10.95 > 4.02		35/25	1, 2, 12, 21	TÜV	969459
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 6 cyl., Diesel	10.95 > 4.02		40/25	1, 12, 21	TÜV	969460
Opel Vectra B, Typ J96, Caravan, 4 cyl., ohne / without Diesel, ohne Niveaugreg. / without self-leveling	10.96 > 10.03	975 kg / ---	35/20	1, 21	TÜV	960148
Opel Vectra C, Lim. / Sedan, 4 cyl., VA bis / up to 1000 kg, Baujahr / year < 8.04, ohne / without 2.0T, 3.0V6 CDTi, IDS	4.02 > 8.04	1000 kg / 1020 kg	30	1, 12, 21	TÜV	960534
Opel Vectra C, Lim. / Sedan, 6 cyl., Diesel, VA über / more than 1000 kg, Baujahr / year < 8.04, ohne / without 2.0T, 3.0V6 CDTi, IDS	4.02 > 8.04	1165 kg / 1020 kg	30	1, 12, 21	TÜV	960535
Opel Vectra C, Lim. / Sedan, 4 cyl., VA bis / up to 1000 kg, Baujahr / year > 9.04, ohne / without 2.0T, 3.0V6 CDTi, IDS	9.04 >	1000 kg / 1020 kg	30	1, 12, 21	TÜV	960590



CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
OPEL						
Opel Vectra C, Lim. / Sedan, 6 cyl., Diesel, VA über / more than 1000 kg, Baujahr / year > 9.04, ohne / without 2.0T, 3.0V6 CDTi, IDS	9.04 >	1165 kg / 1020 kg	30	1, 12, 21	TÜV	960591
Opel Vectra C, Caravan, VA bis / up to 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year < 8.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	10.03 > 8.04	1100 kg / 1080 kg	40	1, 7, 21	TÜV	960536
Opel Vectra C, Caravan, VA über / more than 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year < 8.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	10.03 > 8.04	1230 kg / 1080 kg	40	1, 7, 21	TÜV	960537
Opel Vectra C, Caravan, VA bis / up to 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year > 9.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	9.04 >	1100 kg / 1080 kg	40	1, 7, 21	TÜV	960592
Opel Vectra C, Caravan, VA über / more than 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year > 9.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	9.04 >	1230 kg / 1080 kg	40	1, 7, 21	TÜV	960593
Zafira						
Opel Zafira B, Typ A-H, 1.6, 1.8	6.05 >	1045 kg / 1030 kg	30	1, 21, 62	TÜV	960569
Opel Zafira B, Typ A-H, 2.0 T, 2.2, 1.9 DTI	6.05 >	1150 kg / 1030 kg	30	1, 21, 62	TÜV	960570
PEUGEOT						
106						
Peugeot 106, Typ 1C, 1A, 1.0, 1.1	9.91 >	710 kg / 680 kg	35	1, 19, 21	TÜV	960108
Peugeot 106, Typ 1C, 1A, 1.4, ohne / without 16V	9.91 >	785 kg / 730 kg	40	1, 19, 21	TÜV	960105
205						
Peugeot 205, Typ 741, A/B/C, 20 A/C/D, incl. 16V, Cabrio, 33 - 94 kW, ohne / without Rallye, TD, Genty, CT, CTI, GTI	2.83 > 8.98	750 kg / 680 kg	30	1, 19, 21	TÜV	960013
Peugeot 205, Typ 741, A/C, 20 A/C, 1.0, 1.1, ohne / without Rallye, TD, Genty, CT, CTI, GTI	2.83 > 8.98	710 kg / 680 kg	35	1, 19, 21	TÜV	960019
206						
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, ohne / without Diesel	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	960023
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, 1.4 HDI, 2.0 HDI	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	960024
Peugeot 206, Typ 2, 1.1, 1.4, ohne / without Automatik	10.98 >	875 kg / 780 kg	60	1, 19, 21	TÜV	960033
Peugeot 206, Typ 2, 1.4 HDI, 1.6 16V, 2.0 HDI, incl. Automatik	10.98 >	875 kg / 780 kg	60	1, 17, 19, 21	TÜV	960033
Peugeot 206 CC, Typ NFU, RFN	1.01 >		35	1, 19, 21	TÜV	960015
Peugeot 206 CC, Typ NFU, RFN	1.01 >	875 kg / 780 kg	60	1, 19, 21	TÜV	960104
Peugeot 206, SW, ohne / without Diesel	6.02 >	890 kg / 780 kg	35	1, 19, 21	TÜV	960016
207						
Peugeot 207, 207 CC, Federbein / strut 47 mm	12.05 > 3.12	1050 kg / 900 kg	45	1, 21, 79	TÜV	960587
Peugeot 207, 207 CC, Federbein / strut 51 mm	12.05 > 3.12	1050 kg / 900 kg	45	1, 21, 80	TÜV	960571
306						
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, ohne / without 2.0, VA bis / up to 950 kg	1.93 > 2.97	950 kg / ---	35	1, 19, 21	TÜV	960487
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Diesel, ohne / without 2.0, VA bis / up to 950 kg	3.97 > 6.02	950 kg / ---	35	1, 19, 21	TÜV	960488
307						
Peugeot 307, Lim. / Sedan, 1.4, 1.6, 2.0, 2.0 HDI	9.01 >	1000 kg / 880 kg	35	1, 21	TÜV	960264
Peugeot 307, SW, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	960265
Peugeot 307, Break, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	960266
Peugeot 307, CC	10.03 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	960267
407						
Peugeot 407, Lim. / Sedan, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	5.04 >	1100 kg / 1120 kg	35	1, 12, 21	TÜV	960572
Peugeot 407, Lim. / Sedan, 2.0 HDI, 2.2, VA über / more than 1100 kg	5.04 >	1200 kg / 1120 kg	35	1, 12, 21	TÜV	960573
Peugeot 407, SW, Break, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	10.04 >	1100 kg / 1120 kg	35	1, 21	TÜV	960574
Peugeot 407, SW, Break, 2.0 HDI, 2.2, VA über / more than 1100 kg	10.04 >	1200 kg / 1120 kg	35	1, 21	TÜV	960575
PORSCHE						
Boxster						
Porsche Boxster, Typ 987, ohne / without PASM	11.04 >	785 kg / 940 kg	30	1, 21		960524
Porsche Boxster, Typ 987, mit / with PASM	11.04 >	785 kg / 940 kg	30	1, 21		960525
Cayman						
Porsche Cayman S, Typ 987, ohne / without PASM	11.05 >	785 kg / 940 kg	30	1, 21		960524
Porsche Cayman S, Typ 987, mit / with PASM	11.05 >	785 kg / 940 kg	30	1, 21		960525
Carrera						
Porsche Carrera 911, Typ 993, 2WD, 2, 2S, 4, 4S	10.93 > 98	760 kg / 1080 kg	30	1, 15, 21	TÜV	960452
Porsche Carrera 911, Typ 996, 2WD, Coupé bis / up to 254 kW, 3.4 Carrera, 3.6 Carrera	97 >		30	1, 15, 21		960454
Porsche Carrera 911, Typ 996, 4WD, Coupé bis / up to 254 kW, 3.4 Carrera 4, 3.6 Carrera 4, 3.6 Turbo 4	97 >		30	1, 21		960529
Porsche Carrera 911, Typ 996, 2WD, Carrera II, Cabrio, Targa, bis / up to 254 kW, 3.4 Carrera, 3.6 Carrera	97 >		30	1, 15, 21		960530
Porsche Carrera 911, Typ 996, 4WD, Carrera II, Cabrio, Targa, bis / up to 254 kW, 3.4 Carrera 4, 3.6 Carrera 4, 3.6 Turbo 4	97 >		30	1, 21		960531
RENAULT						
Mégane						
Renault Mégane, Typ BA, DA, LA, EA, Coach, Classic, Cabrio, Benzin bis / petrol up to 84 kW, Diesel bis / up to 74 kW, 1.6 16V, ohne / without 2.0 16V	1.96 > 12.02	1050 kg / 1080 kg	40	1, 19, 21	TÜV	960050
Renault Mégane, Typ M, Lim. / Sedan, HA bis / up to 930 kg	6.03 > 9.08	1060 kg / 930 kg	35	1, 21	TÜV	969483
Renault Mégane, Typ M, Grandtour, CC, HA bis / up to 1010 kg	6.03 > 9.08	1060 kg / 1010 kg	35	1, 21	TÜV	969004

CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
RENAULT						
Clio						
Renault Clio I, Typ B/C 57, incl. 16V, Befestigungslochabstand / mounting hole distance 52 mm	90 > 9.98	770 kg / 725 kg	40	1, 19, 21	TÜV	960049
Renault Clio I, Typ B/C 57, incl. 16V, Befestigungslochabstand / mounting hole distance 54 mm	90 > 9.98	770 kg / 725 kg	40	1, 19, 21	TÜV	960253
Renault Clio II, Typ B, ohne / without 1.2, ohne / without Sport, bis / up to 79 kW, VA bis / up to 860 kg	9.98 > 6.05	860 kg / 785 kg	35	1, 21	TÜV	960103
Renault Clio III, Typ R, ohne / without 2.0 16V	8.05 > 6.10	950 kg / 880 kg	35	1, 18, 21	TÜV	960576
Twingo						
Renault Twingo, Typ C06	6.93 >	700 kg / 690 kg	35	1, 17, 21	TÜV	960155
Renault Twingo, Typ N, bis / up to 75 kW	7.07 >	810 kg / 710 kg	20/30	1, 21	TÜV	960577
SEAT						
Altea						
Seat Altea, Typ 5P, 1.6, 2.0 FSI, 1.9 TDI, 2.0 TDI, Dämpfer / strut 50 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 42	TÜV	960187
Seat Altea, Typ 5P, 1.6, 2.0 FSI, 1.9 TDI, 2.0 TDI, Dämpfer / strut 55 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 43	TÜV	960188
Exeo						
Seat Exeo, Typ 3R, 1.6, 2.0 FSI	11.00 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960008
Seat Exeo, Typ 3R, 2.0 TFSI, 2.0 TDI	11.00 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Seat Exeo, Typ 3R, 6RN, Sports Tourer, 1.6, 2.0 FSI, VA bis / up to 1065 kg	10.01 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960000
Seat Exeo, Typ 3R, 6RN, Sports Tourer, 2.0 TFSI, 2.0 TDI, VA über / more than 1065 kg	10.01 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Ibiza / Cordoba / Cupra						
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	8.93 > 12.95	910 kg / 790 kg	40	1, 21	TÜV	960063
Seat Ibiza, Cordoba, Typ 6K, 6K/C	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	960062
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	960063
Seat Ibiza, Cordoba, Typ 6L, VA bis / up to 890 kg	4.02 >	890 kg / 810 kg	30	1, 21	TÜV	960268
Seat Ibiza, Cordoba, Typ 6L, VA über / more than 890 kg	4.02 >	960 kg / 810 kg	30	1, 21	TÜV	960269
Seat Ibiza, Typ 6J, VA bis / up to 860 kg	9.08 >	860 kg / 870 kg	30	1, 18, 21	TÜV	960578
Seat Ibiza, Typ 6J, VA über / more than 860 kg	9.08 >	950 kg / 870 kg	30	1, 18, 21	TÜV	960579
Leon						
Seat Leon, Typ 1M, 1.4, 1.6, 1.8	9.99 >	900 kg / 965 kg	35	1, 15, 21	TÜV	960070
Seat Leon, Typ 1M, 1.8 T, 1.9 SDI, 1.9 TDI	9.99 >	995 kg / 965 kg	35	1, 15, 21	TÜV	960071
Seat Leon, Typ 1M, 1.4, 1.6, 1.8	9.99 >	910 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960068
Seat Leon, Typ 1M, 1.8 T, V5, 1.9 SDI, 1.9 TDI	9.99 >	995 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960069
Seat Leon, Typ 1P, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	9.05 >	1020 kg / 950 kg	35	1, 15, 21	TÜV	960189
Seat Leon, Typ 1P, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	9.05 >	1020 kg / 950 kg	35	1, 15, 21	TÜV	960190
Seat Leon, Typ 1P, VA über / more than 1020 kg, Dämpfer / strut 50 mm	9.05 >	1077 kg / 950 kg	35	1, 15, 21	TÜV	960191
Seat Leon, Typ 1P, VA über / more than 1020 kg, Dämpfer / strut 55 mm	9.05 >	1077 kg / 950 kg	35	1, 15, 21	TÜV	960192
Toledo						
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 795 kg, HA bis / up to 740 kg	9.91 > 2.99	795 kg / 740 kg	40	1, 21	TÜV	960056
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 840 kg, HA bis / up to 740 kg	9.91 > 2.99	840 kg / 740 kg	60	1, 17, 21	TÜV	960246
Seat Toledo, Typ 1M, 1.6, 1.8	3.99 > 9.04	910 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	960068
Seat Toledo, Typ 1M, V5, 1.9 TDI	3.99 > 9.04	995 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	960069
Seat Toledo, Typ 5P, Dämpfer / strut 50 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 42	TÜV	960193
Seat Toledo, Typ 5P, Dämpfer / strut 55 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 43	TÜV	960194
Arosa						
Seat Arosa, Typ 6H, 6HS	4.97 >	800 kg / 695 kg	40	1, 21	TÜV	960061
Alhambra						
Seat Alhambra, Typ 7MS	9.95 >	1280 kg / 1330 kg	35	1, 15, 21	TÜV	960501
SKODA						
Fabia						
Skoda Fabia, Typ 6Y, 1.4, 1.4 16V, incl. Kombi	1.00 >	900 kg / 840 kg	40	1, 21	TÜV	960270
Skoda Fabia, Typ 6Y, 2.0, 1.9 SDI, 1.9 TDI, incl. RS + Kombi	1.00 >	960 kg / 840 kg	40	1, 21	TÜV	960271
Skoda Fabia, Typ 5J, 1.2, 1.4, 1.6, VA bis / up to 920 kg	4.07 >	900 kg / 840 kg	30	1, 21	TÜV	960594
Skoda Fabia, Typ 5J, 1.4 TDI, 1.9 TDI, VA über / more than 920 kg	1.08 >	960 kg / 840 kg	30	1, 21	TÜV	960595
Octavia						
Skoda Octavia, Typ 1U, 1.6, VA bis / up to 910 kg	1.97 > 5.04	910 kg / ---	35	1, 12, 15, 21	TÜV	960072
Skoda Octavia, Typ 1U, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	1.97 > 5.04	ab 910 kg / ---	35	1, 12, 15, 21	TÜV	960073
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / ---	35	1, 15, 21	TÜV	960074
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	6.98 > 5.04	ab 910 kg / ---	35	1, 15, 21	TÜV	960077
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960075
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960076
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281



CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
SKODA						
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960284
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960285
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960286
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960287
Skoda Octavia, Typ 1Z, Kombi, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
Skoda Octavia, Typ 1Z, Kombi, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
Skoda Octavia, Typ 1Z, Kombi, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
Skoda Octavia, Typ 1Z, Kombi, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
SUZUKI						
Splash						
Suzuki Splash, Typ EX	5.05 >	835 kg / 800 kg	40	1, 21	TÜV	960580
Swift						
Suzuki Swift, Typ MZ	5.05 > 8.10	835 kg / 800 kg	40	1, 21	TÜV	960580
TOYOTA						
Auris						
Toyota Auris	3.07 >	1100 kg / 1010 kg	35	1, 21		960582
Camry						
Toyota Camry, Typ V30, 2.4, 3.0	11.01 > 12.06	1200 kg / 1200 kg	40	1, 21		960583
Toyota Corolla, Typ E10, E11, E11 U, bis / up to 85 kW	5.92 > 1.02	925 kg / 925 kg	35	1, 21	TÜV	960351
Toyota Corolla, Typ E12 U, J, T, J1, Lim. / Sedan, Kombi, Verso	1.02 >		35	1, 21	TÜV	960157
Yaris						
Toyota Yaris, Typ P1, P2 Verso	4.99 > 10.05		35	1, 21	TÜV	969001
Toyota Yaris, Typ P1, P2, 1.5T Sport	4.99 > 10.05		35	1, 21	TÜV	960547
Toyota Yaris, Typ XP9, XP9F	11.05 > 09.11		35	1, 21	TÜV	960584
VW						
Beetle						
VW Beetle, Typ 9C, 1.8 T, 2.0, 1.9 TDI	9.98 > 7.10	1020 kg / 800 kg	40	1, 21	TÜV	960220
Beetle Cabrio						
VW Beetle Cabrio, Typ 1Y	3.02 >	1030 kg / 840 kg	40	1, 21	TÜV	960223
Bora						
VW Bora, Typ 1J, Lim. / Sedan, 1.6, 1.6 16V	11.98 > 9.05	910 kg / 950 kg	40	1, 12, 21, 23	TÜV	960221
VW Bora, Typ 1J, Lim. / Sedan, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	11.98 > 9.05	1005 kg / 950 kg	40	1, 12, 15, 21, 23	TÜV	960222
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V	4.99 >	910 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960237
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 >	1005 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960238
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960075
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960076
Eos						
VW Eos, Typ 1F, VA bis / up to 1070 kg	1.06 >	1070 kg / 1060 kg	35	1, 21	TÜV	960195
VW Eos, Typ 1F, VA über / more than 1070 kg	1.06 >	1200 kg / 1060 kg	35	1, 21	TÜV	960196
Fox						
VW Fox, Typ 5Z, VA bis / up to 870 kg	5.05 > 7.11	900 kg / 840 kg	40	1, 21	TÜV	960596
Golf I / Jetta I						
VW Golf I / Jetta I, Typ 17, ohne / without Diesel, ohne / without Automatik	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21, 37	TÜV	960216
VW Golf I / Jetta I, Typ 17, 17CK, GTI, Diesel, Automatik, 37 - 82 kW	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21, 37	TÜV	960217
VW Golf I Cabrio, Typ 155, 37 - 82 kW	9.77 > 8.93	785 kg / 640 kg	40	1, 14, 21, 37	TÜV	960217
Golf II / Jetta II						
VW Golf II / Jetta II, Typ 19E, bis / up to 85 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	40	1, 6, 15, 21	TÜV	960101
VW Golf II / Jetta II, Typ 19E, 16V, Diesel, ohne / without G60	8.83 > 10.91	840 kg / 740 kg	40	1, 15, 21	TÜV	960219
VW Golf II / Jetta II, Typ 19E, bis / up to 85 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	960229
VW Golf II / Jetta II, Typ 19E, 16V, Diesel, ohne / without G60	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	960230
VW Golf II / Jetta II, Typ 19E, bis / up to 85 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60	1, 15, 17, 21	TÜV	960246
Golf III / Vento						
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 85 kW, GTI, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	40/25	1, 2, 6, 12, 15, 21	TÜV	960100
VW Golf III / Vento, Typ 1HX0, 1EX0, 16V, VR6, Diesel, inkl. Cabrio	9.91 > 8.94	980 kg / 840 kg	35	1, 5, 12, 15, 21	TÜV	960227
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	50/30	1, 2, 12, 15, 17, 21	TÜV	960233
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	840 kg / 740 kg	60	1, 12, 15, 17, 21	TÜV	960246
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, incl. Cabrio bis / up to 4.95, bis / up to 85 kW, GTI, ohne / without Diesel	9.94 > 10.97	920 kg / 800 kg	40	1, 6, 12, 15, 16, 21	TÜV	960226
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, 1E, 16V, VR6, Diesel, incl. Cabrio bis / up to 4.95	9.94 > 10.97	980 kg / 840 kg	35	1, 11, 12, 15, 16, 21	TÜV	960120
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97		50/30	1, 2, 12, 15, 16, 17, 21	TÜV	960121

CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
VW						
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97	980 kg / 890 kg	60	1, 12, 15, 16, 17, 21	TÜV	960247
VW Golf III Cabrio, Typ 1EX0, 1E	4.95 > 6.02	980 kg / 840 kg	35	1, 21	TÜV	960228
Golf IV						
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 965 kg	35	1, 12, 15, 21, 23	TÜV	960234
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	960249
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23	TÜV	960231
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 965 kg	40	1, 12, 15, 21, 23	TÜV	960122
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	960250
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, V5	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23	TÜV	960232
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V	6.98 > 5.04	910 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960235
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960236
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960075
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960076
Golf V / Golf V Plus						
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960284
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960285
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960286
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960287
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.07 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.07 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.07 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.07 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
Golf VI / Golf VI Plus						
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.08 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960290
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.08 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960291
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.08 >	1140 kg / 1020 kg	35	1, 15, 21, 42	TÜV	960292
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.08 >	1140 kg / 1020 kg	35	1, 15, 21, 43	TÜV	960293
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.08 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960294
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.08 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960295
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.08 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960296
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.08 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960297
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.08 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960298
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.08 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960299
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.08 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960300
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.08 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960301
VW Golf VI GTI, GTD, Typ 1K	3.09 >	1100 kg / 1100 kg	25	1, 15, 21	TÜV	969003
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	8.09 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	8.09 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	8.09 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	8.09 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
Jetta						
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960284
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960285
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960286
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960287
Lupo						
VW Lupo, Typ 6X, ohne / without GTI, ohne / without Diesel	9.98 > 4.05	820 kg / 700 kg	40	1, 21	TÜV	960218
Passat						
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaugreg. / without self-leveling	4.97 > 9.99	1190 kg / 1010 kg	35	1, 8, 15, 21	TÜV	960335



CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
VW						
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	4.97 > 9.99	1190 kg / 1010 kg	40	1, 8, 15, 21	TÜV	960336
VW Passat, Typ 3B, 3BG (B5), Variant, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.98 > 9.99	1190 kg / 1070 kg	35	1, 8, 15, 21	TÜV	960337
VW Passat, Typ 3B, 3BG (B5), Variant, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	3.98 > 9.99	1190 kg / 1070 kg	40	1, 8, 15, 21	TÜV	960338
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	10.99 > 3.05	1190 kg / 1010 kg	35	1, 8, 15, 21	TÜV	960159
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	10.99 > 3.05	1190 kg / 1010 kg	40	1, 8, 15, 21	TÜV	960160
VW Passat, Typ 3B, 3BG (B5), Variant, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	10.99 > 8.05	1190 kg / 1070 kg	35	1, 8, 15, 21	TÜV	960161
VW Passat, Typ 3B, 3BG (B5), Variant, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	10.99 > 8.05	1190 kg / 1070 kg	40	1, 8, 15, 21	TÜV	960162
VW Passat, Typ 3C (B6), Lim. / Sedan, VA bis / up to 1070 kg, Dämpfer / strut 55 mm	3.05 >	1070 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	960197
VW Passat, Typ 3C (B6), Lim. / Sedan, VA über / more than 1070 kg, Dämpfer / strut 55 mm	3.05 >	1200 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	960198
VW Passat, Typ 3C (B6), Variant, VA bis / up to 1070 kg, Dämpfer / strut 55 mm	8.05 >	1070 kg / 1090 kg	40	1, 8, 15, 21	TÜV	960199
VW Passat, Typ 3C (B6), Variant, VA über / more than 1070 kg, Dämpfer / strut 55 mm	8.05 >	1180 kg / 1100 kg	40	1, 8, 15, 21	TÜV	960200
Polo						
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	800 kg / 750 kg	35	1, 21	TÜV	960225
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 750 kg	50/30	1, 2, 17, 21	TÜV	960243
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 730 kg	60	1, 17, 21	TÜV	960242
VW Polo, Typ 6N, 44 - 74 kW	10.99 > 11.01	850 kg / 820 kg	35	1, 21	TÜV	960240
VW Polo, Typ 9N, 1.2, 1.4, 1.4 FSI, 1.6, ohne / without Automatik, VA bis / up to 890 kg	11.01 >	890 kg / 815 kg	35	1, 21	TÜV	960272
VW Polo, Typ 9N, 1.4 TDI, 1.9 SDI, 1.9 TDI, ohne / without GTI, VA 890 kg bis / up to 930 kg	11.01 >	930 kg / 815 kg	40	1, 21	TÜV	960273
VW Polo, Typ 6R, VA bis / up to 860 kg, ohne / without Diesel, ohne / without GTI	9.09 >	860 kg / 800 kg	30/50	1, 18, 21	TÜV	960586
VW Polo, Typ 6R, VA über / more than 860 kg, ohne / without Diesel, inkl. GTI, inkl. WRC	9.09 >	960 kg / 800 kg	30/50	1, 18, 21	TÜV	960585
VW Polo, Typ 6R, Diesel	9.09 >	960 kg / 800 kg	30/50	1, 18, 21	TÜV	960384
Scirocco						
VW Scirocco I + II, Typ 53/ 53B, GLI, GT + 16V	9.74 > 91	785 kg / 640 kg	30	1, 14, 21, 37	TÜV	960217
VW Scirocco, Typ 13, inkl. DCC	8.08 >	1080 kg / 770 kg	25	1, 21	TÜV	960201
Sharan						
VW Sharan, Typ 7M	9.95 >	1280 kg / 1330 kg	35	1, 15, 21	TÜV	960501
T4 / T5						
VW T4, ohne / without Classic, Allstar, Atlantis, VA bis / up to 1510 kg	91 > 3.03	1510 kg / 1300 kg	40	1, 15, 20, 21	TÜV	960274
VW T5, Typ 7HM	3.03 >	1575 kg / 1630 kg	30	1, 21	TÜV	960600
Tiguan						
VW Tiguan, Typ 5N, VA bis / up to 1130 kg, Dämpfer / strut 55 mm	11.07 >	1130 kg / ---	35	1, 15, 21, 43		960203
VW Tiguan, Typ 5N, VA über / more than 1130 kg, Dämpfer / strut 55 mm	11.07 >	1190 kg / 1130 kg	35	1, 15, 21, 43		960209
Touran						
VW Touran, Typ 1T, 1.6 FSI, VA bis / up to 1060 kg, Dämpfer / strut 55 mm	2.03 >	1130 kg / ---	35	1, 15, 21, 43	TÜV	960302
VW Touran, Typ 1T, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1060 kg, Dämpfer / strut 55 mm	2.03 >	1190 kg / 1130 kg	35	1, 15, 21, 43	TÜV	960350

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
ACURA						
CL / TL						
Acura 2.2 CL, 2.3 CL	96 > 99		45	1, 21		957075
Acura 2.5 TL	95 > 98		40	1, 21		957075
Acura 3.2 CL	01 > 03		40	1, 21		957094
Integra						
Acura Integra	90 > 93		45	1, 21		957013
Acura Integra	94 > 01		45	1, 21		957007
Acura Integra Typ R, Typ DC2	96 > 01		30	1, 21		957007
Legend						
Acura Legend, Typ KA7, KA8	91 > 95		30	1, 21		957070
RSX						
Acura RSX	02 > 04		40	1, 21		957014
Acura RSX	05 >		40	1, 21		957042
TSX						
Acura TSX	04 > 08		35	1, 21		957032
ALFA ROMEO						
145 / 146						
Alfa Romeo 145, 146, Typ 930, 1.4 - 2.0, QV, ohne / without Diesel	6.94 > 11.00		35	1, 21	TÜV	959115
Alfa Romeo 145, 146, Typ 930, nur / only Diesel	3.98 > 11.00		35	1, 21		959150
147						
Alfa Romeo 147, Typ 937, ohne / without Diesel	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	959153
Alfa Romeo 147, Typ 937, 1.9 JTD	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	959104
155						
Alfa Romeo 155, Typ 167, 1.6 - 2.0, 4 cyl.	3.92 > 10.97		40	1, 15, 21	TÜV	959101
Alfa Romeo 155, Typ 167, 2.5 V6, 1.9 TD, 2.5 TD	3.92 > 10.97		40	1, 15, 21	TÜV	959125
156						
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 4 cyl., 1.6 - 2.0, 1.9 JTD	10.97 > 10.05		40	1, 7, 15, 21	TÜV	959140
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 5 cyl. + 6 cyl., 2.5 V6, 2.4 JTD, 3.2 GTA	10.97 > 10.05		40	1, 7, 15, 21	TÜV	959145
159 / Brera						
Alfa Romeo 159 / Brera, Typ 939, 1.9 JTS, 2.2 JTS, 1.9 JTDM	9.05 > 10.11		35	1, 21		959105
Alfa Romeo 159 / Brera, Typ 939, 2WD, 2.4 JTDM	9.05 > 10.11		35	1, 21		959106
Alfa Romeo 159, Typ 939, Sport Wagon, 1.9 JTS, 2.2 JTS, 1.9 JTDM	9.05 > 10.11		35	1, 21		959122
Alfa Romeo 159, Typ 939, Sport Wagon, 2.4 JTDM, 3.2 JTS	9.05 > 10.11		35	1, 21		959107
Alfa Romeo 159 / Brera, Typ 939, Lim. / Sedan, 3.2 JTS	9.05 > 10.11		35	1, 21		959107
Giulietta						
Alfa Romeo Giulietta, Typ 940	7.10 >	1100 kg / 890 kg	30	1, 21		959127
GT						
Alfa Romeo GT, Typ 937, ohne / without Diesel	1.04 > 3.10	1040 kg / 980 kg	30	1, 15, 21	TÜV	959153
Alfa Romeo GT, Typ 937, nur / only Diesel	1.04 > 3.10	1040 kg / 980 kg	30	1, 15, 21	TÜV	959104
MiTo						
Alfa Romeo MiTo, Typ 955, 1.4, 1.4 TB, VA bis / up to 850 kg	8.08 >	850 kg / 850 kg	25	1, 21	TÜV	954008
Alfa Romeo MiTo, Typ 955, Diesel, VA über / more than 850 kg	8.08 >	1000 kg / 850 kg	25	1, 21	TÜV	954009
Spider / GTV						
Alfa Romeo Spider, Typ 916, GTV, Coupé, bis / up to 162 kW	3.94 > 12.05		35	1, 21	TÜV	959102
Alfa Romeo Spider, Typ 939, 2.4JTS, 3.2JTS	9.06 > 7.10		20	1, 21		959105
AUDI						
80 / 90						
Audi 80 / 90, Typ 89 (B3), Lim. / Sedan, Coupé, 4 cyl., 48 - 83 kW, ohne / without Diesel	9.86 > 8.91	880 kg / 830 kg	40	1, 15, 18, 21	TÜV	950025
Audi 80 / 90, Typ 89 (B3), Lim. / Sedan, Coupé, 5 cyl. + 6 cyl., 37 - 128 kW, Diesel	9.86 > 8.91	1050 kg / 870 kg	40	1, 15, 18, 21	TÜV	950035
Audi 80, Typ 89 (B3), Cabrio, 4 cyl. + 5 cyl.	6.91 > 10.01	1050 kg / 870 kg	40	1, 15, 18, 21	TÜV	950033
Audi 80, Typ 8C (B4), Lim. / Sedan, 4 cyl., ohne / without Diesel	9.91 > 10.94	1000 kg / 900 kg	35	1, 15, 18, 21	TÜV	950039
Audi 80, Typ 8C (B4), Lim. / Sedan, 5 cyl. + 6 cyl., Diesel	9.91 > 10.94	1050 kg / 990 kg	35	1, 15, 18, 21	TÜV	950036
Audi 80, Typ 8C (B4), Avant, 4 cyl. + 5 cyl., ohne / without Diesel	10.92 > 12.95	1000 kg / 1030 kg	35	1, 15, 18, 21	TÜV	950075
Audi 80, Typ 8C (B4), Avant, 6 cyl., Diesel	10.92 > 12.95	1080 kg / 1030 kg	35	1, 15, 18, 21	TÜV	950077
100						
Audi 100, Typ 4A (C4), A6, Quattro, Lim. / Sedan, Avant, bis / up to 128 kW, ohne Niveaugreg. / without self-leveling	12.90 > 4.97	1160 kg / 1200 kg	35	1, 18, 21, AV	TÜV	950046
A1						
Audi A1, Typ 8X, 1.2 TFSI, 1.4 TFSI, 1.6 TDI	9.10 >	960 kg / 775 kg	30	1, 15, 21	TÜV	950038
A3						
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	915 kg / ---	30	1, 15, 21, 23	TÜV	950055
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / ---	30	1, 15, 21, 23	TÜV	950060
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	910 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	956650
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	956660
Audi A3, S3, Typ 8L, Quattro, VA bis / up to 1040 kg	2.99 > 4.03	1040 kg / 1050 kg	25	1, 7, 21, 23	TÜV	950003
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1125 kg	35	1, 15, 21	TÜV	950007
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg	5.03 > 5.12	1155 kg / 1125 kg	35	1, 15, 21	TÜV	950008
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1020 kg	50	1, 15, 21	TÜV	950018



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
AUDI						
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg	5.03 > 5.12	1130 kg / 1020 kg	50	1, 15, 21	TÜV	950019
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1020 kg	50/30	1, 15, 21	TÜV	950020
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg	5.03 > 5.12	1130 kg / 1020 kg	50/30	1, 15, 21	TÜV	950021
Audi A3, Typ 8P Quattro, incl. Sportback, 2.0 TDI, 2.0 TFSI, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1125 kg	20	1, 21, 59	TÜV	950022
Audi A3, Typ 8P Quattro, incl. Sportback, 3.2, incl. S3, VA bis / up to 1155 kg	5.03 > 5.12	1155 kg / 1125 kg	20	1, 21, 59	TÜV	950023
Audi A3, Typ 8P, Cabrio, VA bis / up to 1020 kg	1.08 >	1020 kg / 1125 kg	30	1, 21	TÜV	950029
Audi A3, Typ 8P, Cabrio, VA über / more than 1020 kg	1.08 >	1155 kg / 1125 kg	30	1, 21	TÜV	950037
Audi A3, Typ 8V, incl. Sportback, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi link rear axle	8.12 >	1010 kg / 1000 kg	30	1, 15, 21, 71	TÜV	951709
Audi A3, Typ 8V, incl. Sportback, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi link rear axle	8.12 >	1055 kg / 1000 kg	30	1, 15, 21, 71	TÜV	951710
Audi A3, Typ 8V, Sportback, Lim. / Sedan, Cabrio, 1.2 TFSI, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist beam rear axle	8.12 >	930 kg / 1050 kg	30	1, 15, 21, 72	TÜV	956139
Audi A3, Typ 8V Quattro, incl. Sportback, incl. Lim. / Sedan, ohne / without Magnetic Ride	5.12 >	1090 kg / 1030 kg	35	1, 21, 59, 62, 71	i.V. / i.d.	951714
Audi A3, S3, Typ 8V, Quattro, incl. Sportback, Lim. / Sedan, Cabrio	5.13 >	1075 kg / 1030 kg	20	1, 21, 59	i.V. / i.d.	951716
A4						
Audi A4, Typ 8D (B5), Lim. / Sedan, 4 cyl., ohne / without Diesel	11.94 > 11.00	1020 kg / 1000 kg	35	1, 15, 21	TÜV	950047
Audi A4, Typ 8D (B5), Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 1120 kg	11.94 > 11.00	1120 kg / 1020 kg	40	1, 15, 21	TÜV	950048
Audi A4, Typ 8D (B5), Lim. / Sedan, Quattro, 4 cyl., ohne Niveaureg. / without self-leveling	11.94 > 11.00	1020 kg / 1070 kg	35	1, 7, 21, 59	TÜV	950065
Audi A4, Typ 8D (B5), Lim. / Sedan, Quattro, 6 cyl., bis / up to 142 kW, Diesel, ohne / without 2.5 TDI, ohne Niveaureg. / without self-leveling	11.94 > 11.00	1100 kg / 1070 kg	35	1, 7, 21, 59	TÜV	950070
Audi A4, Typ 8D (B5), Avant, 4 cyl., ohne / without Diesel	11.94 > 10.01	1020 kg / 1000 kg	35	1, 7, 15, 21	TÜV	950072
Audi A4, Typ 8D (B5), Avant, 6 cyl., Diesel, VA bis / up to 1120 kg	11.94 > 10.01	1120 kg / 1020 kg	40	1, 7, 15, 21	TÜV	950073
Audi A4, Typ 8E (B6/7), Lim. / Sedan, 1.8 T, 2.0, VA bis / up to 1065 kg	11.00 > 11.07	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	950074
Audi A4, Typ 8E (B6/7), Lim. / Sedan, 3.0, 1.9 TDI, VA über / more than 1065 kg	11.00 > 11.07	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	950086
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, 1.8 T, 1.9 TDI	11.00 > 11.07	1145 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950097
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, 3.0, 2.5 TDI	11.00 > 11.07	1230 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950096
Audi A4, Typ 8E (B6/7), Avant, 1.8 T, 2.0, VA bis / up to 1065 kg	10.01 > 3.08	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	950002
Audi A4, Typ 8E (B6/7), Avant, 3.0, 1.9 TDI, VA über / more than 1065 kg	10.01 > 3.08	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	950006
Audi A4, Typ 8E (B6/7), Avant, Quattro, 1.8 T, 1.9 TDI	10.01 > 3.08	1145 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950097
Audi A4, Typ 8E (B6/7), Avant, Quattro, 3.0, 2.5 TDI	10.01 > 3.08	1230 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950096
Audi A4, S4, Typ 8E (B6/7), Lim. / Sedan, Quattro, 4.2	4.03 > 09	1250 kg / 1150 kg	25	1, 7, 21, 59		950054
Audi A4, Typ 8H, Cabrio	4.02 > 2.09	1230 kg / 1100 kg	25	1, 15, 21	TÜV	950098
Audi A4, Typ 8K (B8), Lim. / Sedan, 2WD	10.07 >	1180 kg / 1160 kg	35	1, 15, 21	TÜV	950026
Audi A4, Typ 8K (B8), Avant, 2WD	4.08 >	1180 kg / 1235 kg	35	1, 15, 21	TÜV	950028
Audi A4, S4, Typ 8K (B8), Lim. / Sedan, Quattro	10.07 >	1175 kg / 1160 kg	30	1, 21, 59	TÜV	950028
Audi A4, Typ 8K (B8), Avant, Quattro	3.08 >	1180 kg / 1235 kg	30	1, 21, 59	TÜV	950028
A5						
Audi A5, Typ 8K (B8), Coupé, Sportback, 2WD	6.07 >	1180 kg / 1105 kg	30/20	1, 15, 21	TÜV	950026
Audi A5, Typ 8K (B8), Coupé, Sportback, Quattro incl. S5	6.07 >	1205 kg / 1170 kg	30/20	1, 21, 59	TÜV	950028
A6						
Audi A6, Typ 4B (C5), Lim. / Sedan, VA bis / up to 1115 kg	4.97 > 6.04	1115 kg / 1190 kg	40	1, 7, 15, 21	TÜV	950080
Audi A6, Typ 4B (C5), Lim. / Sedan, VA über / more than 1115 kg	4.97 > 6.04	1245 kg / 1190 kg	40	1, 7, 15, 21	TÜV	950085
Audi A6, Typ 4B (C5), Lim. / Sedan, Quattro, VA bis / up to 1200 kg	4.97 > 6.04	1200 kg / 1170 kg	40	1, 7, 21, 59	TÜV	950092
Audi A6, Typ 4B (C5), Lim. / Sedan, Quattro, VA über / more than 1200 kg	4.97 > 6.04	1295 kg / 1170 kg	40	1, 7, 21, 59	TÜV	950093
Audi A6, Typ 4B (C5), Avant, VA bis / up to 1115 kg	3.98 > 6.04	1115 kg / 1100 kg	40	1, 7, 15, 21	TÜV	950090
Audi A6, Typ 4B (C5), Avant, VA über / more than 1115 kg	3.98 > 6.04	1230 kg / 1100 kg	40	1, 7, 15, 21	TÜV	950095
Audi A6, Typ 4B (C5), Avant, Quattro	3.98 > 6.04	1295 kg / 1200 kg	40	1, 7, 21, 59	TÜV	950089
Audi A6, Typ 4F (C6), Lim. / Sedan, incl. Quattro, VA bis / up to 1215 kg	6.04 > 3.11	1215 kg / 1330 kg	40	1, 7, 21	TÜV	950012
Audi A6, Typ 4F (C6), Lim. / Sedan, incl. Quattro, VA über / more than 1215 kg	6.04 > 3.11	1305 kg / 1330 kg	40	1, 7, 21	TÜV	950013
Audi A6, Typ 4F (C6), Avant, incl. Quattro, VA bis / up to 1215 kg	1.05 > 3.11	1215 kg / 1330 kg	40	1, 7, 21	TÜV	950012
Audi A6, Typ 4F (C6), Avant, incl. Quattro, VA über / more than 1215 kg	1.05 > 3.11	1305 kg / 1330 kg	40	1, 7, 21	TÜV	950013
Audi A6, Typ 4G (C7), Lim. / Sedan, 2WD, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	35	1, 15, 21	i.V. / i.d.	951703
Audi A6, Typ 4G (C7), Lim. / Sedan, 2WD, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	35	1, 15, 21	i.V. / i.d.	951704
Audi A6, Typ 4G (C7), Lim. / Sedan, 4WD, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	35	1, 21, 59	i.V. / i.d.	951705
Audi A6, Typ 4G (C7), Lim. / Sedan, 4WD, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	35	1, 21, 59	i.V. / i.d.	951706
Audi A6, Typ 4G (C7), Avant, 2WD, 4WD, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	35	1, 21	i.V. / i.d.	951707
Audi A6, Typ 4G (C7), Avant, 2WD, 4WD, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	35	1, 21	i.V. / i.d.	951708
A7						
Audi A7, Typ 4G, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	20	1, 21	i.V. / i.d.	951705
Audi A7, Typ 4G, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	20	1, 21	i.V. / i.d.	951706
Q3						
Audi Q3, Typ 8U1, 2WD	10.11 >	1165 kg / 1185 kg	35	1, 7, 21	i.V. / i.d.	951719
Audi Q3, Typ 8U Quattro, 8U1, 4WD incl. RS	10.11 >		40/50	1, 7, 21, 59	i.V. / i.d.	951720
Q5						
Audi Q5, Typ 8R, 8R1, 2.0 TDI, 2.0 TFSI, 3.2 FSI	3.11 >	1235 kg / 1345 kg	30	1, 7, 21		951700
Audi Q5, Typ 8R, 8R1, 3.0 TDI	3.11 >	1280 kg / 1345 kg	30	1, 7, 21		951701
TT						
Audi TT, Typ 8N, 1.8 T, bis / up to 132 kW	10.98 > 4.06	1005 kg / 755 kg	35	1, 15, 21	TÜV	950091

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
AUDI						
Audi TT, Typ 8N, Roadster 1.8 T, bis / up to 132 kW	10.98 > 5.06	1005 kg / 755 kg	30	1, 15, 21	TÜV	950091
Audi TT, Typ 8N, Coupé, Roadster, Quattro, VA bis / up to 1040 kg	10.98 > 5.06	1040 kg / 850 kg	25	1, 21, 23	TÜV	950003
Audi TT, Typ 8J, Coupé, 2WD, VA bis / up to 1060 kg	4.06 >	1060 kg / 885 kg	30	1, 15, 21	TÜV	950024
Audi TT, Typ 8J, Roadster, TTS, Quattro, VA bis / up to 1060 kg	1.07 >	1060 kg / 885 kg	30	1, 21	TÜV	950027
BMW						
1er, E82						
BMW 1 E82, Typ 182, 1C, Coupé	10.07 >	960 kg / 1120 kg	40/25	1, 7, 15, 21	TÜV	951028
1er, E81 / E87						
BMW 1 E81 / E87, Typ 187, 1K2, 1K4, 116i, 118i, 120i, 125i, 130i, 135i, 116d, 118d, 120d, 123d	9.04 > 6.12	920 kg / 1170 kg	40/25	1, 7, 15, 21	TÜV	951028
BMW 1 E81 / E87, Typ 187, 1K2, 1K4, 116i, 118i, 120i, 125i, 130i, 135i, ohne / without Diesel, nur VA-Feder / only front spring	9.04 > 6.12	895 kg / ---	40/0	1, 7, 15, 19, 21	TÜV	951067
1er, E88						
BMW 1 E88, Typ 182, 1C, Cabrio	3.08 >	920 kg / 1170 kg	40/25	1, 7, 15, 21	TÜV	951028
1er, F20 / F21						
BMW 1 F20 / F21, Typ 1K2, 1K4, incl. EDE	10.11 >	905 kg / 1090 kg	15	1, 21		951612
BMW 1 F20 / F21, Typ 1K2, 1K4, incl. EDE	10.11 >	905 kg / 1090 kg	35	1, 21	TÜV	951600
BMW 1 F20 / F21, Typ 1K2, 1K4, 118xd, 120xd	10.11 >		30	1, 21, 59		951625
BMW 1 F20 / F21, Typ 1K2, 1K4, M135i, incl. xDrive	9.12 >	960 kg / 1110 kg	25	21		951626
2er, F22 Coupé						
BMW 2 F22, Typ 1C, Coupé, 218d, 220i, 228i, 220d, 225d	11.13 >	970 kg / 1040 kg	35/25	1, 21	TÜV	951621
BMW 2 F22, Typ 1C, Coupé, M235i	11.13 >	970 kg / 1080 kg	15	21	TÜV	951628
BMW 2 F22, Typ 1C, Coupé, M235i xDrive	11.13 >		15	21		951629
3er, E30 / E36 Lim.						
BMW 3 E30, Typ 3/1, 3/R, Lim. / Sedan, Cabrio, 4 cyl.	11.82 > 12.90	865 kg / 1030 kg	40	1, 15, 21	TÜV	951017
BMW 3 E30, Typ 3/1, 3/R, Lim. / Sedan, Cabrio, 6 cyl., Diesel	11.82 > 12.90	865 kg / 1030 kg	40	1, 15, 21	TÜV	951018
3er, E36 Lim. / Sedan, Coupé, Cabrio						
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS, 318TDS, Stabilhalterung am Querlenker / anti-roll bar mounting on frame	12.90 > 4.98	870 kg / 1045 kg	40/20	1, 2, 6, 21	TÜV	951055
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, 325TD, 325TDS	12.90 > 5.92	880 kg / 1030 kg	35	1, 21	TÜV	951056
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	40/25	1, 2, 6, 21	TÜV	951057
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS	6.92 > 4.98	825 kg / 1045 kg	50/30	1, 2, 17, 21	TÜV	951656
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	50/30	1, 2, 17, 21	TÜV	951657
BMW 3 E36, Typ 3B/C, 6 cyl., 323i, 325i, 328i	6.92 > 98		40	1, 21		951063
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	6.92 > 4.98	870 kg / ---	40/0	1, 7, 19, 21	TÜV	951009
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	6.92 > 4.98	890 kg / ---	40/0	1, 7, 19, 21	TÜV	951004
3er, E36 Touring						
BMW 3 E36, Typ 3/C, Touring, 4 cyl., ohne / without Diesel	5.95 > 8.99	850 kg / 1150 kg	35	1, 21	TÜV	951080
BMW 3 E36, Typ 3/C, Touring, 6 cyl., Diesel	5.95 > 8.99	970 kg / 1150 kg	35	1, 21	TÜV	951085
BMW 3 E36, Typ 3/C, Touring, 4 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	5.95 > 8.99	870 kg / ---	40/0	1, 7, 19, 21	TÜV	951009
BMW 3 E36, Typ 3/C, Touring, 6 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	5.95 > 8.99	890 kg / ---	40/0	1, 7, 19, 21	TÜV	951004
3er, E36 Compact						
BMW 3 E36, Typ 3C, Compact, 316i, 318i, 318ti, ohne / without Diesel	4.94 > 6.01	850 kg / 1040 kg	35	1, 6, 21	TÜV	951065
BMW 3 E36, Typ 3C, 3/C, 3CG, Compact, 318 TDS, 323ti	5.95 > 6.01	870kg / 1040 kg	35	1, 6, 21	TÜV	951094
BMW 3 E36, Typ 3C, Compact, 4 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	4.94 > 6.01	870 kg / ---	40/0	1, 7, 19, 21	TÜV	951009
BMW 3 E36, Typ 3C, Compact, 6 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	5.95 > 6.01	890 kg / ---	40/0	1, 7, 19, 21	TÜV	951004
3er, E46 Lim. / Sedan						
BMW 3 E46, Lim. / Sedan, 4 cyl.	4.98 > 2.05	970 kg / 1215 kg	35	1, 15, 21	TÜV	951060
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 970 kg	4.98 > 2.05	970 kg / 1215 kg	40	1, 15, 21	TÜV	951075
BMW 3 E46, Lim. / Sedan, 4 cyl., nur VA-Feder / only front spring	4.98 > 2.05	935 kg / 1215 kg	35/0	1, 15, 19, 21	TÜV	951023
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 970 kg, nur VA-Feder / only front spring	4.98 > 2.05	970 kg / 1215 kg	40/0	1, 15, 19, 21	TÜV	951039
BMW 3 E46, Lim. / Sedan, 4 cyl.	4.98 > 2.05	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	951660
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 965 kg, ohne / without 330d	4.98 > 2.05	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	951675
3er, E46 Coupé						
BMW 3 E46, nur / only Coupé, 4 cyl.	5.99 > 8.06	970 kg / 1215 kg	25	1, 15, 21	TÜV	951060
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 970 kg	5.99 > 8.06	970 kg / 1215 kg	25	1, 15, 21	TÜV	951075
BMW 3 E46, nur / only Coupé, 4 cyl.	5.99 > 8.06	970 kg / 1215 kg	40	1, 15, 21	TÜV	951660
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 970 kg	5.99 > 8.06	970 kg / 1215 kg	40	1, 15, 21	TÜV	951675
BMW 3 E46, nur / only Coupé, 4 cyl., nur VA-Feder / only front spring	5.99 > 8.06	970 kg / 1215 kg	40/0	1, 15, 19, 21	TÜV	951013
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 970 kg, nur VA-Feder / only front spring	5.99 > 8.06	970 kg / 1215 kg	40/0	1, 15, 19, 21	TÜV	951019
3er, E46 Cabrio						
BMW 3 E46, Cabrio, 4 cyl., 318ci, VA bis / up to 860 kg	1.01 > 07	860 kg / 1190 kg	35	1, 15, 21	TÜV	951043



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
BMW						
BMW 3 E46, Cabrio, 6 cyl., 320ci, 323ci, 325ci, 330ci	4.01 > 07	1000 kg / 1190 kg	40	1, 15, 21	TÜV	951044
BMW 3 E46, Cabrio, 4 cyl., 318ci, nur VA-Feder / only front spring	1.01 > 07	860 kg / 1190 kg	35/0	1, 15, 19, 21	TÜV	951023
BMW 3 E46, Cabrio, 6 cyl., 320ci, 323ci, 325ci, 330ci, nur VA-Feder / only front spring	4.01 > 07	1000 kg / 1190 kg	40/0	1, 15, 19, 21	TÜV	951039
3er, E46 Compact						
BMW 3 E46, Compact, 4 cyl., 316ti, 318ti	6.01 > 12.04	865 kg / 1040 kg	40/25	1, 2, 15, 21	TÜV	951015
BMW 3 E46, Compact, 6 cyl., 320d, 325ti	6.01 > 12.04	935 kg / 1040 kg	40	1, 15, 21	TÜV	951016
BMW 3 E46, Compact, 4 cyl., 316ti, 318ti, nur VA-Feder / only front spring	6.01 > 12.04	935 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951013
BMW 3 E46, Compact, 6 cyl., 320d, 325ti, nur VA-Feder / only front spring	6.01 > 12.04	935 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951019
3er, E46 Touring						
BMW 3 E46, Touring, 4 cyl., ohne / without Diesel, VA bis / up to 860 kg	9.99 > 10.05	860 kg / 1190 kg	40	1, 15, 21	TÜV	951068
BMW 3 E46, Touring, 6 cyl., Diesel	9.99 > 10.05	1000 kg / 1190 kg	40	1, 15, 21	TÜV	951069
BMW 3 E46, Touring, 4 cyl., ohne / without Diesel, nur VA-Feder / only front spring	9.99 > 10.05	935 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951023
BMW 3 E46, Touring, 6 cyl., Diesel, nur VA-Feder / only front spring	9.99 > 10.05	970 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951039
3er, E46 M3						
BMW 3 E46, M3, 3.2, Lim. / Sedan, Cabrio	6.00 > 06	990 kg / 1170 kg	30/20	1, 2, 21		951022
3er, E90 Lim. / Sedan						
BMW 3 E90, Typ 390L, Lim. / Sedan, 318i - 330i, 316d - 335d	4.05 > 1.12	1020 kg / 1200 kg	40/25	1, 7, 15, 21	TÜV	951035
BMW 3 E90, Typ 390L, Lim. / Sedan, 318i - 330i, 316d - 335d, nur VA-Feder / only front spring	4.05 > 1.12	1020 kg / 1200 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
3er, E90 M3						
BMW 3 E90, Typ M3, M390, Lim. / Sedan	9.07 >	1060 kg / 1190 kg	30	1, 21		951604
3er, E91 Touring						
BMW 3 E91, Touring	9.05 > 4.12	1020 kg / 1315 kg	40/25	1, 7, 15, 21	TÜV	951037
BMW 3 E91, Touring, nur VA-Feder / only front spring	9.05 > 4.12	1020 kg / 1315 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
3er, E92 Coupé						
BMW 3 E92, Typ 392C, Coupé	9.06 > 5.10	1020 kg / 1200 kg	40/25	1, 7, 15, 21	TÜV	951035
BMW 3 E92, Typ 392C, Coupé, nur VA-Feder / only front spring	9.06 > 5.10	1020 kg / 1200 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
3er, E92 M3						
BMW 3 E92, Typ M3, M390, Coupé	9.07 >	1060 kg / 1190 kg	30	1, 21		951604
3er, E93 Cabrio						
BMW 3 E93, Typ 392C, Cabrio	3.07 >	1020 kg / 1315 kg	40/25	1, 7, 15, 21	TÜV	951037
BMW 3 E93, Typ 392C, Cabrio, nur VA-Feder / only front spring	3.07 >	1020 kg / 1315 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
3er, F30						
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD	2.12 >	990 kg / 1160 kg	15	1, 15, 21		951610
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD	2.12 >	990 kg / 1160 kg	30	1, 15, 21	TÜV	951602
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD	2.12 >	990 kg / 1160 kg	45	1, 15, 21	i.V. / i.d.	951676
BMW 3 F30, Typ 3L, Lim. / Sedan, 4WD, xDrive, 320xi, 328xi, 335xi, 320xd, 325xd, 335xd	13 >	1060 kg / 1280 kg	35	1, 21, 59	i.V. / i.d.	951663
3er, F80 M3						
BMW M3 F80, Typ M3, Lim. / Sedan	14 >	990 kg / 1170 kg	30/20	12, 21		951668
3er, F31						
BMW 3 F31, Typ 3K, Touring, 2WD, ohne / without 330d	5.12 >	990 kg / 1345 kg	25	1, 15, 21	i.V. / i.d.	951665
4er, F32						
BMW 4 F32, Typ 3C, Coupé, 2WD, incl. EDE, 420i, 420d, 425d, 428i, 430d, 435i	10.13 >	1015 kg / 1120 kg	35/25	1, 15, 21	i.V. / i.d.	951677
BMW 4 F32, Typ 3C, Coupé, 2WD, incl. EDE, 420i, 420d, 425d, 428i, 430d, 435i	10.13 >	985 kg / 1120 kg	25/20	1, 15, 21	TÜV	951603
BMW 4 F32, Typ 3C, Coupé, 4WD, xDrive, 420xi, 428xi, 435xi, 420xd, 425xd, 435xd	13 >	1050 kg / 1135 kg	20	1, 21, 59	i.V. / i.d.	951664
4er, F82 M4						
BMW M4 F82, Typ M3, Coupé	4.14 >	970 kg / 1130 kg	35	1, 15, 21	TÜV	951678
5er, E34						
BMW 5 E34, Typ 5/H, Lim. / Sedan, Touring, 518i, 520i, ohne / without M5, ohne Niveaureg. / without self-leveling	7.90 > 3.97	1060 kg / 1300 kg	40/20	1, 2, 15, 21	TÜV	951024
BMW 5 E34, Typ 5/H, Lim. / Sedan, Touring, ab / from 525i, ohne / without M5, ohne Niveaureg. / without self-leveling	7.90 > 3.97	1060 kg / 1300 kg	40/20	1, 2, 15, 21	TÜV	951026
5er, E39						
BMW 5 E39, Lim. / Sedan, 6 cyl., ohne / without 530d, ohne / without EDC	12.95 > 6.03		30	1, 7, 21	TÜV	951027
BMW 5 E39, Lim. / Sedan, 8 cyl., VA bis / up to 1100 kg, ohne / without EDC	4.96 > 6.03		30	1, 7, 21		951002
BMW 5 E39, Touring, 6 cyl., ohne / without 530d, ohne / without EDC	12.95 > 8.04		30	1, 7, 21		951007
BMW 5 E39, Touring, 6 cyl., nur VA-Feder / only front spring, ohne / without 530d, ohne / without EDC	12.95 > 8.04		30	1, 19, 21		951011
BMW 5 E39, Touring, 8 cyl., nur VA-Feder / only front spring, VA bis / up to 1100 kg, ohne / without EDC	3.97 > 8.04		30	1, 19, 21		951008
5er, E60 / E61						
BMW 5 E60, Typ 560L, Lim. / Sedan, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	6.03 > 5.10	1000 kg / 1400 kg	40/25	1, 2, 15, 21	TÜV	951077
BMW 5 E60, Typ 560L, Lim. / Sedan, 545i, 530d, 535d, VA über / more than 1000 kg	6.03 > 5.10	1070 kg / 1400 kg	40/25	1, 2, 15, 21	TÜV	951078
BMW 5 E61, Typ 560L, Touring, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	8.04 > 5.10	1000 kg / 1400 kg	40/25	1, 2, 7, 15, 21	TÜV	951077
BMW 5 E61, Typ 560L, Touring, 545i, 530d, 535d, VA über / more than 1000 kg	8.04 > 5.10	1070 kg / 1400 kg	40/25	1, 2, 7, 15, 21	TÜV	951078
BMW 5 E61, Typ 560L, Touring, 520i, 523i, 525i, 530i, HA-Serie (nur Luftfeder) / rear OE (only air suspension), VA bis / up to 1000 kg	8.04 > 5.10	1000 kg / 1400 kg	30	1, 15, 21	TÜV	951083
BMW 5 E61, Typ 560L, Touring, 545i, 530d, 535d, HA-Serie (nur Luftfeder) / rear OE (only air suspension), VA über / more than 1000 kg	8.04 > 5.10	1070 kg / 1400 kg	30	1, 15, 21	TÜV	951084
5er, F10						
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD	1.10 >	1195 kg / 1310 kg	30	1, 7, 12, 15, 21	TÜV	951092

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
BMW						
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD	1.10 >	1195 kg / 1310 kg	15	1, 7, 12, 15, 21		951614
Ser, F10, M5						
BMW M5 F10, Typ M5, Lim. / Sedan	9.11 >	1180 / 1260 kg	25/15	1, 21		951081
7er, E38						
BMW 7 E38, 730i - 750i, iL-Version, ohne Niveaureg. / without self-leveling	6.94 > 11.01	1220 kg / 1470 kg	30	1, 7, 21	TÜV	951095
7er, F01						
BMW 7 F01, Typ 701, 730(L)d, 740d, 740d xdrive, 740(L)i	11.08 >	1375 kg / 1480 kg	40	1, 7, 21		951066
X3						
BMW X3 E51, Typ X83, 2.0d, 3.0i, 3.0d	1.04 >	1185 kg / 1285 kg	40/20	1, 21		951046
BMW X3 F25, Typ X3, xDrive	11.10 >		35	1, 21, 59	i.V. / i.d.	951666
X4						
BMW X4 F26, Typ X4, xDrive	7.14 >		35	1, 21, 59	i.V. / i.d.	951666
X5						
BMW X5 E53, VA bis / up to 1250 kg, HA bis / up to 1630 kg	5.00 > 12.06		35	1, 7, 21		951042
BMW X5 E70, Typ X70, X5, VA bis / up to 1250 kg	2.07 > 8.13		35	1, 7, 21		951087
BMW X5 E70, Typ X70, X5, VA über / more than 1250 kg	2.07 > 8.13		35	1, 7, 21		951088
X6						
BMW X6 E71, Typ X70, M7X, VA bis / up to 1250 kg, HA bis / up to 1630 kg	5.08 >		35	1, 7, 21		951087
BMW X6 E71, Typ X70, M7X, VA über / more than 1250 kg, HA bis / up to 1630 kg	5.08 >		35	1, 7, 21		951088
Z4						
BMW Z4, Typ Z85, Roadster	12.02 > 3.09	790 kg / 890 kg	30	1, 21	TÜV	951076
BMW Z4, Typ Z89	4.09 >	870 kg / 1000 kg	30	1, 21	i.V. / i.d.	951086
CADILLAC						
BLS						
Cadillac BLS	9.03 >		40	1, 21		955147
CHEVROLET						
Aveo						
Chevrolet Aveo, 4 cyl.	04 > 06	840 kg / 810 kg	30	1, 21		955917
Chevrolet Aveo, Typ KLAS	5.08 >	840 kg / 810 kg	35	1, 21		955917
Chevrolet Aveo, Typ KL1T	8.11 >		25/35	1, 21		955914
Cavalier						
Chevrolet Cavalier	95 > 03		45	1, 21		959205
Camaro						
Chevrolet Camaro, Gen III V8	82 > 92		30	1, 21		959212
Chevrolet Camaro, Gen IV, V8, (Firebird)	93 > 02		30	1, 21		959213
Chevrolet Camaro, Gen V, Coupé, Cabrio, incl. Facelift	10 >	1100 kg / 1300 kg	35	1, 21		959226
Cruze						
Chevrolet Cruze, Typ KL1J	5.09 >	1220 kg / 1000 kg	30	1, 21	TÜV	959232
Espero						
Chevrolet Espero, Typ KLEJ, bis / up to 77 kW	3.95 > 6.97	860 kg / 890 kg	30	1, 21	TÜV	955916
G2X						
Chevrolet G2X (Korea)	06 >	880 kg / 900 kg	30	1, 21		955016
Impala						
Chevrolet Impala SS, B - Body	94 > 96		30	1, 21		959215
Kalos						
Chevrolet Kalos, Lanos, Typ KLAS	3.02 > 1.07	840 kg / 810 kg	35	1, 21		955917
Lacetti						
Chevrolet Lacetti	12.03 > 12.10		35	1, 21		959222
Malibu						
Chevrolet Malibu Maxx, 4 cyl.	04 >		40	1, 21		955089
Chevrolet Malibu Maxx, 6 cyl.	04 >		40	1, 21		955072
Chevrolet Malibu, Typ KL1G, VA bis / up to 1160 kg	7.12 >		25	1, 21		955088
Monte Carlo						
Chevrolet Monte Carlo SS, (Impala SS, 99 >) W-Car	99 > 03		35	1, 21		959206
Nexia						
Chevrolet Nexia, Typ KLETN, bis / up to 66 kW	3.95 > 6.97	830 kg / 830 kg	40	1, 21	TÜV	955915
Nubira						
Chevrolet Nubira	7.03 > 12.10		35	1, 21		959222
Optra						
Chevrolet Optra	7.03 > 12.10		35	1, 21		959222
CHRYSLER						
300 C						
Chrysler 300C, Typ LX	6.04 >	1275 kg / 1275 kg	35	1, 21		950314
Crossfire						
Chrysler Crossfire, Typ SRT6, incl. Roadster	9.03 >	950 kg / 850 kg	35	1, 21		952070
Neon						
Chrysler Neon	00 >	995 kg / 825 kg	40	1, 21		950308



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
CHRYSLER						
Sebring						
Chrysler Sebring, Typ JL, 4 cyl. + 6 cyl.	95 > 98		40	1, 21		950309
Chrysler Sebring, Typ ST, Coupé	01 > 06		35	1, 21		951151
Chrysler Sebring, Typ JS, Lim. / Sedan	07 >		40	1, 21		950317
CITROEN						
C1						
Citroen C1, Typ P	7.05 >	695 kg / 695 kg	35	1, 21	TÜV	959017
C2						
Citroen C2, Typ J*HFX, J*KFV, J*NFU, J*8HX, J*NFS, J*8HZ, J*KFU	9.03 >	820 kg / 710 kg	35	1, 21	TÜV	950122
C3 / Pluriel						
Citroen C3, Typ F*8HY, F*8HX, F*NFU, F*KFV, F*HFX	4.02 >		30	1, 21	TÜV	950121
Citroen C3 Pluriel, Typ H	4.03 >		30	1, 21	TÜV	950121
C4 / Cactus						
Citroen C4, Typ L, Lim. / Sedan	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	950156
Citroen C4, Typ L, Coupé	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	950158
Citroen C4, Typ N	11.10 >	1050 kg / 900 kg	30	1, 21		950162
Citroen C4 Cactus	09.14 >		25			950167
C5						
Citroen C5, Lim. / Sedan, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	5.04 > 3.08	1100 kg / ---	40	1, 12, 21		950112
Citroen C5, Lim. / Sedan, 2.0 HDI, 2.2, VA über / more than 1100 kg	5.04 > 3.08	1200 kg / ---	40	1, 12, 21		950113
Citroen C5, SW, Break, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	10.04 > 3.08	1100 kg / ---	40	1, 21		950114
Citroen C5, SW, Break, 2.0 HDI, 2.2, VA über / more than 1100 kg	10.04 > 3.08	1200 kg / ---	40	1, 21		950115
DS3						
Citroen DS3, Typ S*****	3.10 >	920 kg / 790 kg	30	1, 21	TÜV	950124
DS4						
Citroen DS4, Typ N	5.11 >	1170 kg / 900 kg	30	1, 21		950147
DS5						
Citroen DS5, Typ K, KF	1.12 >	1200 kg / 1190 kg	30	1, 21		950118
Evasion						
Citroen Evasion	6.94 >	1230 kg / 1300 kg	35	1, 21, AV		950225
Jumpi						
Citroen Jumpi, Kombi	6.94 >	1230 kg / 1100 kg	35	1, 21, AV		950230
Saxo						
Citroen Saxo, Typ S, 1.0, 1.1	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	950150
Citroen Saxo, Typ S, 1.4, ohne / without 16V	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	950215
Citroen Saxo, Typ S, 1.4 Automatik, 1.5 Diesel, 1.6 16V	4.96 >	785 kg / 730 kg	35	1, 19, 21	TÜV	950220
Citroen Saxo, Typ S, 1.4, ohne / without 16V	4.96 >	785 kg / 730 kg	60	1, 17, 19, 21	TÜV	950149
Xsara						
Citroen Xsara, incl. Coupé	8.97 >		35	1, 19, 21		950235
Citroen Xsara, incl. Coupé	8.97 >	950 kg / ---	50	1, 17, 19, 21		950625
Citroen Xsara Picasso	9.99 >		35	1, 19, 21		950240
ZX						
Citroen ZX, 1.0, 1.4, 1.6, ohne / without Diesel	9.91 > 6.97		30	1, 19, 21		950205
DACIA						
Logan						
Dacia Logan, Typ SD, 1.4, 1.6, incl. Diesel	5.05 >	850 kg / 880 kg	35	1, 21	TÜV	951222
Dacia Logan Kombi, Typ SD, 1.4, 1.6, incl. Diesel	1.06 >	930 kg / 1080 kg	35	1, 21	TÜV	951223
Sandero						
Dacia Sandero, Typ SD	7.08 > 12	850 kg / 880 kg	40/50	1, 21		951225
DAIHATSU						
Cuore						
Daihatsu Cuore, Typ L501, L5	93 > 2.99		35	1, 21	TÜV	950300
Daihatsu Cuore, Typ L275	8.07 >		30	1, 21		950323
Materia						
Daihatsu Materia, Typ M4	1.07 >		40	1, 21		950315
Move						
Daihatsu Move, Typ L6	97 > 9.99		35	1, 21	TÜV	950320
Sirion						
Daihatsu Sirion, Typ M3	05 >		40	1, 21		950315
DODGE						
Avenger						
Dodge Avenger, Typ JL, 4 cyl. + 6 cyl.	95 > 98		40	1, 21		950309
Dodge Avenger, Typ JS	07 >		40	1, 21		950317
Challenger						
Dodge Challenger	08 > 11		35	1, 21		950321
Dart						
Dodge Dart	13 >		25	1, 21		950324

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
DODGE						
Neon						
Dodge Neon, Typ PL	00 >		30	1, 21		950308
Stealth						
Dodge Stealth RT, ohne / without ES	10.90 > 8.94		35	1, 21		951106
Stratus						
Dodge Stratus, Typ ST	01 >		35	1, 21		951151
Talon						
Dodge Talon (Eagle), 2WD	89 > 94		30	1, 15, 21		951140
Dodge Talon (Eagle), AWD	95 > 99		35	1, 21		951145
Dodge Talon (Eagle), 2WD	95 >		35	1, 21		951150
FIAT						
500						
Fiat 500, Typ 312, 0.8, 1.2	10.07 >	770 kg / ---	25/35	1, 21	TÜV	954050
Fiat 500, Typ 312, 1.4, und / and Diesel	10.07 >	830 kg / 640 kg	25/35	1, 21	TÜV	954051
Fiat 500, Typ 312, 1.4, Diesel, nur / only A + CH	10.07 >	830 kg / 640 kg	20/35	1, 21	TÜV	954052
Fiat 500, Typ 312, Abarth	10.07 >	830 kg / 640 kg	20/25	1, 21		954022
Fiat 500, Typ 312, USA-Version	1.11 >		25/35	1, 21		954026
Fiat 500L, Typ 199	10.12 >	1050 kg / 1000 kg	35	1, 21	TÜV	954027
Bravo / Brava						
Fiat Bravo / Brava, Typ 182, 55 - 113 kW, ohne / without TDI, ohne / without HGT	9.95 > 10.01	970 kg / 1000 kg	35	1, 21	TÜV	954040
Fiat Bravo / Brava, Typ 182, nur / only TDI + HGT	9.95 > 10.01		35	1, 21		954044
Fiat Bravo, Typ 198	3.07 >	1090 kg / 860 kg	30/40	1, 21	TÜV	954017
Cinquecento						
Fiat Cinquecento, Typ 170	10.92 > 3.98	610 kg / 630 kg	35	1, 18, 21	TÜV	954025
Coupé						
Fiat Coupé, 16V, ohne / without 16V Turbo, 20V, 20V Turbo	6.94 > 12.00		35	1, 21		954055
Croma						
Fiat Croma, Typ 194, 1.6, 2.0, 2.4 JTD, 2.5D	6.05 > 12.10	1045 kg / 1030 kg	35	1, 21	TÜV	955006
Fiat Croma, Typ 194, 2.5TD, 2.5 V6, 2.2	6.05 > 12.10	1150 kg / 1030 kg	35	1, 21	TÜV	955007
Linea						
Fiat Linea, Typ 323	6.07 >	1000 kg / 900 kg	30	1, 21		954014
Panda						
Fiat Panda, Typ 169	10.03 > 2.12	750 kg / 660 kg	40	1, 21	TÜV	954048
Fiat Panda, Typ 312	3.12 >		40	1, 21		954029
Punto						
Fiat Punto, Typ 176, 176C, incl. Cabrio, bis / up to 65 kW	9.93 > 99	850 kg / 700 kg	35	1, 6, 21	TÜV	954035
Fiat Punto, Typ 188, 1.2, 1.4	8.99 > 9.05	900 kg / 750 kg	35	1, 21	TÜV	954038
Fiat Punto, Typ 188, 1.8, HGT	8.99 > 9.05	900 kg / 750 kg	35	1, 21	TÜV	954036
Fiat Punto, Typ 188, Diesel	8.99 > 9.05	900 kg / 750 kg	35	1, 21	TÜV	954037
Fiat Grande Punto, Typ 199, Evo, 1.2, 1.4, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	35	1, 21	TÜV	954008
Fiat Grande Punto, Typ 199, Evo, 1.3 Diesel, 1.6 Diesel, 1.9 Diesel, Abarth, VA über / more than 850 kg	10.05 >	1000 kg / 950 kg	35	1, 21	TÜV	954009
Fiat Grande Punto, Typ 199, Evo, 1.2, 1.4, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	50/40	1, 21		954023
Scudo						
Fiat Scudo	1.96 > 12.06	1230 kg / 1100 kg	35	1, 21, AV		954085
Seicento						
Fiat Seicento, Typ 187	3.98 >	610 kg / 630 kg	35	1, 18, 21	TÜV	954075
Stilo						
Fiat Stilo, Typ 192, VA bis / up to 1030 kg	10.01 >	1030 kg / 940 kg	35	1, 12, 21	TÜV	954002
Fiat Stilo, Typ 192, Weekend, SW	2.03 > 12.06		30	1, 21		954007
Tempra						
Fiat Tempra, Typ 159, ohne / without Station Wagon, ohne / without TD	3.91 > 8.96	950 kg / 950 kg	35	1, 12, 15, 21	TÜV	954015
Fiat Tempra, Typ 159, nur / only TD	3.91 > 8.96		35	1, 12, 15, 21		954044
Ulysse						
Fiat Ulysse	94 >	1230 kg / 1300 kg	35	1, 21, AV		954080
FORD						
C-Max						
Ford C-Max, Typ DM2, Benzin / petrol, VA bis / up to 990 kg	11.03 > 10.10	990 kg / ---	40	1, 21	TÜV	953102
Ford C-Max, Typ DM2, Benzin / petrol, Diesel, VA über / more than 990 kg	11.03 > 10.10	1070 kg / 1070 kg	40	1, 21	TÜV	953103
Contour						
Ford Contour, 4 cyl.	6.97 >		40	1, 21		953070
Ford Contour V6, incl. SVT	6.97 >		40	1, 21		953075
Cougar						
Ford Cougar, 4 cyl.	10.98 > 8.02		40	1, 21		953077
Ford Cougar, 6 cyl.	10.98 > 8.02		40	1, 21		953078
Fiesta						
Ford Fiesta, Typ GFJ, bis / up to 96 kW	89 > 1.94	820 kg / 700 kg	30	1, 21, AV	TÜV	953015
Ford Fiesta, Typ JAS, JBS, Benzin / petrol bis / up to 76 kW	11.95 > 9.99		30	1, 21	TÜV	953016
Ford Fiesta, Typ JAS, JBS, Diesel bis / up to 76 kW	11.95 > 9.99		30	1, 21	TÜV	953017



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
FORD						
Ford Fiesta, Typ JAS, JBS, Benzin / petrol bis / up to 76 kW	10.99 > 4.02		30	1, 21	TÜV	953039
Ford Fiesta, Typ JAS, JBS, Diesel bis / up to 76 kW	10.99 > 4.02		30	1, 21	TÜV	953042
Ford Fiesta, Typ JH1, JD3, VA bis / up to 790 kg	12.01 > 9.08	790 kg / 800 kg	30	1, 21	TÜV	953047
Ford Fiesta, Typ JH1, JD3, VA über / more than 790 kg, ohne / without ST, ohne / without 1.6 Diesel	12.01 > 9.08	850 kg / 800 kg	30	1, 21	TÜV	953048
Ford Fiesta, Typ JA8, incl. Facelift 2013	10.08 >	850 kg / 840 kg	30	1, 21	TÜV	953113
Ford Fiesta ST, Typ JA8	13 >	850 kg / 785 kg	25	1, 21	TÜV	953113
Focus						
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.4	10.98 > 10.04	840 kg / 880 kg	40	1, 21	TÜV	953055
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.6, 1.8, 2.0, Diesel	10.98 > 10.04	965 kg / 880 kg	40	1, 21	TÜV	953065
Ford Focus, Typ DNW, Turnier, 1.4, 1.6	1.99 > 12.04	840 kg / 1010 kg	40	1, 21	TÜV	953030
Ford Focus, Typ DNW, Turnier, 1.8 Diesel	1.99 > 12.04	960 kg / 1010 kg	40	1, 21	TÜV	953035
Ford Focus, Typ DA3, DB3, Lim. / Sedan, Benzin / gasoline, VA bis / up to 985 kg	11.04 > 3.11	985 kg / 1090 kg	35	1, 12, 21	TÜV	953024
Ford Focus, Typ DA3, DB3, Lim. / Sedan, Diesel, VA über / more than 985 kg	11.04 > 3.11	1090 kg / 1090 kg	35	1, 12, 21	TÜV	953031
Ford Focus, Typ DA3, DB3, Lim. / Sedan	11.04 > 3.11		50/30	1, 12, 21		953123
Ford Focus ST, Typ DA3, Lim. / Sedan, incl. Facelift	12.05 > 11	1050 kg / 915 kg	25	1, 12, 21	TÜV	953031
Ford Focus, Typ DA3, DB3, Turnier, VA bis / up to 985 kg	1.05 > 3.11	985 kg / 1090 kg	35	1, 21	TÜV	953043
Ford Focus, Typ DA3, DB3, Turnier, VA über / more than 985 kg	1.05 > 3.11	1090 kg / 1090 kg	35	1, 21	TÜV	953049
Ford Focus (USA)	06 >		35	1, 21		953099
Ford Focus, Lim. / Sedan, Typ DYB, 1.6, 2.0, 1.6 Diesel, VA bis / up to 1030 kg	4.11 >	985 kg / 1025 kg	30	1, 12, 21	TÜV	953118
Ford Focus, Lim. / Sedan, Typ DYB, 2.0 Diesel, VA über / more than 1030 kg	4.11 >	1100 kg / 1025 kg	30	1, 12, 21	TÜV	953119
Ford Focus ST Lim. / Sedan, Typ DYB	8.12 >	1100 kg / 1025 kg	30	1, 12, 21		953126
Ford Focus, Turnier, Typ DYB, 1.6, 2.0, 1.6 Diesel, VA bis / up to 1030 kg	4.11 >	1030 kg / 1135 kg	30	1, 21	i.V. / i.d.	953124
Ford Focus, Turnier, Typ DYB, 2.0 Diesel, VA über / more than 1030 kg	4.11 >	1100 kg / 1135 kg	30	1, 21	i.V. / i.d.	953125
Fusion (USA)						
Ford Fusion, 4 cyl. (USA)	06 > 09		35	1, 21		958027
Ford Fusion, 6 cyl. (USA)	06 > 09		35	1, 21		958029
Ford Fusion, 4 cyl. (USA)	10 > 12		35	1, 21		953120
Ford Fusion, 6 cyl. (USA)	10 > 12		35	1, 21		953121
Galaxy						
Ford Galaxy, Typ WGR	9.95 > 2.06	1280 kg / 1330 kg	35	1, 15, 21	TÜV	953115
Ford Galaxy, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 7, 15, 21	TÜV	953106
KA						
Ford KA, Typ RBT, bis / up to 44 kW	10.96 > 3.00		35	1, 21	TÜV	953060
Ford KA, Typ RBT, model 2000	4.00 >		35	1, 21	TÜV	953032
Ford KA, Typ RU8	11.08 >	830 kg / 640 kg	35	1, 21		953112
Ford Street KA, Typ RL2	7.03 > 7.05	760 kg / 570 kg	30	1, 21	TÜV	953009
Mondeo						
Ford Mondeo, Typ BAP, BFP, GBP, Lim. / Sedan, 4 cyl., ohne / without Diesel	10.96 > 11.00	1050 kg / 910 kg	40	1, 7, 21	TÜV	953070
Ford Mondeo, Typ BAP, BFP, GBP, Lim. / Sedan, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	10.96 > 11.00	1050 kg / 910 kg	40	1, 7, 21	TÜV	953075
Ford Mondeo, Typ BNP, Turnier, 4 cyl., ohne / without Diesel	10.96 > 3.01	1050 kg / 1050 kg	40	1, 7, 21	TÜV	953080
Ford Mondeo, Typ BNP, Turnier, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	10.96 > 3.01	1050 kg / 1050 kg	40	1, 7, 21	TÜV	953085
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1005 kg / 1055 kg	35	1, 7, 21	TÜV	953036
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1100 kg / 1055 kg	40	1, 7, 21	TÜV	953038
Ford Mondeo, Typ BWY, Turnier, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1005 kg / 1150 kg	35/25	1, 7, 21	TÜV	953081
Ford Mondeo, Typ BWY, Turnier, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1130 kg / 1150 kg	40/30	1, 7, 21	TÜV	953082
Ford Mondeo, Typ BA7, Lim. / Sedan	4.07 >	1060 kg / ---	30	1, 7, 21	TÜV	953108
Ford Mondeo, Typ BA7, Lim. / Sedan, 2.0, 2.2, 2.5, incl. Diesel	4.07 >	1190 kg / 1100 kg	30	1, 7, 21	TÜV	953109
Ford Mondeo, Typ BA7, Turnier	4.07 >	1060 kg / ---	30	1, 7, 21	TÜV	953110
Ford Mondeo, Typ BA7, Turnier, 2.0, 2.2, 2.5 und Diesel	4.07 >	1190 kg / 1185 kg	30	1, 7, 21	TÜV	953111
Mustang						
Ford Mustang, Capri, V8, ohne / without Convertible	79 > 93		30	1, 21		953066
Ford Mustang, V8 Convertible	83 > 93		30	1, 21		953067
Ford Mustang, SN-95, V8 incl. Cobra 94 - 98, ohne / without Convertible	94 > 04		35	1, 21		953068
Ford Mustang, SN-95, V8, Convertible, incl. Cobra 94 - 98	94 > 04		35	1, 21		953069
Ford Mustang, Cobra SN 95 I.R.S., incl. Convertible	99 > 02		35	1, 21		953064
Ford Mustang, Cobra SN 95 I.R.S., incl. Convertible	03 > 04		35	1, 21		953061
Ford Mustang, S197, V6	05 > 14	1000 kg / 1100 kg	30	1, 21	TÜV	953083
Ford Mustang, S197, GT V8	05 > 14	1134 kg / 1100 kg	30	1, 21	TÜV	953084
Ford Mustang Shelby GT500, incl. Convertible	07 > 14	1134 kg / 1100 kg	30	1, 21	TÜV	953094
Ford Mustang, S550, GT, V8 Fastback	15 >		35		i.V. / i.d.	953129
Ford Mustang, S550, GT, V8 Fastback	15 >		25		i.V. / i.d.	953128
Ford Mustang, S550, V6, Ecoboost Fastback	15 >		25		i.V. / i.d.	953130
Ford Mustang, S550, GT Convertible	15 >		35		i.V. / i.d.	953133
Ford Mustang, S550, GT Convertible	15 >		25		i.V. / i.d.	953131
Ford Mustang, S550, V6 Convertible, Ecoboost Convertible	15 >		25		i.V. / i.d.	953132

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
FORD						
Probe						
Ford Probe, Typ ECP, T22	93 > 97	980 kg / 850 kg	35	1, 21		953044
Puma						
Ford Puma, Typ ECT	9.97 > 4.02	770 kg / 670 kg	35	1, 21, AV	TÜV	953050
S-Max						
Ford S-Max, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 21	TÜV	953106
Thunder Bird						
Ford Thunder Bird, MN - 12, V6, SC, V8	89 > 98		40	1, 21		953058
HONDA						
Accord						
Honda Accord, Typ CA4, CA5, 65 -101 kW	1.86 > 11.89	875 kg / 845 kg	30	1, 21, AV	TÜV	957015
Honda Accord, Typ CB3, CB7, CB8, Accord 2000, 2200, Aerodeck, 2200, bis / up to 110 kW	12.89 > 5.91	1000 kg / 1010 kg	30	1, 21, AV	TÜV	957035
Honda Accord, Typ CC1, 7, 9, CE1, 2, 7, 8, CE9, CD7, CF1, Coupé, Aerodeck ab / from 4.94	10.89 > 10.98	970 kg / 955 kg	30	1, 21	TÜV	957075
Honda Accord, 6 cyl. (Asien / Asia)	10.98 > 02		40	1, 21		957094
Honda Accord, 4 cyl. (Asien / Asia)	10.98 > 02		40	1, 21		957194
Honda Accord, Typ CL7, 9, CN1, bis / up to 2.0	2.03 > 7.08	1050 kg / 920 kg	30	1, 12, 21	TÜV	957033
Honda Accord, Typ CL7, 9, CN1, über / more than 2.0, incl. Diesel	2.03 > 7.08	1100 kg / 920 kg	30	1, 12, 21	TÜV	957032
Honda Accord, Lim. / Sedan, Typ CU1, 2, 3, VA bis / up to 1045 kg, 2.0	7.08 >	1045 kg / 950 kg	40	1, 21	TÜV	957046
Honda Accord, Lim. / Sedan, Typ CU1, 2, 3, VA über / more than 1045 kg, 2.2 Diesel, 2.4	7.08 >	1130 kg / 950 kg	40	1, 21	TÜV	957047
Honda Accord, Kombi, Typ CW1, 2, 3, VA bis / up to 1045 kg, 2.0	11.08 >	1045 kg / 1000 kg	40	1, 21	TÜV	957048
Honda Accord, Kombi, Typ CW1, 2, 3, VA über / more than 1045 kg, 2.2 Diesel, 2.4	11.08 >	1130 kg / 1000 kg	40	1, 21	TÜV	957049
Civic						
Honda Civic, Typ AF, AS, CRX 1.6i, Coupé CRX	10.87 > 10.88	690 kg / 640 kg	35	1, 20, 21, AV	TÜV	957055
Honda Civic, Typ EC, ED, EE, CRX/ V-Tec, EC8, 9, ED2, 3, 4, 6, 7, 9, EE8, 9	11.88 > 10.91	850 kg / 770 kg	35	1, 21, AV	TÜV	957005
Honda Civic, Typ EJ, EH, EG, CRX/ V-Tec, Coupé ab / from 1.94, EJ1, 2, 6, 9, EG2, 3, 4, 5, 6, 8, 9, EH6, 9	11.91 > 10.95		30	1, 21	TÜV	957060
Honda Civic, Typ EJ6, 8, 9, EK 1, 3, 4, bis / up to 118 kW	11.95 > 6.01		35	1, 21	TÜV	957050
Honda Civic, Typ EM2, ES4, 5, 6, 7, EU5, 6, 7, 8, EP 1, 2	6.01 > 12.05	855 kg / 820 kg	35	1, 21	TÜV	957012
Honda Civic, Typ EM2, ES4, 5, 6, 7, EU5, 6, 7, 8, EP 1, 2	6.01 > 12.05	855 kg / 820 kg	50/30	1, 21		957043
Honda Civic, Typ FD1, FK1, 2, 3, FN1, 2, 3, 4, VA bis / up to 940 kg, nur EU-Modelle / only EU-models	1.06 >	940 kg / 835 kg	35	1, 21	TÜV	957037
Honda Civic, Typ FD1, FK1, 2, 3, FN1, 2, 3, 4, VA über / more than 940 kg, nur EU-Modelle / only EU-models	1.06 >	1085 kg / 835 kg	35	1, 21	TÜV	957039
Honda Civic, Asien und US-Modelle / Asia and US-models	1.06 > 11		35	1, 21		957042
Honda Civic, Asien und US-Modelle / Asia and US-models	1.06 > 11		50	1, 21		957053
Honda Civic SI Coupé	12 >		40	1, 21		957056
FR-V						
Honda FR-V, Typ BE1, BE3, BE5	2.05 >	1150 kg / 990 kg	35	1, 21	TÜV	957028
Integra						
Honda Integra, Typ R	3.98 >		30	1, 21		957007
Jazz / Fit						
Honda Jazz / Fit, Typ GD1, GD5, GE2, GE3	12.01 > 10.08	800 kg / 730 kg	40	1, 21	TÜV	957023
Honda Jazz / Fit, Typ GG1, 2, 3, GE6	11.08 >		35	1, 21	TÜV	957009
Legend						
Honda Legend, Typ KA7, KA8, Coupé, Lim. / Sedan, Legend 3200	5.91 > 95	1100 kg / 1090 kg	30	1, 21		957070
Prelude						
Honda Prelude, Typ BB1, 2, 3, BB6, 8, 9	4.92 >	980 kg / 825 kg	30	1, 15, 21	TÜV	957090
S 2000						
Honda S 2000, Typ AP 1	10.99 > 6.09	710 kg / 840 kg	25	1, 21	TÜV	957310
HYUNDAI						
Accent						
Hyundai Accent, Typ MC	6.06 >		35	1, 21		957209
Coupé						
Hyundai S Coupé, SLC, X-2	9.91 > 8.96		35	1, 21		950520
Hyundai Coupé, Typ RD	9.96 > 3.02	895 kg / 770 kg	35	1, 21	TÜV	950525
Hyundai Coupé, Typ GK	3.02 > 09	1015kg / 880 kg	35	1, 21	TÜV	950516
Elantra / Avante						
Hyundai Elantra / Avante	07 >		30	1, 21		950532
Getz						
Hyundai Getz, Typ TB	5.03 >	900 kg / 830 kg	30	1, 21		950513
i20						
Hyundai i20, Typ PBT	1.09 > 6.12	920 kg / 840 kg	30	1, 21		950521
Hyundai i20, Typ PB/PBT, Facelift 2012	7.12 >	920 kg / 840 kg	30	1, 21	i.V. / i.d.	950523
i30						
Hyundai i30, Typ FD	9.07 > 8.09	1090 kg / 940 kg	35	1, 21	TÜV	957206
Hyundai i30 CW, Typ FD	4.08 > 8.09	1090 kg / 1020 kg	35	1, 21	TÜV	957208
Hyundai i30, Typ FDH	10 > 3.12	1010 kg / 1020 kg	35	1, 21	i.V. / i.d.	950524
Hyundai i30, Typ GDH, Lim. / Sedan	3.12 >	1090 kg / 1020 kg	35	1, 21	i.V. / i.d.	950528
ix35 / Tucson						
Hyundai ix35 / Tucson, Typ LM, 2WD	09 > 13	1010 kg / 1090 kg	35	1, 15, 21	i.V. / i.d.	950533



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
HYUNDAI						
Lantra						
Hyundai Lantra, Typ J-1	9.91 > 8.95		35	1, 21		950510
Hyundai Lantra, Typ J-2, Lim. / Sedan, Kombi	9.95 > 5.00		35	1, 21		950515
Matrix						
Hyundai Matrix, Typ FC, 1.6, 1.8, 1.5 CRDi	9.01 >	1030 kg / 970 kg	30	1, 21		950517
Sonata						
Hyundai Sonata (Sonica), Typ NF, 2.0, 2.4	1.05 >	1200 kg / 1070 kg	35	1, 21		950529
Hyundai Sonata (Sonica), Typ NF, 2.7, 3.3, 2.0 CRDi	1.05 >	1200 kg / 1070 kg	35	1, 21		950530
Tiburon						
Hyundai Tiburon	03 >		45	1, 21		950527
INFINITI						
20 / 30 / 35 / 45						
Infiniti G20, Typ P11	96 > 02	990 kg / 855 kg	35	1, 12, 21		952135
Infiniti I30 / I35, Lim. / Sedan	00 > 04		35	1, 21		952107
KIA						
Cee'd						
Kia Cee'd, Typ ED, Pro Cee'd	1.07 > 09	1090 kg / 940 kg	35	1, 21	TÜV	957206
Kia Cee'd, Typ ED, Sporty Wagon (Kombi)	8.07 > 09	1055 kg / 1050 kg	35	1, 21	TÜV	957208
Kia Cee'd, Typ ED, Pro Cee'd	09 >	1090 kg / 940 kg	35	1, 21		957207
Kia Cee'd, Typ JD, Pro Cee'd, VA bis / up to 960 kg	4.12 >	960 kg / 960 kg	25/40	1, 15, 21	i.V. / i.d.	957213
Kia Cee'd, Typ JD, Pro Cee'd, incl. GT, VA über / more than 960 kg	4.12 >	1050 kg / 960 kg	25/40	1, 15, 21	i.V. / i.d.	957214
Kia Cee'd, Typ JD, Sporty Wagon (Kombi), VA bis / up to 960 kg	4.12 >	960 kg / 1050 kg	25/30	1, 15, 21	i.V. / i.d.	957215
Kia Cee'd, Typ JD, Sporty Wagon (Kombi), VA über / more than 960 kg	4.12 >	1050 kg / 1050 kg	25/30	1, 15, 21	i.V. / i.d.	957216
Cerato						
Kia Cerato, Typ FE	6.04 > 8.09		35	1, 21		957202
Optima						
Kia Optima, Typ TF, 2.0, 1.7D	3.12 >	1130 kg / 1110 kg	25	1, 21		957217
Rio						
Kia Rio, Typ DE	8.05 > 7.11	910 kg / 850 kg	35	1, 21		957209
Kia Rio, Typ UB	8.11 >	945 kg / 840 kg	35	1, 21		957211
Sephia						
Kia Sephia, Typ FA	94 >		35	1, 21		957205
LANCIA						
Dedra						
Lancia Dedra, Typ 835, Lim. / Sedan, 1.6i.e., 2.0i.e., 2000 T, incl. Diesel	1.90 > 12.97	975 kg / 975 kg	35	1, 15, 21, AV		954115
Lancia Dedra, Kombi	12.94 > 12.97	975 kg / 975 kg	35	1, 15, 21, AV		954120
Delta						
Lancia Delta, Typ 836, HF Turbo	9.93 >		35	1, 15, 21, AV		954145
Lancia Delta, Typ 844	8.08 >	1150 kg / 950 kg	30/40	1, 15, 21	TÜV	954017
K						
Lancia K, Typ 838, Lim. / Sedan, 4 cyl. + 6 cyl., bis / up to 150 kW	1.95 >		35	1, 21, AV		954135
Y / Ypsilon						
Lancia Y, Typ 840	1.96 > 10.03	800 kg / 750 kg	40	1, 21	TÜV	954130
Lancia Ypsilon, Typ 843	10.03 >	850 kg / 850 kg	40	1, 21		954113
Zeta						
Lancia Zeta	5.95 >	1230 kg / 1300 kg	35	1, 21, AV		954155
LEXUS						
IS / ES / GS / SC						
Lexus ES 300, ES 330	97 > 06		40	1, 21		959080
Lexus ES 350	07 >		35	1, 21		959042
Lexus IS 200 2.0i, (IS 300, Export)	4.99 >	900 kg / 1020 kg	35	1, 21	TÜV	959098
Lexus GS 300, GS 350, GS 400, GS 430	98 >		25	1, 21		959087
Lexus GS 300	93 > 97		30	1, 21		959094
Lexus SC 430, Typ Z4	9.01 >		30	1, 21		959023
MAZDA						
121						
Mazda 121, Typ JASM, JBSM, Benzin bis / petrol up to 76 kW	3.96 > 5.03		35	1, 21	TÜV	958035
Mazda 121, Typ JASM, JBSM, Diesel bis / up to 76 kW	3.96 > 5.03		35	1, 21	TÜV	958040
2						
Mazda 2	5.03 > 7.07	850 kg / 755 kg	35	1, 21		958096
323						
Mazda 323, GT + Kombi	86 > 11.89		35	1, 21, AV		958005
Mazda 323, Typ BA, 54 - 84 kW	9.94 > 9.98	960 kg / 820 kg	30	1, 15, 21	TÜV	958070
Mazda 323, Typ BA, 54 - 84 kW	9.94 > 9.98	960 kg / 820 kg	50	1, 15, 17, 21	TÜV	958670
Mazda 323, 323 F, Typ BJ, Stufen-, Schrägheck / Notch-, Hatchback, 4 cyl.	10.98 > 10.03	945 kg / 860 kg	30	1, 15, 21	TÜV	958090
3						
Mazda 3, Typ BK, Benzin / petrol, ohne / without MPS, VA bis / up to 970 kg	10.03 > 2.09	970 kg / 890 kg	40	1, 21	TÜV	958028
Mazda 3, Typ BK, 1.6 Diesel + MPS, VA über / more than 970 kg	10.03 > 2.09	1135 kg / 915 kg	40	1, 21		958012

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
MAZDA						
Mazda 3, Typ BL, VA bis / up to 994 kg	3.09 > 13	994 kg / 925 kg	40	1, 21		958013
Mazda 3, Typ BL, VA über / more than 995 kg incl. MPS	3.09 > 13	1135 kg / 925 kg	40	1, 21		958014
Mazda 3, Typ BL (BM), nur / only Benzin / petrol, 2WD	13 >	1075 kg / 945 kg	30/45	1, 15, 21	i.V. / i.d.	958016
Mazda 3, Typ BL (BM), nur / only Diesel, 2WD	13 >	1075 kg / 945 kg	30/45	1, 15, 21	i.V. / i.d.	958017
5						
Mazda 5, Typ CR1, 2WD (Premacy, I-Max), Benzin / petrol	3.05 >	1130 kg / 1205 kg	40	1, 21		958045
Mazda 5, Typ CW, 2WD, Benzin / petrol	10.10 >	1020 kg / 1205 kg	30	1, 21		958046
626						
Mazda 626, Typ GE, GF, 4 cyl., ohne / without Diesel	1.92 > 6.02		35	1, 12, 15, 21, AV		958075
Mazda 626, Typ GE, GF, 6 cyl., Diesel	1.92 > 6.02		35	1, 12, 15, 21, AV		958080
6						
Mazda 6, Typ GG/GY, GG1, Lim. / Sedan, Schrägheck / Hatchback	6.02 > 8.07	1095 kg / 1065 kg	40/25	1, 2, 15, 21	TÜV	958026
Mazda 6, Typ GG/GY, GG1, Break	9.02 > 8.07	1095 kg / 1065 kg	40/25	1, 15, 21	TÜV	958027
Mazda 6, Typ GH, Lim. / Sedan, 2WD, VA bis / up to 1040 kg	2.08 > 12.12	1040 kg / 1090 kg	35	1, 12, 15, 21	i.V. / i.d.	958032
Mazda 6, Typ GH, Lim. / Sedan, 2WD, VA über / more than 1040 kg	2.08 > 12.12	1180 kg / 1090 kg	35	1, 12, 15, 21	i.V. / i.d.	958033
Mazda 6, Typ GH, Kombi, VA bis / up to 1040 kg, 2WD	2.08 > 12.12	1040 kg / 1090 kg	35	1, 15, 21	i.V. / i.d.	958034
Mazda 6, Typ GH, Kombi, VA über / more than 1040 kg, 2WD	2.08 > 12.12	1180 kg / 1090 kg	35	1, 15, 21	i.V. / i.d.	958036
CX-7						
Mazda CX-7, Typ ER	4.07 >		35	1, 21		958008
MPV						
Mazda MPV, Typ LW	5.02 >	1205 kg / 1310 kg	30	1, 21	TÜV	958002
MX-5 (Miata)						
Mazda MX-5, Typ NA	90 > 3.98	625 kg / 645 kg	35	1, 21	TÜV	958055
Mazda MX-5, Typ NB, bis / up to 107 kW	4.98 > 7.05	645 kg / 665 kg	35	1, 21	TÜV	958095
Mazda MX-5, Typ NC	8.05 >	670 kg / 705 kg	30	1, 21	TÜV	958006
MX-6						
Mazda MX-6, 4 cyl., V6	93 > 97		35	1, 21		953044
RX-8						
Mazda RX 8, Typ SE	3.04 > 6.12		35	1, 21		958003
Xedos						
Mazda Xedos, Typ 6 CA	6.92 >		35	1, 21, AV		958085
MCC / SMART						
Smart						
Smart, Typ 452, Coupé, Roadster	4.03 >	465 kg / 610 kg	35/45	1, 21	TÜV	950403
Smart, Typ MC01	01 >		30	1, 21		950403
Smart Fortwo, Typ 451, Coupé, Cabrio	4.07 >		20/30	1, 21		950404
Smart Fortwo, Typ 453	7.14 >		20/30	1, 21	i.V. / i.d.	950405
MERCEDES BENZ						
W117						
MB CLA-Klasse, Typ W117, VA bis / up to 1025 kg	1.13 >	1025 kg / 985 kg	25	21	TÜV	952201
MB CLA-Klasse, Typ W117, VA über / more than 1025 kg	1.13 >	1140 kg / 985 kg	25	21	TÜV	952202
W124						
MB Typ W124, W124C, 53 - 100 kW, 200D, 230CE, E200 - E230	1.85 > 5.95	1070 kg / 1230 kg	35 - 45	1, 4, 15, 21	TÜV	952015
MB Typ W124, W124T, W124C, 53 - 162 kW, 200 - 300, E280, E320, 320T, 300TE, 300CE, 320CE, ohne / without V8	1.85 > 5.95	1070 kg / 1230 kg	35 - 45	1, 4, 15, 21	TÜV	952025
W163						
MB M-Klasse, Typ W163	8.98 > 6.05	1430 kg / 1600 kg	40	1, 4, 20, 21	TÜV	952024
W164						
MB M-Klasse, Typ W164, ML280, 320, 420CDI, ML350	7.05 > 6.11	1470 kg / 1600 kg	35	1, 21		952062
W166						
MB M-Klasse, Typ W166, ML250, ML350	7.11 >		35	1, 21		952064
W168						
MB A-Klasse, Typ W168, A140, A160, A160CDI, A170CDI	9.97 > 9.04	805 kg / 850 kg	25	1, 21	TÜV	952018
W169						
MB A-Klasse, Typ W169, A150, A160CDI, A170, A180CDI, A200, A200CDI, A200Turbo	9.04 > 8.12	980 kg / 900 kg	35	1, 21	TÜV	952007
R170						
MB SLK, Typ R170, 200 + 230 Kompressor, VA bis / up to 845 kg	9.96 > 3.04	845 kg / 820 kg	35	1, 4, 21	TÜV	952070
R171						
MB SLK, Typ R171, VA bis / up to 840 kg, HA bis / up to 935 kg	3.04 >	910 kg / 940 kg	30	1, 4, 21	TÜV	952006
R172						
MB SLK, Typ R172, SLK200/250/350	3.11 >	940 kg / 970 kg	25	1, 21	i.V. / i.d.	952207
W176						
MB A-Klasse, Typ W176, VA bis / up to 1025 kg	9.12 >	1025 kg / 985 kg	40	1, 15, 21	TÜV	952088
MB A-Klasse, Typ W176, VA über / more than 1025 kg	9.12 >	1140 kg / 985 kg	40	1, 15, 21	TÜV	952089
W201						
MB 190 E, Typ W201, 4 cyl., ohne / without Automatik	12.82 > 5.93	900 kg / 930 kg	45/25	1, 2, 4, 21	TÜV	952055
MB 190 E, Typ W201, 5 cyl. + 6 cyl., Diesel, ohne / without Sportline	12.82 > 5.93	900 kg / 930 kg	40	1, 4, 21	TÜV	952035



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
MERCEDES BENZ						
W202						
MB C-Klasse, Typ W202, Lim. / Sedan, 4 cyl., ohne / without Sportline, ohne / without Diesel	6.93 > 12.95	900 kg / 1110 kg	40/25	1, 2, 4, 7, 21	TÜV	952077
MB C-Klasse, Typ W202, Lim. / Sedan, 5 cyl. + 6 cyl., Diesel, ohne / without Sportline	6.93 > 12.95	970 kg / 1110 kg	40	1, 4, 7, 21	TÜV	952075
MB C-Klasse, Typ W202, T-Modell, 4 cyl., Kompressor, VA bis / up to 920 kg	1.96 > 6.00	920 kg / 1150 kg	40/25	1, 2, 4, 21	TÜV	952078
MB C-Klasse, Typ W202, T-Modell, 5 cyl. + 6 cyl., VA bis / up to 970 kg	1.96 > 6.00	970 kg / 1150 kg	35	1, 4, 21	TÜV	952079
W203						
MB C-Klasse, Typ W203, Lim. / Sedan, 4 cyl., ohne / without Diesel	6.00 > 2.07	1065 kg / 1090 kg	30	1, 7, 15, 18, 21	TÜV	952068
MB C-Klasse, Typ W203, Lim. / Sedan, 6 cyl. und / and Diesel	6.00 > 2.07	1065 kg / 1090 kg	30	1, 7, 15, 18, 21	TÜV	952069
MB C-Klasse, Typ W203CL, VA bis / up to 995 kg	6.00 > 2.11	995 kg / 1020 kg	30	1, 7, 15, 18, 21	TÜV	952069
MB C-Klasse, Typ W203, T-Modell, 4 cyl., ohne / without Diesel	3.01 > 7.07	1065 kg / 1190 kg	35	1, 7, 15, 18, 21	TÜV	952027
MB C-Klasse, Typ W203, T-Modell, 6 cyl., Diesel	3.01 > 7.07	1065 kg / 1190 kg	35	1, 7, 15, 18, 21	TÜV	952028
W204						
MB C-Klasse, Typ W204, Lim. / Sedan, C180K, C200K, C230, C280, C200CDI, VA bis / up to 1000 kg	3.07 > 14	1000 kg / 1185 kg	25	1, 7, 15, 21	TÜV	952048
MB C-Klasse, Typ W204, Lim. / Sedan, C220CDI, C350, C320CDI, VA über / more than 1000 kg	3.07 > 14	1090 kg / 1185 kg	25	1, 7, 15, 21	TÜV	952049
MB C-Klasse, Typ W204, T-Modell, C180K, C200K, C230, C280, C200CDI, VA bis / up to 1000 kg	8.07 > 14	1000 kg / 1230 kg	25	1, 7, 15, 21	TÜV	952059
MB C-Klasse, Typ W204, T-Modell, C220CDI, C350, C320CDI, VA über / more than 1000 kg	8.07 > 14	1110 kg / 1230 kg	25	1, 7, 15, 21	TÜV	952061
W204 AMG						
MB C-Klasse, Typ W204 AMG, Lim. / Sedan, T-Modell, C63 AMG	07 > 14	1090 kg / 1135 kg	20	15, 21		952206
W205						
MB C-Klasse, Typ W205, Lim. / Sedan, incl. Agility Control	2.14 >	1055 kg / 1125 kg	40/30	1, 7, 15, 18, 21	i.V. / i.d.	952204
X204						
MB GLK, Typ X204, 4WD, GLK280 - GLK350	10.08 >	1220 kg / ---	40	1, 21		952042
MB GLK, Typ X204, 4WD, GLK 320 CDI	10.08 >	1270 kg / ---	40	1, 21		952043
W207						
MB E-Klasse, Typ W207, Coupé, 2WD, VA bis / up to 1000 kg	5.09 >	1000 kg / 1130 kg	20	1, 15, 21	TÜV	952048
MB E-Klasse, Typ W207, Coupé, 2WD, E 220/250/350 CDI, E 200/300/350, E 250/350 CGI, VA über / more than 1000 kg	5.09 >	1110 kg / 1130 kg	20	1, 15, 21	TÜV	952049
W208						
MB CLK, Typ W208, 4 cyl., VA bis / up to 960 kg	6.97 > 3.02	960 kg / 1070 kg	35	1, 4, 21	TÜV	952013
MB CLK, Typ W208, 6 cyl., VA bis / up to 1010 kg	6.97 > 3.02	1010 kg / 1070 kg	35	1, 4, 21	TÜV	952014
W209						
MB CLK, W209, 4 cyl., ohne / without Diesel	3.02 >	1085 kg / 1120 kg	30	1, 4, 21	TÜV	952068
MB CLK, W209, 6 cyl., incl. Diesel	3.02 >	1085 kg / 1120 kg	30	1, 4, 21	TÜV	952069
MB CLK, W209, 8 cyl., VA bis / up to 1090 kg	3.02 >	1090 kg / 1195 kg	30	1, 4, 21	TÜV	952073
W210						
MB E-Klasse, Typ W210, Lim. / Sedan, 4 cyl., bis / up to 110 kW, Diesel 70 - 83 kW	6.95 > 5.02	980 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	952080
MB E-Klasse, Typ W210, Lim. / Sedan, 5 cyl., 6 cyl., 8 cyl., bis / up to 162 kW, Diesel 84 - 100 kW	6.95 > 5.02	1025 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	952085
MB E-Klasse, Typ W210K, T-Modell, VA bis / up to 970 kg, HA bis / up to 1300 kg	6.95 >	970 kg / 1300 kg	35 - 45	1, 4, 15, 21	TÜV	952030
MB E-Klasse, Typ W210K, T-Modell, VA über / more than 970 kg, HA bis / up to 1300 kg	6.95 >	1040 kg / 1300 kg	35 - 45	1, 4, 15, 21	TÜV	952036
W211						
MB E-Klasse, Typ W211, Lim. / Sedan, 200K, E240, 200CDI, 220CDI	5.02 >	1195 kg / 1225 kg	40	1, 4, 7, 15, 21	TÜV	952037
MB E-Klasse, Typ W211, Lim. / Sedan, E320, 280CDI, 320CDI	5.02 >	1195 kg / 1225 kg	40	1, 4, 7, 15, 21	TÜV	952038
MB E-Klasse, Typ W211, T-Modell, nur VA-Feder / only front spring, E320, E350, 280CDI, 320CDI	4.03 >	1195 kg / 1225 kg	35/0	1, 4, 15, 19, 21	TÜV	952034
W212						
MB E-Klasse, Typ W212, Lim. / Sedan, VA bis / up to 1000 kg	3.09 >	1000 kg / 1240 kg	40	1, 7, 15, 21	TÜV	952044
MB E-Klasse, Typ W212, Lim. / Sedan, VA über / more than 1000 kg	3.09 >	1195 kg / 1240 kg	40	1, 7, 15, 21	TÜV	952053
W212 AMG						
MB E-Klasse, Typ W212 AMG, Lim. / Sedan, T-Modell, E63 AMG, inkl. Niveaureg. / incl. self-leveling	8.09 >	1195 kg / 1365 kg	20	15, 21		952206
W218						
MB CLS, Typ W218, 350, 250 CDI, 350 CDI	1.11 >	1160 kg / 1200 kg	25	1, 7, 15, 21	TÜV	952039
W245						
MB B-Klasse, Typ W245	6.05 > 10.11	1005 kg / 935 kg	35	1, 21	TÜV	952046
W246						
MB B-Klasse, Typ W246, VA bis / up to 1025 kg, HA bis / up to 985 kg	11.11 >	1025 kg / 985 kg	40	1, 21	TÜV	952088
MB B-Klasse, Typ W246, VA über / more than 1025 kg, HA bis / up to 985	11.11 >	1140 kg / 985 kg	40	1, 21	TÜV	952089
MERCURY						
Capri						
Mercury Capri, V8	79 > 86		30	1, 21		953066
Cougar						
Mercury Cougar, 4 cyl.	10.98 > 9.01		40	1, 21		953077
Mercury Cougar, 6 cyl.	10.98 > 9.01		40	1, 21		953078
Mercury Cougar XR-7, SC, V8	89 > 98		40	1, 21		953058
Mystique						
Mercury Mystique, 4 cyl.	6.97 >	1050 kg / 910 kg	40	1, 21		953070
Mercury Mystique, 6 cyl.	6.97 >	1050 kg / 910 kg	40	1, 21		953075

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
MINI						
Mini						
Mini, Typ R50, incl. Cabrio, incl. S	3.02 >	890 kg / 800 kg	30	1, 21	TÜV	951099
Mini, Typ N, R55/57, incl. UKL-L, UKL-C, Cooper, Cooper S	11.06 >	905 kg / 810 kg	30	1, 21	TÜV	951047
Mini Cooper Cabrio, Typ N, R57, incl. UKL-L, UKL-C	08 >	905 / 810 kg	15	1, 21		951617
Mini Cooper Cabrio, Typ N, R57, incl. UKL-L, UKL-C	08 >	905 kg / 810 kg	30	1, 21	TÜV	951047
Mini Clubman, Typ N, R55, incl. UKL-K	10.07 >	905 kg / 810 kg	30	1, 21	i.V. / i.d.	951049
Mini Countryman, Typ UKL-X, R60, 2WD + 4WD	11.10 >	1040 kg / 930 kg	35	1, 21	i.V. / i.d.	951608
Mini Countryman, Typ UKL-X, R60, 2WD + 4WD	11.10 >	1040 kg / 930 kg	10/15	1, 21		951619
Mini Paceman, Typ UKL-C/X, R61, 2WD + 4WD	11.10 >	1025 kg / 890 kg	35	1, 21	i.V. / i.d.	951608
Mini Coupé, Typ UKL-C, R58	8.11 >	905 kg / 810 kg	30	1, 21	TÜV	951047
Mini Roadster, Typ UKL-C, R59	3.12 >	905 kg / 810 kg	25	1, 21	TÜV	951047
Mini, Typ UKL-L, F56	3.14 >	930 kg / 770 kg	30	1, 7, 21	TÜV	951623
MITSUBISHI						
3000 GT						
Mitsubishi 3000 GT, ohne / without Spyder, ohne / without Targa	10.90 > 8.94		35	1, 21		951106
Mitsubishi 3000 GT, Typ Z10, ohne / without Spyder, ohne / without Targa	9.94 > 10.99		35	1, 21		951103
Carisma						
Mitsubishi Carisma, Typ DA0, 1.6	7.95 > 10.99	900 kg / 875 kg	35	1, 21	TÜV	951115
Mitsubishi Carisma, Typ DA0, 1.8	7.95 > 10.99	900 kg / 875 kg	35	1, 21	TÜV	951120
Mitsubishi Carisma GT, Typ CT9A	1.02 > 6.03	960 kg / 870 kg	25	1, 21		951114
Colt						
Mitsubishi Colt, Lancer, Typ C50, C60	8.88 > 3.92	840 kg / 820 kg	35	1, 21, AV	TÜV	951105
Mitsubishi Colt, Mirage, Typ CA-0, ohne / without GTI 16V	4.92 > 1.96		35	1, 21		951110
Mitsubishi Colt, Typ Z30, 1.1 - 1.5	6.04 >	750 kg / 745 kg	35	1, 21	TÜV	951108
Diamante						
Mitsubishi Diamante, ES, LS	97 > 01		35	1, 21		951107
Eclipse						
Mitsubishi Eclipse, Typ D20, D22A	1.92 > 11.95		45	1, 15, 21		951140
Mitsubishi Eclipse, Typ D30, AWD	11.95 > 99		35	1, 21		951145
Mitsubishi Eclipse, Typ D30, D32, 2WD	95 > 99		35	1, 21		951150
Mitsubishi Eclipse	00 > 05		35	1, 21		951151
EVO VII						
Mitsubishi EVO VII, Typ CT9A, Carisma	1.02 > 6.03	960 kg / 870 kg	25	1, 21		951114
EVO VIII / IX						
Mitsubishi EVO VIII / IX, Typ CT0, Lancer	6.03 >	1015 kg / 900 kg	25	1, 21		951113
Galant						
Mitsubishi Galant, Typ E50, Lim. / Sedan, 4 cyl. + 6 cyl.	3.93 > 2.97	1005 kg / 1035 kg	35	1, 21, AV	TÜV	951125
Mitsubishi Galant, Typ EA0, Lim. / Sedan, 4 cyl. + 6 cyl., bis / up to 120 kW	3.97 >	1005 kg / 855 kg	35	1, 21	TÜV	951130
Mitsubishi Galant, nur US-Version / only US-version	99 > 03		35	1, 21		951104
Lancer						
Mitsubishi Lancer, Typ CA0, ohne / without GTI 16V	4.92 > 1.96		35	1, 21		951135
Mitsubishi Lancer, Lim. / Sedan, Typ C50, 1.3, 1.6, 2.0	10.03 >		35	1, 12, 15, 21		951126
Mitsubishi Lancer, Typ CY0, Benzin / petrol	11.07 >		35	1, 21		951133
NISSAN						
350 Z						
Nissan 350 Z, Typ Z33	9.03 > 12.08	935 kg / 975 kg	30	1, 21	TÜV	952155
Nissan 350 Z, Roadster	11.04 > 8.09	975 kg / 900 kg	25	1, 21	TÜV	952156
370 Z						
Nissan 370 Z, Typ Z 34, Roadster, Coupé	12.08 >		25	1, 21		952164
Almera						
Nissan Almera, Typ N15, 1.4	9.95 > 3.00		35	1, 21		952133
Nissan Almera, Typ N15, incl. Diesel, bis / up to 105 kW	9.95 > 3.00	900 kg / 815 kg	35	1, 21	TÜV	952125
Nissan Almera, Typ N16, bis / up to 84 kW	3.00 > 11.06		35	1, 21	TÜV	952148
Altima						
Nissan Altima U13, U14, incl. GLE, GXE, SE, SX	93 > 01		30	1, 21		952116
Nissan Altima, 4 cyl. + 6 cyl.	02 > 06		35	1, 21		952118
Nissan Altima, Lim. / Sedan, 4 cyl.	07 >		35	1, 21		952123
Nissan Altima, Lim. / Sedan, 6 cyl.	07 >		35	1, 21		952124
Nissan Altima, Coupé, 4 cyl.	07 >		35	1, 21		952105
Nissan Altima, Coupé, 6 cyl.	07 >		35	1, 21		952119
Maxima						
Nissan Maxima, Typ A32, QX, bis / up to 142, kW	3.95 > 99		35	1, 21		952145
Nissan Maxima, Typ A33, QX	00 > 03		35	1, 21		952107
Nissan Maxima, Typ A34	04 > 08		35	1, 21		952163
Micra						
Nissan Micra, Typ K11	11.92 > 3.98	760 kg / 750 kg	35	1, 21	TÜV	952130
Nissan Micra, Typ K11	3.98 > 1.03	760 kg / 750 kg	35	1, 21	TÜV	952153
Nissan Micra, Typ K12	2.03 > 12.10	860 kg / 780 kg	30	1, 21	TÜV	952154



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
NISSAN						
Nissan Micra C+C, Typ K12	2.06 > 3.09		30	1, 21		952154
Nissan Micra, Typ K13	1.11 >	825 kg / 750 kg	20/30	1, 21		952157
Note						
Nissan Note, Typ E11	2.06 >		40	1, 21		952104
Primera						
Nissan Primera, Typ P10, 1.6, ohne / without Diesel	11.90 > 9.96		35	1, 12, 21		952150
Nissan Primera, Typ P10, 2.0, incl. Diesel	11.90 > 9.96		35	1, 12, 21		952140
Nissan Primera, Typ P11, ohne / without Diesel	9.96 > 2.02	990 kg / 855 kg	35	1, 12, 21	TÜV	952135
Nissan Primera, Typ P12, Lim. / Sedan, ohne / without Diesel	2.02 > 5.07		40	1, 21		952134
Nissan Primera, Typ P12, Lim. / Sedan, Diesel	2.02 > 5.07		40	1, 21		952136
Nissan Primera, Typ P12, Break, ohne / without Diesel	2.02 > 5.07		40	1, 21		952137
Nissan Primera, Typ P12, Break, Diesel	2.02 > 5.07		40	1, 21		952138
Sentra						
Nissan Sentra, Typ B14, (USA 200 SX, 95 > 98)	95 > 99		40	1, 21		952110
Nissan Sentra, Typ B15, SER / SPEC V (02 >) Club Spec	00 > 06		40	1, 21		952111
Sunny						
Nissan Sunny, Typ N14, CN14, EN14, 2.0, GTI	3.91 > 9.95	930 kg / 810 kg	30	1, 12, 21		952120
SX						
Nissan 240 SX, Typ S13, (Asia also 200 SX)	89 > 94		30	1, 21		952112
Nissan 240 SX, Typ S14, (Asia also 200 SX)	95 > 98		35	1, 21		952113
Nissan 200 SX, Typ S15	99 > 02		30	1, 21		952117
Versa						
Nissan Versa (USA)	2.06 >		40	1, 21		952104
OPEL						
Adam						
Opel Adam, Typ S-D	1.13 >	820 kg / 730 kg	25	1, 18, 21	i.V. / i.d.	955157
Agila						
Opel Agila, Typ H-B	3.08 >	835 kg / 800 kg	30	1, 21	TÜV	959605
Astra						
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	35	1, 6, 12, 21	TÜV	955055
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	50/30	1, 2, 12, 17, 21	TÜV	955090
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	880 kg / 800 kg	60	1, 12, 17, 21	TÜV	955655
Opel Astra F, nur / only Diesel	10.91 > 3.98	855 kg / 800 kg	35	1, 12, 21		955156
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 885 kg	30	1, 12, 21	TÜV	955190
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	1035 kg / 885 kg	30	1, 12, 21	TÜV	955195
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	955690
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	ab 885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	955695
Opel Astra G Coupé, Cabrio, 1.8 16V, 2.0 16V T, 2.2 16V	3.00 > 12.04	ab 885 kg / 845 kg	30	1, 21	TÜV	955054
Opel Astra G Cabrio, 1.8 16V, 2.2 16V	3.01 > 12.04	ab 885 kg / 845 kg	40/25	1, 2, 21	TÜV	955054
Opel Astra G, Caravan 1.2, 1.6, 1.6 16V, ohne Niveaureg. / without self-leveling	3.98 > 10.04	885 kg / 960 kg	35	1, 7, 21	TÜV	955196
Opel Astra G, Caravan 1.8, 2.0, 1.7 DTI, 2.0 DTI, ohne Niveaureg. / without self-leveling	3.98 > 10.04	1035 kg / 960 kg	35	1, 7, 21	TÜV	955197
Opel Astra G, Typ T98, CC, Coupé, Cabrio, VA bis / up to 885 kg, nur VA-Feder / only front spring	3.98 > 10.05	885 kg / ---	40/0	1, 19, 21	TÜV	955102
Opel Astra G, Typ T98, CC, Coupé, Cabrio, VA über / more than 885 kg, nur VA-Feder / only front spring	3.98 > 10.05	1035 kg / ---	40/0	1, 19, 21	TÜV	955103
Opel Astra H, 1.4, 1.6, 1.8	4.04 > 12.09	960 kg / 925 kg	35	1, 12, 21	TÜV	955002
Opel Astra H, 1.3 CDTI, 1.7 CDTI, 1.9 CDTI, 2.0 T	4.04 > 12.09	1045 kg / 925 kg	35	1, 12, 21	TÜV	955003
Opel Astra H, Lim. / Sedan, Caravan, 1.4, 1.6, 1.8, nur VA-Feder / only front spring	4.04 > 10.10	960 kg / 925 kg	35/0	1, 19, 21	TÜV	955004
Opel Astra H, Lim. / Sedan, Caravan, 1.3 CDTI, 1.7 CDTI, 1.9 CDTI, 2.0 T, nur VA-Feder / only front spring	4.04 > 10.10	1045 kg / 925 kg	35/0	1, 19, 21	TÜV	955009
Opel Astra H, Caravan, 1.4, 1.6, 1.8	10.04 > 10.10	960 kg / 960 kg	35	1, 21	TÜV	955012
Opel Astra H, Caravan, 1.3 CDTI, 1.7 CDTI, 1.9 CDTI, 2.0 T	10.04 > 10.10	1045 kg / 960 kg	35	1, 21	TÜV	955013
Opel Astra H, GTC, VA bis / up to 960 kg	2.05 > 12.10	960 kg / 925 kg	35	1, 12, 21	TÜV	955002
Opel Astra H, GTC, VA über / more than 960 kg	2.05 > 12.10	1045 kg / 925 kg	35	1, 12, 21	TÜV	955003
Opel Astra H, Twin Top, VA bis / up to 960 kg	2.06 > 11.10	960 kg / 960 kg	35	1, 21	TÜV	955012
Opel Astra H, Twin Top, VA über / more than 960 kg	2.06 > 11.10	1045 kg / 960 kg	35	1, 21	TÜV	955013
Opel Astra J, Typ P-J	11.09 >	1155 kg / 1020 kg	40	1, 21	TÜV	955026
Opel Astra J, Typ P-J, Sports Tourer	11.10 >	1175 kg / 1060 kg	40	1, 21	i.V. / i.d.	955027
Opel Astra J, Typ P-J, GTC, VA bis / up to 1080 kg	11.11 >	1080 kg / 930 kg	30	1, 21	i.V. / i.d.	955029
Opel Astra J, Typ P-J, GTC, VA über / more than 1080 kg	11.11 >	1180 kg / 930 kg	30	1, 21	i.V. / i.d.	955018
Cascada						
Opel Cascada, Typ P-J/SWF, VA bis / up to 1160 kg	4.13 >	1160 kg / 1110 kg	30	1, 21,	i.V. / i.d.	955032
Corsa						
Opel Corsa A, incl. GSI (Kit ohne / without GSI)	8.83 > 2.93	680 kg / 670 kg	35	1, 21	TÜV	955025
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	35	1, 6, 21	TÜV	955085
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	40/25	1, 2, 6, 21	TÜV	955084
Opel Corsa C, VA bis / up to 790 kg	9.00 >	790 kg / ---	30	1, 21	TÜV	955094
Opel Corsa C, VA über / more than 790 kg	9.00 >	900 kg / ---	35	1, 21	TÜV	955095
Opel Corsa D, Typ S-D, VA bis / up to 850 kg	6.06 >	850 kg / ---	30	1, 21	TÜV	954008
Opel Corsa D, Typ S-D, VA über / more than 850 kg	6.06 >	990 kg / 845 kg	30	1, 21	TÜV	954009
Opel Corsa D, Typ S-D, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	50/40	1, 21		954023

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
OPEL						
GT						
Opel GT	5.07 > 7.09	880 kg / 900 kg	30	1, 21	TÜV	955016
Insignia						
Opel Insignia, Typ OG-A, Lim. / Sedan, 2WD	11.08 >	1140 kg / 1070 kg	30	1, 21	TÜV	955022
Opel Insignia, Typ OG-A, Sports Tourer, 2WD	11.08 >	1140 kg / 1160 kg	30	1, 21	i.V. / i.d.	955023
Meriva						
Opel Meriva A, VA bis / up to 885 kg	9.02 > 5.10	885 kg / 975 kg	30	1, 21	TÜV	955113
Opel Meriva A, VA bis / up to 1045 kg, ohne / without OPC	9.02 > 5.10	1045 kg / 975 kg	30	1, 21	TÜV	955114
Signum						
Opel Signum, Typ Z-C/S, Z-C/SW, VA bis / up to 1100 kg	3.03 > 8.08	1100 kg / 1080 kg	40	1, 21	TÜV	955089
Opel Signum, Typ Z-C/S, Z-C/SW, VA über / more than 1100 kg	3.03 > 8.08	1230 kg / 1080 kg	40	1, 21	TÜV	955072
Tigra Twin Top						
Opel Tigra Twin Top, Typ X-C, Roadster, VA bis / up to 790 kg	10.04 > 8.09	790 kg / 805 kg	35	1, 21	TÜV	955094
Opel Tigra Twin Top, Typ X-C, Roadster, VA über / more than 790 kg	10.04 > 8.09	900 kg / 805 kg	35	1, 21	TÜV	955095
Vectra						
Opel Vectra A, ACC, GL, GLS, CD, GT, ohne / without V6, ohne / without 16V	9.88 > 10.95	945 kg / 840 kg	30	1, 15, 21	TÜV	955065
Opel Vectra A, V6	3.93 > 10.95		35	1, 15, 21		955067
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 4 cyl., ohne / without Diesel	10.95 > 4.02		35/25	1, 2, 12, 21	TÜV	955130
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 6 cyl., Diesel	10.95 > 4.02		40/25	1, 12, 21	TÜV	955135
Opel Vectra B, Typ J96, Caravan, 4 cyl., ohne / without Diesel, ohne Niveaugreg. / without self-leveling	10.96 > 10.03	975 kg / ---	35/20	1, 2, 21	TÜV	955140
Opel Vectra C, Lim. / Sedan, 4 cyl., VA bis / up to 1000 kg	4.02 > 8.08	1000 kg / 1020 kg	30	1, 12, 21	TÜV	955146
Opel Vectra C, Lim. / Sedan, 2.0T, 6 cyl., Diesel, VA über / more than 1000 kg	4.02 > 8.08	1165 kg / 1020 kg	30	1, 12, 21	TÜV	955147
Opel Vectra C, Caravan, VA bis / up to 1100 kg, ohne Niveaugreg. / without self-leveling	10.03 > 10.08	1100 kg / 1140 kg	40	1, 21	TÜV	955089
Opel Vectra C, Caravan, VA über / more than 1100 kg, ohne Niveaugreg. / without self-leveling	10.03 > 10.08	1205 kg / 1140 kg	40	1, 21	TÜV	955072
Zafira						
Opel Zafira B, Typ A-H, 1.6, 1.8	6.05 >	1045 kg / 1140 kg	30	1, 21	TÜV	955006
Opel Zafira B, Typ A-H, 2.0 T, 2.2, 1.9 DTI	6.05 >	1155 kg / 1140 kg	30	1, 21	TÜV	955007
PEUGEOT						
106						
Peugeot 106, Typ 1C, 1A, 1.0, 1.1	9.91 >	710 kg / 680 kg	35	1, 19, 21	TÜV	950150
Peugeot 106, Typ 1C, 1A, 1.4, ohne / without 16V	9.91 >	785 kg / 730 kg	40	1, 19, 21	TÜV	950106
Peugeot 106, Typ 1C, 1A, 1.4, Rally, Sport	9.91 >		60	1, 17, 19, 21	TÜV	950149
Peugeot 106, Typ 1C, 1A, 1.5 Diesel, 16V, (16V - 20 mm)	9.91 >	785 kg / 730 kg	35	1, 19, 21	TÜV	950170
107 / 108						
Peugeot 107 / 108, Typ P	5.05 >	695 kg / 695 kg	35	1, 21	TÜV	959017
205						
Peugeot 205, Typ 741, A/B/C, 20 A/C/D, incl. 16V, Cabrio, 33 - 94 kW	2.83 > 8.98	750 kg / 680 kg	30	1, 19, 21	TÜV	950105
Peugeot 205, Typ 741, A/C, 20 A/C, 1.0, 1.1	2.83 > 8.98		35	1, 19, 21		950150
Peugeot 205, Typ 741, A/C, 20 A/C, 1.4, 1.6	2.83 > 8.98		60	1, 17, 19, 21		950149
206						
Peugeot 206, Typ 2, 1.1, 1.4, ohne / without Automatik	10.98 >	875 kg / 780 kg	60	1, 19, 21	TÜV	950680
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, ohne / without Diesel	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950180
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, 1.4 HDI, 2.0 HDI	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950185
Peugeot 206, Typ 2, 1.4 HDI, 1.6 16V, 2.0 HDI, incl. Automatik	10.98 >	875 kg / 780 kg	60	1, 17, 19, 21	TÜV	950680
Peugeot 206 CC, Typ NFU, RFN	1.01 >		35	1, 19, 21	TÜV	950146
Peugeot 206 CC, Typ NFU, RFN	1.01 >	875 kg / 780 kg	60	1, 17, 19, 21	TÜV	950681
Peugeot 206, SW, ohne / without Diesel	6.02 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950148
Peugeot 206, SW, Diesel	6.02 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950185
207						
Peugeot 207, 207 CC	12.05 > 3.12	1050 kg / 900 kg	40	1, 21	TÜV	950123
208						
Peugeot 208, Typ C, incl. GTI	4.12 >	1000 kg / 900 kg	30	1, 21	TÜV	950127
309 / 306						
Peugeot 309, Typ 3A, 3C, 10A, 10C	2.86 > 2.93	750 kg / 750 kg	40	1, 19, 21	TÜV	950105
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, ohne / without 2.0, VA bis / up to 950 kg	3.93 > 6.02	950 kg / ---	35	1, 19, 21	TÜV	950104
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Diesel, ohne / without 2.0, VA bis / up to 950 kg	3.93 > 6.02	950 kg / ---	35	1, 19, 21	TÜV	950125
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Break, ohne / without Diesel, VA bis / up to 950 kg	3.93 > 6.02		50	1, 17, 19, 21		950625
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Diesel, VA bis / up to 950 kg	3.93 > 6.02		50	1, 17, 19, 21		950625
Peugeot 306, Typ 7A, Break, VA bis / up to 950 kg	3.93 > 6.02	950 kg / ---	30	1, 19, 21	TÜV	950145
307						
Peugeot 307, Lim. / Sedan, 1.4, 1.6, 2.0, 2.0 HDI	9.01 >	1000 kg / 880 kg	35	1, 21	TÜV	950156
Peugeot 307, SW, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	950157
Peugeot 307, Break, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	950158
Peugeot 307, CC	10.03 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	950157
308						
Peugeot 308, Typ 4, Lim. / Sedan, CC	9.07 >	1200 kg / 960 kg	35/20	1, 21	TÜV	950116
405 / 406						
Peugeot 405, Typ 4B/E, 15 B/E, incl. Break, ohne / without 16V	9.87 > 9.95	850 kg / ---	30	1, 19, 21, AV	TÜV	950107



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
PEUGEOT						
Peugeot 406, Lim. / Sedan, 1.6, 1.8, ohne / without Diesel	10.95 > 5.04		35	1, 21		950130
Peugeot 406, Lim. / Sedan, 2.0, Diesel	1.97 > 5.04		35	1, 21		950140
Peugeot 406, Break, 1.6, 1.8	1.97 > 10.04		35	1, 21		950135
Peugeot 406, Break, 2.0, Diesel	1.97 > 10.04		35	1, 21		950155
407						
Peugeot 407, Lim. / Sedan, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	5.04 >	1100 kg / 1120 kg	35	1, 12, 21	TÜV	950112
Peugeot 407, Lim. / Sedan, 2.0 HDI, 2.2, VA über / more than 1100 kg	5.04 >	1200 kg / 1120 kg	35	1, 12, 21	TÜV	950113
Peugeot 407, SW, Break, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	10.04 >	1100 kg / 1120 kg	35	1, 21	TÜV	950114
Peugeot 407, SW, Break, 2.0 HDI, 2.2, VA über / more than 1100 kg	10.04 >	1200 kg / 1120 kg	35	1, 21	TÜV	950115
806						
Peugeot 806	9.94 > 8.02	1230 kg / 1300 kg	35	1, 21, AV		950160
1007						
Peugeot 1007	5.05 > 12.09		35	1, 21		950121
PONTIAC						
Firebird						
Pontiac Firebird V8 / Trans Am	82 > 92		30	1, 21		959212
Pontiac Firebird V8 / Trans Am	93 > 02		30	1, 21		959213
Grand Prix W-car						
Pontiac Grand Prix W-car	97 > 03		35	1, 21		959206
Solstice						
Pontiac Solstice	06 >		30	1, 21		955016
Sunfire						
Pontiac Sunfire	95 > 04		45	1, 21		959205
U-Van						
Pontiac U-Van, Trans Sport	90 > 96		30	1, 21		959200
Vibe						
Pontiac Vibe	95 > 04		45	1, 21		959013
PORSCHE						
Boxster						
Porsche Boxster, Typ 986, incl. S	10.96 > 10.04	775 kg / 940 kg	30	1, 21	TÜV	950703
Porsche Boxster, Typ 987	11.04 > 3.12	785 kg / 940 kg	30	1, 21		950706
Porsche Boxster, Typ 981, incl. S, PASM	4.12 >	785 kg / 930 kg	35	1, 18, 21	i.V. / i.d.	950710
Carrera						
Porsche Carrera 911, Typ 993, incl. 4S, ohne / without Turbo	10.93 > 98	760 kg / 1080 kg	30	1, 21	TÜV	950702
Porsche Carrera 911, Typ 996, 2WD, Coupé bis / up to 254 kW	97 >		30	1, 15, 21		950701
Porsche Carrera 911, Typ 996, Carrera II, Cabrio, Targa, bis / up to 254 kW	97 >		30	1, 21		950704
Porsche Carrera 911, Typ 996, 4S, Turbo	00 >		25	1, 21		950705
Porsche Carrera 911, Typ 997, 2WD, incl. S, Cabrio, PASM	7.04 >		30	1, 15, 21		950707
Porsche Carrera 911, Typ 991, 2WD, incl. S, Cabrio, PASM	12 >		30	1, 15, 21		950708
Cayman						
Porsche Cayman, Typ 987, incl. S	11.05 >		30	1, 21		950706
Porsche Cayman, Typ 981, incl. S, PASM	5.12 >	785 kg / 945 kg	35	1, 18, 21	i.V. / i.d.	950710
PROTON						
Kancell						
Proton Kancell, 660, 850	94 >		40	1, 21		952515
Perdana						
Proton Perdana	03 >		35	1, 21		952511
Saga						
Proton Saga, 1.3, 1.5	85 > 07		40	1, 21, AV		952500
Proton Saga	08 >		40	1, 21		952513
Satria Neo						
Proton Satria Neo	06 >		30	1, 21		952520
Wira						
Proton Wira, 1.6, 1.8	94 >		40	1, 21		952510
RENAULT						
Clio						
Renault Clio I, Typ B/C 57, incl. 16V	90 > 9.98	770 kg / 725 kg	40	1, 19, 21	TÜV	951211
Renault Clio II, Typ B, ohne / without Diesel	9.98 >	860 kg / 785 kg	40	1, 21		951266
Renault Clio II, Typ B, bis / up to 79 kW, VA bis / up to 860 kg	9.98 >	860 kg / 785 kg	35	1, 21	TÜV	951260
Renault Clio III, Typ R, bis / up to 6.10	8.05 > 6.10	950 kg / 880 kg	35	1, 21	TÜV	951224
Renault Clio III, Typ R	7.10 > 6.12	950 kg / 880 kg	35	1, 21	TÜV	951226
Renault Clio IV, Typ R, Lim. / Sedan, Grandtour, 2WD	11.12 >	960 kg / 891 kg	30	1, 7, 15, 21	TÜV	951227
Laguna						
Renault Laguna, Typ B56, K56, Lim. / Sedan, Grandtour, 1.6, 1.8, 2.0	1.94 > 3.01		35	1, 19, 21	TÜV	951270
Renault Laguna, Typ B56, K56, Lim. / Sedan, Grandtour, 1.9 Diesel, 2.2 Diesel, 3.0	1.94 > 3.01		35	1, 19, 21	TÜV	951275
Renault Laguna, Typ G, Lim. / Sedan, Grandtour, VA bis / up to 1070 kg	3.01 > 9.07	1190 kg / 1070 kg	35	1, 21	TÜV	951267

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
RENAULT						
Renault Laguna, Typ G, Lim. / Sedan, Grandtour, VA über / more than 1070 kg	3.01 > 9.07	1190 kg / 1070 kg	35	1, 21	TÜV	951268
Renault Laguna, Typ T	10.07 >	1280 kg / 1110 kg	35			951204
Mégane						
Renault Mégane, Typ BA, DA, LA, EA, Coach, Classic, Cabrio, Benzin bis / petrol up to 84 kW, Diesel bis / up to 74 kW, incl. 1.6 16V, ohne / without 2.0 16V	1.96 > 12.02	1050 kg / 1080 kg	40	1, 19, 21	TÜV	951250
Renault Mégane, Grandtour ab / from 9.97, nur / only 2.0 16V	1.96 > 6.03		30	1, 19, 21		951280
Renault Mégane, Grandtour bis / up to 84 kW	9.97 > 6.03		40	1, 19, 21		951285
Renault Mégane, Typ M, Lim. / Sedan, HA bis / up to 930 kg	6.03 > 9.08	1060 kg / 930 kg	35	1, 21	TÜV	951253
Renault Mégane, Typ M, Grandtour, CC, HA über / more than 930 kg	6.03 > 9.08	1060 kg / 1010 kg	35	1, 21	TÜV	951254
Renault Mégane, Typ Z, Lim. / Sedan, Coupé, 2.0, 1.9 dCi, 3.0 dCi, VA ab / from 990 kg	10.08 >	1102 kg / 962 kg	30	1, 21	TÜV	951206
Scénic						
Renault Scénic, Typ JA, bis / up to 102 kW	1.97 > 6.03	1050 kg / 1000 kg	40	1, 19, 21	TÜV	951255
Renault Scénic, Typ JM	6.03 > 2.09	1130 kg / 1025 kg	35	1, 21	TÜV	951254
Renault Scénic, Typ JZ, 1.2, 1.4, 1.6, 2.0, 1.5dCi, 1.6dCi, 1.9dCi, 2.0dCi	2.09 >	1230 kg / 1235 kg	35			951256
Twingo						
Renault Twingo, Typ C06	6.93 > 6.01	700 kg / 690 kg	35	1, 21	TÜV	951212
Renault Twingo, Typ C06	6.01 > 6.07	700 kg / 690 kg	35	1, 21	TÜV	951203
Renault Twingo, Typ N, bis / up to 75 kW	7.07 > 14	810 kg / 710 kg	20/30	1, 21	TÜV	951219
Renault Twingo, Typ AH	9.14 >	610 kg / 790 kg	35	1, 21	TÜV	951240
ROVER						
200 / 400 / 600						
Rover 200, 400, Typ XW	5.90 > 5.96	900 kg / 790 kg	30	1, 21, AV	TÜV	957093
Rover 200, Typ RF	5.96 > 3.00		35	1, 21		957095
Rover 600, Typ RH, 375, 376, 377, 620i bis / up to 623Si, 77 - 147 kW	8.93 > 2.99	990 kg / 950 kg	30	1, 21, AV	TÜV	957083
SATURN						
Sky						
Saturn Sky	06 > 09		30	1, 21		955016
SCION						
Xa / Xb / Tc						
Scion Xa / Xb	04 > 07		30	1, 21		959025
Scion Tc	05 >		40/30	1, 21		959084
FR-S						
Scion FR-S	3.12 >		25	1, 21		959056
SAAB						
900						
Saab 900	7.93 > 12.97	1040 kg / 980 kg	35	1, 21		951820
9-3 / 9-5						
Saab 9-3, Typ YS3DXXXX, incl. Cabrio	3.98 > 7.02	1045 kg / 875 kg	35	1, 21	TÜV	951815
Saab 9-3, Typ YS3FXXXX, Lim. / Sedan, VA bis / up to 1000 kg	9.02 >	1000 kg / 1010 kg	35	1, 12, 21	TÜV	951808
Saab 9-3, Typ YS3FXXXX, Lim. / Sedan, VA über / more than 1000 kg	9.02 >	1125 kg / 1010 kg	35	1, 12, 21	TÜV	951809
Saab 9-3, Typ YS3FXXXX, Sport Combi, VA bis / up to 1100 kg	6.05 >	1100 kg / 1100 kg	40	1, 21	TÜV	955089
Saab 9-3, Typ YS3FXXXX, Sport Combi, VA über / more than 1100 kg	6.05 >	1125 kg / 1000 kg	40	1, 21	TÜV	955072
Saab 9-3, Typ YS3FX7XXX, Cabrio, VA bis / up to 1000 kg	5.03 >	1000 kg / 1010 kg	35	1, 12, 21	TÜV	951811
Saab 9-3, Typ YS3FX7XXX, Cabrio, VA über / more than 1000 kg	5.03 >	1125 kg / 1010 kg	35	1, 12, 21	TÜV	951812
Saab 9-5, Typ YS3EXXX	10.97 > 10		35	1, 12, 21		951810
SEAT						
Alhambra						
Seat Alhambra, Typ 7MS	9.95 > 3.10	1280 kg / 1330 kg	35	1, 15, 21	TÜV	953115
Seat Alhambra, Typ 7N	6.10 >	1300 kg / 1340 kg	30	1, 21	i.V. / i.d.	956179
Altea						
Seat Altea, Typ 5P, 1.6, 2.0 FSI, 1.9 TDI, 2.0 TDI	5.04 >	1106 kg / 1015 kg	40	1, 21	TÜV	956118
Arosa						
Seat Arosa, Typ 6H, 6HS	4.97 > 6.04	800 kg / 695 kg	40	1, 21	TÜV	951340
Exeo						
Seat Exeo, Typ 3R, 1.6, 1.8	3.09 >	1065 kg / 1136 kg	40	1, 21	TÜV	951305
Seat Exeo, Typ 3R, 2.0 TFSI, 2.0 TDI	3.09 >	1220 kg / 1136 kg	40	1, 21	TÜV	951306
Seat Exeo, Typ 3R, 3RN, Sports Tourer, 1.6, 1.8	11.09 >	1065 kg / 1136 kg	40	1, 21	TÜV	951305
Seat Exeo, Typ 3R, 3RN, Sports Tourer, 2.0 TFSI, 2.0 TDI	11.09 >	1220 kg / 1136 kg	40	1, 21	TÜV	951306
Ibiza / Cordoba / Cupra						
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	8.93 > 12.95	910 kg / 790 kg	40	1, 21	TÜV	951351
Seat Ibiza Cupra, Typ 6K, 6K/C	96 > 99	910 kg / 790 kg	25	1, 21	TÜV	951350
Seat Ibiza, Cordoba, Typ 6K, 6K/C	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	951350
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	951351
Seat Cordoba Vario, nur / only TDI	6.97 > 8.99		35	1, 21		951356
Seat Ibiza, Typ 6L, VA bis / up to 890 kg	4.02 >	890 kg / 810 kg	30	1, 21	TÜV	951318
Seat Ibiza, Typ 6L, VA über / more than 890 kg	4.02 >	960 kg / 810 kg	30	1, 21	TÜV	951319
Seat Cordoba, Typ 6L, VA bis / up to 890 kg	5.03 >	890 kg / 845 kg	35	1, 15, 21	TÜV	951323
Seat Cordoba, Typ 6L, VA über / more than 890 kg	5.03 >	960 kg / 845 kg	35	1, 15, 21	TÜV	951324



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
SEAT						
Seat Ibiza, Typ 6J, VA bis / up to 860 kg	9.08 >	860 kg / 870 kg	30	1, 21	TÜV	951302
Seat Ibiza, Typ 6J, VA über / more than 860 kg	9.08 >	950 kg / 870 kg	30	1, 21	TÜV	951304
Leon						
Seat Leon, Typ 1M, 1.4, 1.6	9.99 > 3.06	900 kg / 965 kg	35	1, 15, 21	TÜV	951390
Seat Leon, Typ 1M, 1.8, 1.8 T, 1.9 SDI, 1.9 TDI	9.99 > 3.06	995 kg / 965 kg	35	1, 15, 21	TÜV	951395
Seat Leon, Typ 1M, 1.4, 1.6	9.99 > 3.06	910 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	951387
Seat Leon, Typ 1M, 1.8, 1.8 T, 1.9 SDI, 1.9 TDI	9.99 > 3.06	995 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	951388
Seat Leon, Typ 1M, 4motion, VA bis / up to 1020 kg	9.99 > 3.06		40	1, 18, 21, 23	TÜV	950003
Seat Leon, Typ 1P, VA bis / up to 1020 kg	9.05 >	1020 kg / 950 kg	35	1, 15, 21	TÜV	951300
Seat Leon, Typ 1P, VA über / more than 1020 kg	9.05 >	1077 kg / 950 kg	35	1, 15, 21	TÜV	951301
Seat Leon, Typ 5F, VA bis / up to 1010 kg, bis / up to 110 kW, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951331
Seat Leon, Typ 5F, VA über / more than 1010 kg, bis / up to 110 kW, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951332
Seat Leon, Typ 5F, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.12 >	930 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951333
Seat Leon, Typ 5F, VA von / from 931kg bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.12 >	1010 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951334
Seat Leon, Typ 5F, VA über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.12 >	1080 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951335
Seat Leon, Typ 5F, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1010 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951346
Seat Leon, Typ 5F, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1080 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951347
Seat Leon, Typ 5F, ST, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1010 kg / 1050 kg	40/30	1, 15, 21, 71	TÜV	951348
Seat Leon, Typ 5F, ST, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1080 kg / 1050 kg	40/30	1, 15, 21, 71	TÜV	951349
Mii						
Seat Mii, Typ AA	12.11 >	680 kg / 640 kg	40	1, 21	TÜV	951345
Toledo						
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 795 kg, HA bis / up to 740 kg	9.91 > 2.99	795 kg / 740 kg	40	1, 21	TÜV	951310
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 840 kg, HA bis / up to 740 kg	9.91 > 2.99	840 kg / 740 kg	60	1, 17, 21	TÜV	956656
Seat Toledo, Typ 1M, 1.4, 1.6, 1.8	3.99 > 9.04	910 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	951387
Seat Toledo, Typ 1M, V5, 1.9 TDI	3.99 > 9.04	995 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	951388
Seat Toledo, Typ 1M, V5, 1.9 TDI	3.99 > 9.04	995 kg / 965 kg	35	1, 2, 17, 21, 23	TÜV	951395
Seat Toledo, Typ 5P	12.04 >	1106 kg / 1015 kg	40	1, 21	TÜV	956118
Seat Toledo, Typ NH, 2WD	3.13 >	940 kg / 895 kg	30	1, 7, 15, 21	i.V. / i.d.	951446
SKODA						
Citigo						
Skoda Citigo, Typ AA	12.11 >	680 kg / 640 kg	40	1, 21	TÜV	951430
Fabia						
Skoda Fabia, Typ 6Y, 1.0, 1.2, 1.4, 1.4 16V, 1.4 TDI, incl. Kombi	1.00 > 12.07	900 kg / 840 kg	40	1, 21	TÜV	951420
Skoda Fabia, Typ 6Y, 2.0, 1.9 SDI, 1.9 TDI, incl. RS + Kombi	1.00 > 12.07	960 kg / 840 kg	40	1, 21	TÜV	951425
Skoda Fabia, Typ 5J, 1.2, 1.4, 1.6, VA bis / up to 920 kg	4.07 >	920 kg / 840 kg	30	1, 21	TÜV	951420
Skoda Fabia, Typ 5J, 1.4 TDI, 1.9 TDI, VA über / more than 920 kg	1.08 >	960 kg / 840 kg	30	1, 21	TÜV	951425
Skoda Fabia RS, Typ 5J	8.10 >	960 kg / 840 kg	20	1, 21		951426
Octavia						
Skoda Octavia, Typ 1U, 1.6, VA bis / up to 910 kg	1.97 > 5.04	910 kg / ---	35	1, 12, 15, 21	TÜV	951400
Skoda Octavia, Typ 1U, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	1.97 > 5.04	1020 kg / ---	35	1, 12, 15, 21	TÜV	951405
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / ---	35	1, 15, 21	TÜV	951410
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	6.98 > 5.04	1020 kg / ---	35	1, 15, 21	TÜV	951415
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951413
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951414
Skoda Octavia, Typ 1Z, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
Skoda Octavia, Typ 1Z, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
Skoda Octavia, Typ 1Z, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1100 kg	50	1, 15, 21	TÜV	950018
Skoda Octavia, Typ 1Z, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1100 kg / 1100 kg	50	1, 15, 21	TÜV	950019
Skoda Octavia, Typ 1Z, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	950020
Skoda Octavia, Typ 1Z, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	950021
Skoda Octavia, Typ 1Z, Kombi, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
Skoda Octavia, Typ 1Z, Kombi, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
Skoda Octavia Lim. / Sedan, Typ 5E, VA von / from 931 kg bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951441
Skoda Octavia Lim. / Sedan, Typ 5E, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951442
Skoda Octavia Lim. / Sedan, Typ 5E, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear-axle	2.13 >	930 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951443
Skoda Octavia Lim. / Sedan, Typ 5E, VA von / from 931 kg bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear-axle	2.13 >	1010 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951444
Skoda Octavia Lim. / Sedan, Typ 5E, VA über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear-axle	2.13 >	1080 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951445
Skoda Octavia Lim. / Sedan, incl. RS, Typ 5E, VA von / from 931 kg bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1010 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951447

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
SKODA						
Skoda Octavia Lim. / Sedan, incl. RS, Typ 5E, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1080 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951448
Skoda Octavia Kombi, Typ 5E, 2WD, incl. RS, nur / only Mehrlenker-HA / multi-link rear-axle	13 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951449
Skoda Octavia Kombi, Typ 5E, 2WD, incl. RS nur / only Mehrlenker-HA / multi-link rear-axle	13 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951450
Rapid						
Skoda Rapid, Typ NH, 2WD, incl. Spaceback	10.12 >	940 kg / 895 kg	20	1, 7, 15, 21		951446
Roomster						
Skoda Roomster, Typ 5J, 1.2, 1.4, 1.6 16V	9.06 >	960 kg / 900 kg	30	1, 21	TÜV	951416
Skoda Roomster, Typ 5J, 1.2TDI, 1.4 TDI, 1.6TDI, 1.9 TDI	9.06 >	960 kg / 900 kg	30	1, 21	TÜV	951409
Superb						
Skoda Superb, Typ 3U, 1.8, 2.0 VA bis / up to 1115 kg	2.02 > 3.08	1115 kg / 1060 kg	40	1, 12, 15, 21	TÜV	951407
Skoda Superb, Typ 3U, 2.8 V6, Diesel, VA über / more than 1115 kg	2.02 > 3.08	1210 kg / 1060 kg	40	1, 12, 15, 21	TÜV	951408
Skoda Superb, Typ 3T, 1.4, 1.8, VA bis / up to 1070 kg	6.08 >	1070 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	956076
Skoda Superb, Typ 3T, 2.0, 3.6 V6, und / and Diesel, VA über / more than 1070 kg	6.08 >	1200 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	956078
SUBARU						
BRZ						
Subaru BRZ, Typ ZC	3.12 >		25	1, 21		959056
Impreza						
Subaru Impreza Turbo, Typ GD, GG, WRX, WRX-STI	1.95 > 12.99		30	1, 21, AV		959505
Subaru Impreza, WRX	04 >		30	1, 21		959508
Subaru Impreza, 1.5R, 2.0R, 2.5T, WRX, 4WD	10.07 > 6.10		30	1, 21		959516
Subaru Impreza, 2.5 WRX-STI	3.07 > 6.10		15	1, 21		959517
Justy						
Subaru Justy, Typ G3X	9.03 > 07	800 kg / 760 kg	30	1, 21	TÜV	953402
Subaru Justy, Typ M3	07 >		40	1, 21		950315
Legacy						
Subaru Legacy, Typ BG3, 5, 7, 9, 4WD, 1.8, 2.0, 2.5	6.94 > 6.98		30	1, 21, AV		959515
Subaru Legacy, Typ BG5, Station Wagon (für Bilstein Dämpfer / for Bilstein shocks)	6.94 > 6.98		30	1, 21, AV		959514
Subaru Legacy, Typ BL, BP	10.03 >	1070 kg / 1060 kg	30	1, 21		959510
SUZUKI						
Alto						
Suzuki Alto	92 > 02		30	1, 21		959607
Forenza						
Suzuki Forenza (US)	7.03 > 12.06		35	1, 21		959222
Ignis						
Suzuki Ignis, Typ MH	9.03 >	800 kg / 760 kg	40	1, 21	TÜV	953402
Splash						
Suzuki Splash, Typ EX	5.05 >	835 kg / 800 kg	40	1, 21	TÜV	959605
Swift						
Suzuki Swift, Typ EA	2.89 > 12.03		40	1, 21		959610
Suzuki Swift, Typ MZ	5.05 > 8.10	835 kg / 800 kg	40	1, 21	TÜV	959605
Suzuki Swift, Typ NZ, excl. 1.6 Sport	9.10 >	850 kg / 830 kg	25	1, 21	TÜV	953403
TOYOTA						
GT 86						
Toyota GT 86, Typ ZN	3.12 >		25	1, 21		959056
Altis						
Toyota Altis, (nur Asien / only Asia)	92 >		30	1, 21		959006
Auris						
Toyota Auris, Verbundlenker-HA / twist-beam rear axle	3.07 >	1100 kg / 1010 kg	35	1, 21		959037
Avensis						
Toyota Avensis, Typ T22, Lim. / Sedan	98 > 3.03		35	1, 21	TÜV	959090
Toyota Avensis, Typ T22, Kombi, 1.6 bis / up to 2.0, Diesel	98 > 3.03		35	1, 21	TÜV	959095
Toyota Avensis, Typ T25, Lim. / Sedan	4.03 >	1070 kg / 1035 kg	30/40	1, 21	TÜV	959084
Toyota Avensis, Typ T25, Kombi	4.03 >	1070 kg / 1035 kg	35/40	1, 21	TÜV	959019
Toyota Avensis, Typ T27, Lim. / Sedan, Benzin / petrol	1.09 >	1215 kg / 1135 kg	40	1, 21		959051
Toyota Avensis, Typ T27, Lim. / Sedan, Diesel	1.09 >	1215 kg / 1135 kg	40	1, 21		959052
Toyota Avensis, Typ T27, Kombi, Benzin / petrol	1.09 >	1215 kg / 1135 kg	40	1, 21		959053
Toyota Avensis, Typ T27, Kombi, Diesel	1.09 >	1215 kg / 1135 kg	40	1, 21		959054
Aygo						
Toyota Aygo, Typ AB1	5.05 >	695 kg / 695 kg	35	1, 21	TÜV	959017
Camry / Solara / Avalon						
Toyota Camry, Typ V10, SX, VX V10, Lim. / Sedan, 6 cyl.	9.91 > 10.96		40	1, 21, AV		959075
Toyota Camry, Solara, Avalon Typ V20, 2.2, 3.0	10.96 > 03		40	1, 21		959080
Toyota Camry, Typ V30, 2.4, 3.0	11.01 > 12.06	1200 kg / 1200 kg	40	1, 21		959015
Toyota Camry, Avalon	07 >		35	1, 21		959042
Carina						
Toyota Carina II, Typ T17	88 > 6.92	875 kg / 945 kg	35	1, 21, AV	TÜV	959035
Toyota Carina E, Typ T19, T19U, Kombi	2.96 > 2.98		35	1, 21	TÜV	959020



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
TOYOTA						
Toyota Carina	3.98 >		35	1, 21		959083
Celica						
Toyota Celica, Typ T20, 1.8, 85 - 94 kW	3.94 > 99	850 kg / 835 kg	35	1, 21	TÜV	959060
Toyota Celica, Typ T23	9.99 > 6.05	960 kg / 945 kg	35	1, 21	TÜV	959099
Corolla						
Toyota Corolla, Typ E9, 47 - 92 kW	5.87 > 4.92	815 kg / 850 kg	35	1, 15, 21, AV	TÜV	959005
Toyota Corolla, Typ E10, E11, E11 U	5.92 > 1.02	925 kg / 925 kg	35	1, 21	TÜV	959055
Toyota Corolla, Typ E12 U, J, T, J1, Lim. / Sedan, Kombi, Verso	1.02 >	1000 kg / 970 kg	35	1, 21	TÜV	959013
Toyota Corolla, Typ R1, Verso	4.04 >		35	1, 21		959034
Fortuner						
Toyota Fortuner	05 >		35	1, 21		959049
Innova						
Toyota Innova	05 >		30	1, 21		959026
IQ						
Toyota IQ, Typ AJ1	3.09 >	700 kg / 650 kg	30	1, 21	TÜV	959044
Matrix						
Toyota Matrix	03 >		45	1, 21		959013
MR 2						
Toyota MR 2, Typ W 3	7.00 >		30	1, 21		959004
Paseo						
Toyota Paseo, bis / up to 66 kW	3.96 > 6.99	750 kg / 750 kg	35	1, 21	TÜV	959085
Starlet						
Toyota Starlet, Tercel, Typ P9, bis / up to 55 kW	3.96 > 98		35	1, 21	TÜV	959065
Vitz						
Toyota Vitz	06 >		30	1, 21		959028
Yaris						
Toyota Yaris, Typ P1, P2 Verso	4.99 > 10.05	830 kg / 830 kg	35	1, 21	TÜV	959025
Toyota Yaris, Typ XP9, XP9F	11.05 > 9.11	895 kg / 825 kg	35	1, 21	TÜV	959028
Toyota Yaris, Typ XP13M, XP13N	10.11 >	895 kg / 825 kg	35	1, 21		959028
VW						
Beetle						
VW Beetle, Typ 9C, 1.8 T, 2.0, 1.9 TDI	9.98 > 7.10	1020 kg / 800 kg	40	1, 21	TÜV	956019
VW Beetle, Typ 9C, 1.8 T, 2.0	9.98 > 7.10	990 kg / 800 kg	55	1, 17, 21	TÜV	956618
VW Beetle Cabrio, Typ 1Y	3.02 >	1030 kg / 840 kg	40	1, 21	TÜV	956028
VW Beetle, Typ 16, VA bis / up to 1020 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.11 >	1020 kg / 950 kg	30	1, 21, 72	i.V. / i.d.	956122
VW Beetle, Typ 16, VA über / more than 1020 kg, nur / only 147 kW, nur / only Mehrlenker-HA / multi-link rear axle	11.11 >	1077 kg / 950 kg	30	1, 21, 71	TÜV	956123
Bora						
VW Bora, Typ 1J, Lim. / Sedan, 1.6, 1.6 16V	11.98 > 9.05	910 kg / 950 kg	40	1, 12, 15, 18, 21, 23	TÜV	956023
VW Bora, Typ 1J, Lim. / Sedan, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	11.98 > 9.05	1005 kg / 950 kg	40	1, 12, 15, 18, 21, 23	TÜV	956024
VW Bora, Typ 1J, Lim. / Sedan, 4motion, VA bis / up to 1030 kg	11.98 > 12.04		40	1, 21, 23	TÜV	950003
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V	4.99 > 12.04	910 kg / 1000 kg	40	1, 15, 18, 21, 23	TÜV	956125
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 12.04	1005 kg / 1000 kg	40	1, 15, 18, 21, 23	TÜV	956130
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	4.99 > 12.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951413
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 12.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951414
Caddy						
VW Caddy, Typ 2K, 2KN, Caddy Life, Caddy Maxi Life, 2WD	5.04 >	1130 kg / 1300 kg	45/0	1, 19, 21		956126
VW Caddy, Typ 2K, 2KN, Caddy Life, Caddy Maxi Life, 2WD	5.04 >	1200 kg / 1300 kg	45/0	1, 19, 21		956127
Corrado						
VW Corrado, Typ 53i, 2.0, 16V, VR6	9.88 > 95	980 kg / 840 kg	35	1, 21	TÜV	956057
Eos						
VW Eos, Typ 1F, VA bis / up to 1070 kg, incl. Facelift	1.06 >	1070 kg / 1060 kg	35	1, 21	TÜV	956076
VW Eos, Typ 1F, VA über / more than 1070 kg, incl. Facelift	1.06 >	1120 kg / 1060 kg	35	1, 21	TÜV	956078
Fox						
VW Fox, Typ 5Z, VA bis / up to 870 kg	5.05 > 7.11	870 kg / 800 kg	40	1, 21	TÜV	951420
Golf I / Jetta I						
VW Golf I / Jetta I, Typ 17, ohne / without Diesel, ohne / without Automatik	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21	TÜV	956005
VW Golf I / Jetta I, Typ 17, 17CK, GTI, Diesel, Automatik, 37 - 82 kW	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21	TÜV	956006
VW Golf I Cabrio, Typ 155, 37 - 82 kW	9.77 > 8.93	785 kg / 640 kg	40	1, 14, 21	TÜV	956006
Golf II / Jetta II						
VW Golf II / Jetta II, Typ 19E, bis / up to 118 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	40	1, 6, 15, 21	TÜV	956015
VW Golf II / Jetta II, Typ 19E, bis / up to 118 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	956080
VW Golf II / Jetta II, Typ 19E, 16V, Diesel	8.83 > 10.91	840 kg / 740 kg	40	1, 15, 21	TÜV	956016
VW Golf II / Jetta II, Typ 19E, 16V, Diesel	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	956081
VW Golf II / Jetta II, Typ 19E, bis / up to 118 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60	1, 15, 17, 21	TÜV	956656
Golf III / Vento						
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 85 kW, GTI, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	40/25	1, 2, 6, 12, 15, 16, 21	TÜV	956055
VW Golf III / Vento, Typ 1HX0, 1EX0, 16V, VR6, Diesel, Cabrio	9.91 > 8.94	980 kg / 840 kg	35	1, 5, 12, 15, 16, 21	TÜV	956056

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
VW						
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	50/30	1, 2, 12, 15, 16, 17, 21TÜV		956084
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	980 kg / 890 kg	60	1, 12, 15, 16, 17, 21	TÜV	956656
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, incl. Cabrio bis / up to 4.95, bis / up to 85 kW, GTI, ohne / without Diesel	9.94 > 10.97	920 kg / 800 kg	40	1, 6, 12, 15, 16, 21	TÜV	956054
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, 1E, 16V, VR6, Diesel, (incl. Cabrio bis / up to 4.95)	9.94 > 10.97	980 kg / 840 kg	35	1, 11, 12, 15, 16, 21	TÜV	956060
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97		50/30	1, 2, 12, 15, 16, 17, 21TÜV		956085
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97	980 kg / 890 kg	60	1, 12, 15, 16, 17, 21	TÜV	956657
VW Golf III Cabrio, Typ 1EX0, 1E	4.95 > 6.02	980 kg / 840 kg	35	1, 15, 21	TÜV	956061
Golf IV						
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 965 kg	35	1, 12, 15, 21, 23	TÜV	956095
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 965 kg	40	1, 12, 15, 21, 23	TÜV	956098
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	956695
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	956698
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23TÜV		956082
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, V5	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23TÜV		956083
VW Golf IV, Typ 1J, 4motion, VA bis / up to 1030 kg	9.97 > 8.04	1030 kg / 1100 kg	40	1, 18, 21, 23	TÜV	950003
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V	4.99 > 6.06	910 kg / 1000 kg	40	1, 15, 21, 23	TÜV	956115
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 6.06	1020 kg / 1000 kg	40	1, 15, 21, 23	TÜV	956120
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	4.99 > 6.06	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951413
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 6.06	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951414
Golf V / Golf V Plus						
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg	10.03 > 9.08	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	10.03 > 9.08	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg	10.03 > 9.08	1020 kg / 1020 kg	50	1, 15, 21	TÜV	950018
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	10.03 > 9.08	1130 kg / 1020 kg	50	1, 15, 21	TÜV	950019
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg	10.03 > 9.08	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	950020
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	10.03 > 9.08	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	950021
VW Golf V, Typ 1K, 4motion, VA bis / up to 1020 kg	8.04 >	1020 kg / 1150 kg	35	1, 21	TÜV	950007
VW Golf V, Typ 1K, 4motion, VA über / more than 1020 kg	8.04 >	1140 kg / 1150 kg	35	1, 21	TÜV	950008
VW Golf V, Typ 1K, GTI, VA über / more than 1020 kg	10.03 >	1130 kg / 1020 kg	25	15, 21	TÜV	950019
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg	5.07 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	5.07 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg	5.07 >	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	950020
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	5.07 >	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	950021
VW Golf V Plus, Typ 1KP, VA bis / up to 1020 kg	2.05 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf V Plus, Typ 1KP, VA über / more than 1020 kg	2.05 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
Golf VI / Golf VI Plus						
VW Golf VI, Typ 1K, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	10.08 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	956032
VW Golf VI, Typ 1K, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	10.08 >	1140 kg / 1020 kg	35	1, 15, 21	TÜV	956033
VW Golf VI, Typ 1K, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	10.08 >	1020 kg / 1100 kg	50	1, 15, 21	TÜV	956034
VW Golf VI, Typ 1K, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	10.08 >	1100 kg / 1100 kg	50	1, 15, 21	TÜV	956035
VW Golf VI, Typ 1K, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	10.08 >	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	956036
VW Golf VI, Typ 1K, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	10.08 >	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	956037
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	8.09 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	956032
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	8.09 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	956033
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	8.09 >	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	956036
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	8.09 >	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	956037
VW Golf VI Plus, Typ 1KP, VA bis / up to 1020 kg	2.05 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf VI Plus, Typ 1KP, VA über / more than 1020 kg	2.05 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Golf VI, Typ 1K, GTI, GTD	3.09 >	1100 kg / 1100 kg	25	15, 21	TÜV	956071
VW Golf VI, Typ 1K, Cabrio, VA bis / up to 1020 kg	6.11 >	1020 kg / 1100 kg	40	1, 15, 21	TÜV	956156
VW Golf VI, Typ 1K, Cabrio, VA über / more than 1020 kg	6.11 >	1100 kg / 1100 kg	40	1, 15, 21	TÜV	956157
Golf VII						
VW Golf VII, Typ AU, 1.4 TSI 90 kW, 1.4 TSI 103 kW, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	956141
VW Golf VII, Typ AU, 2.0 TDI 110 kW, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	956142
VW Golf VII, Typ AU, 1.2 TSI 63 kW, 1.2 TSI 77 kW, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	930 kg / 1050 kg	35	1, 15, 21, 72	TÜV	956139
VW Golf VII, Typ AU, 1.6 TDI 77 kW, 1.6 TDI 81 kW, VA bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1010 kg / 1050 kg	35	1, 15, 21, 72	TÜV	956145
VW Golf VII, Typ AU, 1.6 TDI 81 kW DSG, über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1080 kg / 1050 kg	35	1, 15, 21, 72	TÜV	956143
VW Golf VII, Typ AU, 4motion, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1060 kg / 950 kg	35	1, 21, 59, 71	i.V. / i.d.	956148
VW Golf VII, Typ AU, 1.4 TSI 90 kW, 1.4 TSI 103 kW, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1010 kg / 1050 kg	45	1, 15, 21, 71	TÜV	956146
VW Golf VII, Typ AU, 2.0 TDI 110 kW, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1080 kg / 1050 kg	45	1, 15, 21, 71	TÜV	956147



SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
VW						
VW Golf VII, Typ AU, 1.2 TSI 63 kW, 1.2 TSI 77 kW, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	930 kg / 950 kg	45	1, 15, 21, 72	i.V. / i.d.	956149
VW Golf VII, Typ AU, 1.6 TDI 77 kW, 1.6 TDI 81 kW, VA bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1010 kg / 950 kg	45	1, 15, 21, 72	i.V. / i.d.	956150
VW Golf VII, Typ AU, 1.6 TDI 81 kW DSG, über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1080 kg / 1050 kg	45	1, 15, 21, 72	i.V. / i.d.	956158
VW Golf VII, Typ AUV, Variant, 2WD, VA bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	9.13 >	1010 kg / 1040 kg	40/30	1, 15, 21, 72	i.V. / i.d.	956153
VW Golf VII, Typ AUV, Variant, 2WD, VA über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	9.13 >	1090 kg / 1040 kg	40/30	1, 15, 21, 72	i.V. / i.d.	956154
Golf VII GTI / GTD / R						
VW Golf VII, Typ AU, GTI	3.13 >	1010 kg / 1050 kg	20	15, 21, 71	TÜV	956141
VW Golf VII, Typ AU, GTI, GTI Performance, GTD	3.13 >	1080 kg / 1050 kg	20	15, 21, 71	TÜV	956142
VW Golf VII, Typ AU, GTI	3.13 >	1010 kg / 1050 kg	30	15, 21, 71	TÜV	956146
VW Golf VII, Typ AU, GTI, GTI Performance, GTD	3.13 >	1080 kg / 1050 kg	30	15, 21, 71	TÜV	956147
VW Golf VII R, Typ AU	11.13 >	1080 kg / 980 kg	25	21, 59, 71	TÜV	956151
Jetta						
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg	9.05 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg	9.05 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg	9.05 >	1020 kg / 1020 kg	50	1, 15, 21	TÜV	950018
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg	9.05 >	1130 kg / 1020 kg	50	1, 15, 21	TÜV	950019
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg	9.05 >	1020 kg / 1020 kg	50/30	1, 15, 21	TÜV	950020
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg	9.05 >	1130 kg / 1020 kg	50/30	1, 15, 21	TÜV	950021
VW Jetta, Typ 16, nur / only Verbundlenker-HA / Twist-beam rear-axle, USA-model	6.10 >	1020 kg / 960 kg	35	1, 21, 72		956144
VW Jetta, Typ 16, nur / only Mehrlenker-HA / multi-link rear-axle	6.10 >		35	1, 21, 71		950008
Lupo						
VW Lupo, Typ 6X, ohne / without GTI, ohne / without Diesel	9.98 > 4.05	820 kg / 700 kg	40	1, 21	TÜV	956009
Passat						
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	11.96 > 3.05	1190 kg / 1010 kg	35	1, 8, 15, 21	TÜV	956066
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	11.96 > 3.05	1190 kg / 1010 kg	40	1, 8, 15, 21	TÜV	956067
VW Passat, Typ 3B, 3BG (B5), Variant, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.97 > 8.05	1190 kg / 1070 kg	35	1, 8, 15, 21	TÜV	956096
VW Passat, Typ 3B, 3BG (B5), Variant, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	3.97 > 8.05	1190 kg / 1070 kg	40	1, 8, 15, 21	TÜV	956097
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, Variant, bis / up to 147 kW, 4motion	3.97 > 8.05	1200 kg / 1170 kg	35	1, 7, 8, 21	TÜV	956088
VW Passat, Typ 3C (B6/B7), Lim. / Sedan, VA bis / up to 1070 kg	3.05 >	1070 kg / 1085 kg	40	1, 8, 12, 15, 21	TÜV	956076
VW Passat, Typ 3C (B6/B7), Lim. / Sedan, VA über / more than 1070 kg	3.05 >	1180 kg / 1100 kg	40	1, 8, 12, 15, 21	TÜV	956078
VW Passat, Typ 3C (B6/B7), Lim. / Sedan, VA bis / up to 1070 kg	3.05 >	1070 kg / 1085 kg	20	1, 8, 12, 15, 21		956038
VW Passat, Typ 3C (B6/B7), Variant, VA bis / up to 1070 kg	8.05 >	1070 kg / 1090 kg	40	1, 8, 15, 21	TÜV	956176
VW Passat, Typ 3C (B6/B7), Variant, VA über / more than 1070 kg	8.05 >	1180 kg / 1100 kg	40	1, 8, 15, 21	TÜV	956178
VW Passat CC, Typ 3CC (B6/B7), 2WD, VA bis / up to 1070 kg	5.08 >	1070 kg / 1040 kg	30	1, 21	i.V. / i.d.	956073
VW Passat CC, Typ 3CC (B6/B7), 2WD, VA über / more than 1070 kg	5.08 >	1180 kg / 1100 kg	30	1, 21	i.V. / i.d.	956074
VW Passat CC, Typ 3CC (B6/B7), 4WD, VA bis / up to 1070 kg	5.08 >	1070 kg / 1110 kg	30	1, 21	i.V. / i.d.	956089
VW Passat CC, Typ 3CC (B6/B7), 4WD, VA über / more than 1070 kg	5.08 >	1170 kg / 1110 kg	30	1, 21	i.V. / i.d.	956090
VW Passat, Typ 3C (B8), Lim. / Sedan, 2WD, VA bis / up to 980 kg	15 >	980 kg / 1060 kg	35		i.V. / i.d.	956161
VW Passat, Typ 3C (B8), Lim. / Sedan, 2WD, VA über / more than 980 kg	15 >	1100 kg / 1060 kg	35		i.V. / i.d.	956162
Polo						
VW Polo, Typ 86, 86C, ohne / without G40	9.81 > 8.94	640 kg / 630 kg	60/40	1, 2, 17, 21	TÜV	956645
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	800 kg / 750 kg	35	1, 21	TÜV	956046
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 750 kg	50/30	1, 2, 17, 21	TÜV	956633
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 730 kg	60	1, 17, 21	TÜV	956630
VW Polo Classic, Typ 6KV, 1.6, Diesel	1.96 > 02	910 kg / 790 kg	40/30	1, 2, 21	TÜV	956007
VW Polo Vario, nur / only TDI	9.97 >		35	1, 21		956017
VW Polo, Typ 6N, 44 - 74 kW	10.99 > 11.01	850 kg / 820 kg	35	1, 21	TÜV	956135
VW Polo, Typ 9N, 1.2, 1.4, 1.4 FSI, 1.6, ohne / without Automatik, VA bis / up to 890 kg	11.01 >	890 kg / 815 kg	35	1, 21	TÜV	956133
VW Polo, Typ 9N, 1.4 TDI, 1.9 SDI, 1.9 TDI, ohne / without GTI, VA 890 kg bis / up to 930 kg	11.01 >	930 kg / 815 kg	40	1, 21	TÜV	956136
VW Polo, Typ 6R, VA bis / up to 860 kg, ohne / without Diesel, ohne / without GTI	9.09 >	860 kg / 800 kg	30/50	1, 21	TÜV	956072
VW Polo, Typ 6R, VA über / more than 860 kg, ohne / without Diesel, incl. GTI, incl. WRC	9.09 >	960 kg / 800 kg	30/50	1, 21	TÜV	956068
VW Polo, Typ 6R, Diesel	9.09 >	960 kg / 800 kg	30/50	1, 21	TÜV	956069
Scirocco						
VW Scirocco I + II, Typ 53/ 53B, GLI, GT + 16V	9.74 > 91	785 kg / 640 kg	30	1, 14, 21	TÜV	956006
VW Scirocco, Typ 13	8.08 >	1080 kg / 770 kg	25	1, 21	TÜV	956079
Sharan						
VW Sharan, Typ 7M	9.95 > 8.10	1280 kg / 1330 kg	35	1, 15, 21	TÜV	953115
VW Sharan, Typ 7N, 2WD	9.10 >	1300 kg / 1340 kg	30	1, 21	i.V. / i.d.	956179

SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
VW						
T4 / T5						
VW T4, ohne / without Classic, Allstar, Atlantis, VA bis / up to 1510 kg, HA bis / up to 1300 kg	91 > 3.03	1510 kg / 1300 kg	40	1, 15, 20, 21	TÜV	956044
VW T5, Typ 7HM, 7HC, 7HK, 7HKXO	3.03 >	1575 kg / 1630 kg	30	1, 21	TÜV	956121
Tiguan						
VW Tiguan, Typ 5N, VA bis / up to 1130 kg	11.07 >	1130 kg / ---	35	1, 15, 21		956116
VW Tiguan, Typ 5N	11.07 >	1190 kg / 1130 kg	35	1, 15, 21		956117
Touran						
VW Touran, Typ 1T, 1.2 TSI, 1.6 FSI, VA bis / up to 1060 kg	2.03 >	1060 kg / 1235 kg	35	1, 15, 21	TÜV	956116
VW Touran, Typ 1T, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1060 kg	2.03 >	1190 kg / 1235 kg	35	1, 15, 21	TÜV	956117
Up!						
VW Up!, Typ AA	12.11 >	680 kg / 640 kg	40	1, 21	TÜV	956160
VOLVO						
850						
Volvo 850 / S70, Typ L, LN, LS, Lim. / Sedan, ohne / without T5	1.91 > 3.00		35	1, 21		956905
Volvo 850 / V70, Typ LW, Kombi, ohne Niveaureg. / without self-leveling, ohne / without T5	1.91 > 3.00	1120 kg / 1010 kg	35	1, 21	TÜV	956910
Volvo 850 / C70 Coupé, Typ L, LN, LS, 2.0, 2.3, 2.4	2.98 > 02	1120 kg / 1010 kg	30	1, 21		956925
C30						
Volvo C30, Typ M	2.06 >		35	1, 21		956922
C70						
Volvo C70, Typ M, Coupé	5.06 >		35	1, 21		956926
S40 / V40 / V50						
Volvo S40, V40, Typ V, bis / up to 147 kW, ohne Niveaureg. / without self-leveling	4.96 > 10.99		35	1, 21	TÜV	956900
Volvo S40, V40, Typ V, ab / from EGBE- e4*98/14*007*13	6.00 > 1.04		35	1, 21		951149
Volvo S40, V50, Typ M	2.04 >		35	1, 21		953031
Volvo V40, Typ M, 2 WD, Benzin / petrol	7.12 >	1100 kg / 990 kg	25	1, 21		956930
S60 / V60						
Volvo S60, Typ R	11.00 >		35	1, 15, 21		956919
Volvo S60, Typ F, F-N2D, incl. 4WD, VA bis / up to 1140 kg	4.10 >	1140 kg / ---	30	1, 21		956920
Volvo V60, Typ F, F-N2D, incl. 4WD, VA bis / up to 1140 kg	4.10 >		30	1, 21		956921
S80						
Volvo S80, Typ T	10.98 > 6.06	1200 kg / 1090 kg	30	1, 7, 21	TÜV	956917
Volvo S80, Typ A, 2WD, ohne Niveaureg. / without self-leveling	3.06 >	1250 kg / 1080 kg	40	1, 7, 21		956933
Volvo S80, Typ A	6.06 >	1300 kg / 1080 kg	30	1, 21		956928
V70						
Volvo V70, Typ S, 2.0, 2.3, 2.4, 2.4 Diesel, 2.5T	3.00 > 4.07	1130 kg / 1190 kg	30	1, 7, 15, 21	TÜV	956918
XC 60						
Volvo XC 60, Typ D, 2WD + 4WD	5.08 >	1290 kg / 1310 kg	40	1, 21		956932



ELECTRONIC LOWERING SYSTEMS "ELS"

Car type	Year	Lowering	Notes	TÜV	Part No.
AUDI					
Audi A6, Typ 4F	4.04 >	40	1, 21, 68	TÜV	949907
Audi A6, Typ 4G, 4G1	3.11 >	40	1, 21, 66, 68	TÜV	949908
Audi A7, Typ 4G, 4G1	10.10 >	40	1, 21, 66, 68	TÜV	949908
Audi A8, Typ 4E	10.02 > 7.10	40	1, 21, 66	TÜV	949909
Audi A8, Typ 4H, incl. model from year 2014	11.09 >	40	1, 21, 66	TÜV	949926
Audi Q7, Typ 4L	3.06 >	40	1, 21, 66	TÜV	949906
BENTLEY					
Bentley Continental GT, Typ 3W	04 >	40	1, 21, 66	TÜV	949904
Bentley FlyingSpur	04 >	40	1, 21, 66	TÜV	949904
Bentley GTC, Typ 3W	06 >	40	1, 21, 66	TÜV	949905
Bentley Continental GT	12 >	40	1, 21, 66	TÜV	949928
Bentley FlyingSpur	12 >	40	1, 21, 66	TÜV	949928
Bentley GTC	12 >	40	1, 21, 66	TÜV	949929
LAND ROVER					
Land Rover Range Rover, Typ LM, ab Fgst.-Nr. / VIN from: ..AA306778	10 >	40	1, 21	TÜV	949919
Land Rover Range Rover, Typ LM, bis Fgst.-Nr. / VIN up to: ..7A241824	> 09	40	1, 21	TÜV	949920
Land Rover Range Rover, Typ LS, ab Fgst.-Nr. / VIN from: ..AA227323	10 >	40	1, 21	TÜV	949918
Land Rover Range Rover, Typ LS, bis Fgst.-Nr. / VIN up to: ..7A111462	> 09	40	1, 21	TÜV	949921
Land Rover Range Rover, Typ LS, ab Fgst.-Nr. / VIN from: SALG..., Range Rover Sport ab Fgst.-Nr. / VIN from: SALW	> 13	40	i.V. / i.d.	TÜV	949927
MERCEDES BENZ					
MB CL, Typ C216, incl. AMG	9.06 >	40	1, 21, 66, 69	TÜV	949913
MB CLS, Typ W218	1.11 >	40	1, 21, 66, 68	TÜV	949912
MB CLS, Typ W219, ab Fgst.-Nr. / VIN from: ..016107	10.04 > 7.10	40	1, 21, 66, 68	TÜV	949915
MB E-Klasse, Typ W211, ab Modelljahr / model from year 2006, ab Fgst.-Nr. / from VIN: ..753284	3.02 > 1.09	40	1, 21, 66, 68	TÜV	949915
MB E-Klasse, Typ W212	3.09 >	40	1, 21, 66, 68	TÜV	949912
MB M-Klasse, Typ W164	7.05 > 6.11	40	1, 21, 66, 68	TÜV	949914
MB M-Klasse, Typ W166	7.11 >	40	1, 21, 66, 69	TÜV	949924
MB R-Klasse, Typ W251	1.06 >	40	1, 21, 66, 68	TÜV	949917
MB S-Klasse, Typ W221	10.05 >	40	1, 21, 66, 68	TÜV	949916
MB S-Klasse, Typ W221, ABC Fahrwerk	10.05 >	40	1, 21, 66, 69	TÜV	949913
MB SL, Typ R230, ab Baujahr / model from 01.03.2006	3.06 >	40	1, 21, 66, 69	TÜV	949913
MB SL, Typ R231	3.12 >	40	1, 21, 66, 69	TÜV	949923
PORSCHE					
Porsche Cayenne, Typ 955, 957, 9PA (ab Baujahr / model from year 2004, siehe Anmerkung / see Notes)	9.02 > 5.10	40	1, 21, 66, 68, 70	TÜV	949903
Porsche Cayenne, Typ 92A, -AN, -H, -HN	6.10 >	40	1, 21, 66, 68	TÜV	949902
Porsche Macan, Typ 95B	13 >	40	1, 21, 66, 68	TÜV	949925
Porsche Panamera, Typ 970	9.09 >	40	1, 21, 66, 68	TÜV	949901
VW					
VW Phaeton, Typ 3D, ab Fgst.-Nr. / VIN from: ..48007000	4.02 >	40	1, 21, 66, 68	TÜV	949911
VW Touareg, Typ 7L, ab Fgst.-Nr. / VIN from: ..4D052000	10.02 > 5.10	40	1, 21, 66, 68	TÜV	949910
VW Touareg, Typ 7P, 7PH	4.10 >	40	1, 21, 66, 68	TÜV	949902
ACCESSORY (OPTION)					
On - Off switsch					949922

General Terms of Sale of VOGTLAND Autosport GmbH

Scope of Application

1. The present General Delivery and Payment Terms are considered agreed between the Contract Partners. Business Terms of the Partner not acknowledged by us in writing are not valid.

General Terms

2. The Contract Partners shall confirm any verbal agreements promptly in writing.
3. Orders become binding only with our order confirmation.
4. The data and illustrations given in pamphlets, catalogues and online are typical approximate industry values except when explicitly declared by us to be binding.

Prices

5. When no other currency is quoted, prices are given in Euro and exclude VAT, packing, freight, postage and insurance.

Payment Terms

6. All invoices are due for payment within 30 days from date of invoice. A 2% cash discount is granted on payments made within 10 days from date of invoice except when the Partner is in arrears with the payment of other payables. For new customers, we reserve the right to stipulate the payment mode of COD, bank debit or cash in advance.
7. If we have indisputably delivered partially defective products, our Partner is nevertheless obligated to make payment for the flawless portion except if the partial delivery is of no further interest to him. In all other respects, the Partner is entitled to offset only with counterclaims that are undisputed or declared legally final.
8. If payment is in arrears, we are entitled to charge late delivery interest in the amount of the interest rate charged by our bank for current account overdrafts but of not less than 8 percentage points above the basic interest rate as per Sec. 247 BGB.
9. In the event of late payment, we are entitled after a written notice to the Partner to suspend the performance of our own obligations up to the receipt of payment.
10. Bills of exchange and cheques are accepted only when agreed, only for the sake of performance and on condition of their negotiability. Discounting charges will be debited as of the due date of the invoice. A guarantee for the presentation of bills and cheques by their due date or for the issue of draft protests is excluded.
11. If following contract conclusion, a substantial hazard arises to our payment claim as a result of a major deterioration in the asset conditions of the Partner, we are entitled to demand advance payments or the supply of a security within an adequate period and to suspend performance until our demand is met. A substantial deterioration in the asset conditions is assumed if a Partner is in default. In the event of a refusal by the Partner or of the fruitless expiry of the limit period, we are entitled to withdraw from the contract and demand compensation for non-performance.

Delivery

12. If not agreed otherwise, our deliveries are "ex works". Our notice of shipping or collection readiness is relevant for the observation of a delivery date or delivery period.
13. The delivery period begins with our issue of the order confirmation and shall be adequately extended if the preconditions of Item 42 apply.
14. Partial shipments are permitted within reasonable limits. They will be invoiced separately.
15. Excess or short deliveries due to production runs are permitted within a tolerance rate of 10 % of total order volume. Depending on the extent, total invoice amount will be modified as a result.

Shipment and Transfer of Risk

16. Goods reported ready for shipment must be collected by the Partner promptly. Otherwise, we are entitled at our discretion to ship the goods or store them for risk and account of the Partner.
17. In the absence of an agreement to the contrary, the means of transportation and shipping route is chosen by us.
18. The risk passes to the Partner with the handover to the railway, forwarding agent or consolidator or on commencement of storage but latest on departure from our works or warehouse, also when delivery to the above parties is made by us.

Late Delivery

19. If the delivery is late due to the circumstances laid out in Item 42 or as a result of an action or omission of the Partner, the delivery period shall be adequately extended as appropriate to the circumstances.

Reservation of Title

20. We reserve ownership to the delivered product up to the fulfilment of all our claims out of the contractual relationship with the Partner.
21. The Partner is entitled to resell the goods as part of an ordinary business transaction and as far as his contractual obligations are met in good time. He may, however, not pledge reserved goods as collateral nor hand them over as a security. The Partner must secure our rights when reselling reserved goods on credit.
22. In the event of a default by the Partner, we are entitled after setting an adequate grace period to demand the surrender of reserved goods also without withdrawing from the contract.
23. All claims and rights generated by the sale or possible rental permitted to the Partner of goods to which we have ownership rights shall be assigned by the Partner as collateral to us already at this time. The assignment is hereby accepted.
24. Possible processing or compounding of reserved goods shall be undertaken by the Partner at all times on our behalf. When the reserved goods are processed or inseparably blended with other objects not owned by us, we acquire co-ownership in the new product in a ratio of the invoice value of the reserved goods to that of the other processed or blended products at the time of processing or blending. If our products are compounded with other movable objects into a uniform product or are inseparably blended and if the resulting product becomes the main product, the Partner assigns to us the pro-rated co-ownership as far as he is the owner of the main product. The Partner shall administer ownership or co-ownership on our behalf. In all other respects, products resulting from the processing or compounding or blending are to be considered equal to the reserved goods.

25. Enforcement measures of third parties involving the reserved goods, claims assigned to us or other securities must be notified to us by the Partner promptly and all necessary records for action on our part be submitted. This also applies to any form of deterioration.
26. We agree to release the securities to which we are entitled under the above provisions at the demand of the Partner when the value of the product subject to the reservation of title exceeds the secured claim by more than 10 %.

Warranty

27. Our warranty covers the flawless manufacture of goods delivered by us in line with the agreed technical delivery rules. When delivery is based on the drawings, specifications, samples etc. of the Partner, the risk of suitability for the intended purpose is borne by the latter. The time relevant for the contractual state of the product is that of the transfer of risk as per the Sec. 18.
28. A warranty covering disassembly and reinstallation costs and compensation claims arising out of defective deliveries is explicitly excluded.
29. We assume no warranty for defects resulting from unsuitable or improper handling, defective assembly or start-up by the Partner or a third party, typical wear and tear, faulty or negligent operation or for the result of improper modifications or repairs by the Partner or a third party performed without our consent.
30. If not agreed otherwise, the warranty period shall be determined by governing law.
31. Visible defects shall be reported by the Partner in writing promptly on receipt of the goods at destination, and concealed vices promptly after the discovery of the vice but latest within the statutory warranty period.
32. When acceptance of the goods or first-off sample inspection was agreed, claims shall be excluded for defects which the Partner could have discovered on careful acceptance or first-off sample inspection. When no acceptance or first-off sample inspection was agreed, the statutory provisions shall apply.
33. We must be given the opportunity to examine claimed defects. At our demand, products subject to a claim must be returned to us promptly. Shipping costs shall be for our account if the defect claims is justified. If the Partner fails to meet this obligation or makes changes to claimed products without our consent, possible warranty claims shall be void.
34. If a claim is justified and made in due time, we will at our discretion either repair the claimed product or supply a flawless replacement. For bulk deliveries, the Partner must give us an opportunity to sort out defective products at short notice.
35. If we fail to meet our warranty obligations or do so contractually within a reasonable period, the Partner may set a final limit period during which we are required to meet our obligations. On the fruitless expiry of this period, the Partner may either demand a reduction in the price, withdraw from the contract or carry out the necessary repair works by himself or by a third party for our account and risk. If the repair is successfully performed by the Partner or a third party, all claims of the Partner shall be considered met with the reimbursement of the resulting costs.

Warranty

36. The warranty provisions applicable to chassis products shall apply only to the legal relationship of VOGTLAND Autosport with the final consumer (not vis-à-vis the Partner).

Other Claims and Liability

37. If not agreed otherwise below, any other or further claims of the Partner against us shall be excluded. This applies in particular to compensation claims out of delay, infeasibility of performance, culpable breach of ancillary contractual obligations, faulty contract conclusion [culpa in contrahendo] or unauthorized acts. We are therefore not liable for any damage not incurred by the delivered product itself. In particular, we are not liable for lost profits or asset damage to the Partner.
38. The above liability limitations do not apply to premeditated or gross negligence by our statutory representatives or managing executives or to culpable breach of material contract obligations. In the case of a culpable breach of material contract obligations, we shall be liable only for contract-typical and reasonably foreseeable damage except in the case of premeditated or gross negligence by our statutory representatives or managing executives.
39. The liability limitation furthermore does not apply to defects in supplied goods for which liability is assumed under the Product Liability Act for personal injury or physical damage to privately used objects. It likewise does not apply to the absence of assured properties if and when the purpose of the assurance was to protect the Partner from damage not incurred by the delivered product itself.
40. When our liability is excluded or limited, this should also apply to the personal liability of our employees, workers, staff members, statutory representatives or vicarious agents.
41. The statutory regulations on the supply of proof remain unaffected.

Force Majeure

42. Force majeure, labour disputes, civil unrest, measures of authority, non-supply of deliveries by our suppliers and other unforeseeable, unavoidable and grave events release the Contract Partners from their obligations for the duration of the event and to the extent of their effect. This also applies when these events occur at a time at which the Partner in question is in default. The Contract Partners agree to promptly issue within reasonable limits all required information and to match their obligations to the changes of circumstances in good faith.

Place of Performance, Jurisdiction and Governing Law

43. The place of performance for this Agreement is Hagen/Westphalia.
44. The place of jurisdiction for all legal disputes including bill of exchange and protests is our business seat. When the Partner is a registered merchant, a legal entity of public law or a special fund under public law, we are entitled to institute proceedings also at the seat of the Partner.
45. The Agreement is to be governed exclusively by the laws of the Federal Republic of Germany. The application of the United Nations Convention of 11 April 1980 on the international of goods (CISG aka "Vienna Purchase Law") is excluded.

IMPORTANT PRODUCT INFORMATION

VOGTLAND designs its suspension kits with the principle of balance in mind. The values we give for the approximate lowering of a vehicle are based on the changes made to the vehicle when it is in new and fully stock condition. When measuring the ride height of the vehicle, it is always necessary to take factors such as the exact measuring points used, size of the wheels and tires, fuel tank level, and shock absorber condition. Because there are a number of factors which influence the degree of lowering to the vehicle, specific ride height after product application is not covered under warranty.

VOGTLAND supplies suspension systems for a number of different vehicle models, some of which are very similar to one another. If you install and use VOGTLAND suspension systems not specially designed for your vehicle model, this could cause property damage and physical injury. This also applies to non-approved combinations of wheels and tires (although generally our suspension sets are permitted for all combinations of wheels and tires approved by the manufacturer). Therefore, please pay close attention to the information in our model lists and general operating licenses. If you are unsure of any of these factors; please contact your dealer or a qualified shop to answer any questions you may have. Making modifications to any VOGTLAND product is dangerous. Any modification to the suspension parts will automatically render all claims against the manufacturer invalid and void any warranty.

VOGTLAND products are manufactured and tested under constant quality assurance. In spite of this, any product can be damaged under certain circumstances. Please observe the following instructions to prevent damage. Avoid excessive loading by not exceeding the axle loads specified by the manufacturer. Avoid aggressive driving maneuvers that place excessive load on the material such as races, off-road trips, etc. Lastly, be sure to adjust your speed to traffic conditions.

INSTALLATION INFORMATION

It may be hazardous to install or disassemble chassis components because suspension systems are under pressure. Therefore, improper handling may cause injury to life and limb along with property damage. Therefore, a certified technician shall install such products as they have the proper training, knowledge, and tools to complete the job safely. In addition to that, the car must be on a lifting platform every time it is installed or disassembled.

Note: it is not permissible to install any suspension components using jacks.

After completing installation, please ensure that all parts are installed according to the assembly instructions and have been checked at least twice. Defective parts should always be replaced. Do not exceed the permissible axle loads specified in the certificate for VOGTLAND suspension components. Lastly, please check the part numbers to ensure that you as the customer have received the product intended for your vehicle.

Please make the following checks and readjust if necessary after installation or disassembly. Note: not observing these testing and regulating rules may result in system conditions being lost and therefore serious damage for which we cannot assume any liability.

- combination of wheels and tires moves smoothly
- tread and axle adjustment
- brake and level equalization systems and their regulating systems
- headlight adjustment
- shock absorber test (only if shock absorbers are used that are not new)
- sufficient preliminary tension on the springs after installation

Not observing these testing and regulating rules may result in system conditions being lost and therefore serious damage for which we cannot assume any liability.

NOTES APPLICATION GUIDE

1. The measure of the lowering will be reduced by the measure of the original sport suspension.
 2. Wedge form: The lowering of the front axle depends from the equipment and weight of the engine.
 3. As of Chassis-no.: 21234.
 4. For fine tuning, please refer to the original Daimler Benz spring insulators available in different heights (8-23 mm).
 5. Heavy duty for models with full equipment and more than 4 cylinders.
 6. A TÜV presentation is necessary despite ABE for vehicles with a load depending brake power distributor.
 7. Without self-leveling/air suspension.
 8. Additional lowering may occur on vehicles equipped with automatic transmissions.
 9. Only for vehicles with full equipment.
 10. XR3i does not lower, only the adjustment becomes more sportive.
 11. Vehicles with 6 cylinder engines require sport shocks.
 12. Not for station wagons.
 13. As of ABE-no. 9138/2.
 14. Up to 8.79 please use spring cap no.: 171412341A.
 15. Not for 4WD/4x4.
 16. Original Volkswagen springs caps [and probably further Parts] might be necessary: 1H0412341 (big) or 357412341A (small).
 17. Shorter sport shocks are required. The VOGTLAND suspension kits come with shortened shocks.
 18. Not suitable for serial or original sport suspension.
 19. Only front springs, torsion bars (or standard spring) on the rear axle.
 20. Only rear springs, torsion bars (or standard spring) on the front axle.
 21. All wheel/tyre combinations are allowed which are released by the wheel type testing institution. The conditions in the wheel approval have to be kept, except when original suspension is required.
 22. At the VOGTLAND adjustable suspension kits are only the shock valvings in the front adjustable.
 23. Due to vehicle-specific tolerances a contact between the drive shaft and the anti-roll bar might occur. In such case it is required to install a modified anti-roll bar. For coilover Sets use Order-No. 968 550 000 (Anti-roll bar conversion set without Xenon headlights).
For suspension kits use a longer steering rod from your VW/Audi dealer.
 24. Height adjustable at the front and rear axle (threaded strut housings).
 25. Height adjustable at the front and rear axle (front axle threaded housings, rear axle threaded spring perch and separate shocks).
 26. Only height adjustable at the front axle, springs and shocks at the rear axle.
 27. May require wheel spacers with original equipment tires and wheels.
 28. Self-leveling must be deactivated.
 29. Height adjustable at the front (threaded strut housings), rear axle is adjustable with torsion spring adjustment.
 30. Installed shocks can be adjusted when installed.
 31. Installed shocks can not be adjusted when installed.
 32. The front turn lights (J76/756 EG), must be the min. height from 350 mm. Alfa part-no.: 46226968.
 33. For vehicles manufactured before 04/02, the piston rod is fastened to the support bearing with an arched disk (piston rod threads visible). Models built after 04/02, piston rod threads not visible.
 34. Only for vehicles which have rear dampers mounted with M10 bolt (1.0i, 1.2i, 1.7Di).
 35. Only for vehicles which have rear dampers mounted with M14 bolt (1.4i, 1.8i, 1.3CDTI, 1.7DTi, 1.7CDTi).
 36. Front shock: complete suspension strut. Part-no.: 966404, 966406, 966407, 966322, 960422, 969423, 960423, 960462.
 37. Front shock: cartridge.
 38. Damper only suitable for European spec vehicles.
 39. If the driveshaft-diameter is greater than 42 mm the max. approved lowering is reduced by 15 mm.
 40. The inside distance between the mountingbracket of the front damper must be 27 mm.
 41. From chassis-no. Y in the 10th position.
 42. For cars with 50 mm suspension strut.
 43. For cars with 55 mm suspension strut.
 44. For cars built from October 1991 up to May 1992 the upper attachment must be replaced by BMW-part-no. 31.331.090.467.
 45. Up to 1998 models (up to VIN: 8DX199999).
 46. Steering rod 968220, 968221 for lowering greater 40 mm necessary.
 47. After mounting the clearance between wheel and suspension strut must be at least 5 mm. If it is smaller you have to use wheel spacers.
 48. Audi: Modelyear up to 4.00, VW: Modelyear up to 9.99.
 49. Audi: Modelyear after 5.00, VW: Modelyear after 10.99.
 50. Without 16V, front bracket bolt distance 52 mm.
 51. Without 16V, front bracket bolt distance 54 mm.
 52. Without Rallye, TD, Genty, CT, CTI, GTI.
 53. Modelyear up to 08.04, without 2.0T, 3.0V6 CDTI, without IDS.
 54. Modelyear after 08.04, without 2.0T, 3.0V6 CDTI, without IDS.
 55. For models with eye-mounting at the rear.
 56. For models with fork-mounting at the rear.
 57. Not for models built after 2004.
 58. On front shock check measurements for the bracket: inside width 23 mm, mounting hole distance 52 mm.
 59. Only for cars with four wheel drive (4WD).
 60. Additional OE equipment is needed on cars with EDC. Front (also 8 cyl. Engines) BMW-part-no.: Bearing 31331091709, Washer 31331116983, Dust Cap 31331110196. Rear BMW-part-no.: Bearing 33521091710, 33521090282, Washer 33521092986, Dustseal 31331137 932, Bumpstop 33531091031.
 61. The OE-air suspension is not removed. A rear sport shock is provided and used with the air suspension.
 62. Not for vehicles with electronic damping adjustment.
 63. For all cars built before 6/92 the use of different Top-Bearing assembly in the front is required. BMW-part-no.: Bearing 31336764947, Washer 31331116983, Dustseal 31331110196.
 64. Without electr. damping adjustment, without IDS+.
 65. For cars with self-leveling additional OE-parts are required:
Audi Partnumber: Bearing 8E0512121E, Springseat 8E0512149H, Bump stop 4B0512131Q.
 66. Model specific plug&play adapter included.
 67. Model specific plug&play adapter available as option.
 68. Only for cars with Air suspension.
 69. Only for cars with ABC suspension.
 70. From VIN: Turbo: 4LA83740, S: 4LA48416, V6: 4LA01526, USA Turbo: 4LA93466, USA S: 4LA6674337, USA V6: 4LA21527
 71. Only for Multi-link rear suspension.
 72. Only for Twist-beam rear suspension.
 73. Kit including shock absorbers up to model year 2009.
 74. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
 75. Audi magnetic ride needs to be deactivated. Deactivation kit is included in the delivery.
 76. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
 77. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
 78. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
 79. For cars with 47 mm front strut.
 80. For cars with 51 mm front strut.
- TÜV TÜV certificate existing. For Cars with a single operating permit (EBE) an approval regarding §21 StvZo is required. Sets without TÜV can be ordered for Export market.
- i.V. / i.d. In development, please call.
- (...) Remarks in brackets only for Kits.
- AV Selling off.

Subject to possible technical revisions. Reserves the right to change product specifications. We do not assume liability for misprint.